aromas

PriceList 2026

03
General Conditions

05
Table lamps

27
Side tables

31
Pendant lamps

65
Floor lamps

73
Wall lamps

101
Accesories

105
Bulbs & Shades

113
Spare parts

119
Dimmer options

121
Create your lamp


Class I


Class II


Class III


Packaging recycling


Non-recyclable electronic device

CE
European Certification

110 V
Compatible with 110V

*
Shade / Accesories not included

**
While stocks last

Index & Icons

1. PRICES

1.1. The given prices are the suggested retail prices without VAT.

1.2. The pricing do not include bulbs or shades except when mentioned.

1.3. This Price list nullify any other Price list.

2. ORDERS

2.1. All orders must be sent via email with reference codes, names, colors and if shades and bulbs are needed.

3. PAYMENT TERMS

3.1. All orders must be paid in advance by wire transfer with proforma number in description.

3.2. In case of orders that require customized products or for projects orders, the company will require total payment or 50% advanced payment.

3.3. Payment delays for holidays or festivities will not be accepted.

3.4. The delivery date is determined by the circumstances from the date in which the proforma is paid.

3.5. The client is not authorized to claim any incident if it is not in writing.

3.6. The company reserves right to deny orders if the client does not comply with payment commitments.

4. TRANSPORTATION

4.1. Transportation costs are calculated according to order and destination.

4.2. If client requires urgent shipment, additional costs will be applied.

5. TRANSPORT INCIDENTS

5.1. Any visible damage in packaging must be notified to shipping company upon receival.

5.2. Claims will be accepted 5 working days after receiving order.

5.3. Claims must be sent via email to account manager with photos and description If the above points are not met, the claim can be disqualified.

5.4. Claims will be accepted 5 working days after receiving order.

5.5. Damage claims are not included except if proved to be manufacturing
flaw by AROMAS DEL CAMPO.

6. REPAIRS

6.1. If a third party wishes to repair a product before being returned to factory, it must be authorized by AROMAS DEL CAMPO.

6.2. The product must be packed correctly and in the original box.

6.3. Once the product is received in factory, an approximate price to repair will be issued.

6.4. Transportation costs will be covered by client .

6.5. In case the lamp has been discontinued, it can be repaired if the company has spare parts.

6.6. All repairs will be charged.

7. RETURN

7.1. All returns must have approval by company, including claim cases.

7.2. For defective products, shipping company authorized by AROMAS will pick up correctly packed box.

7.3. We reserve right to charge additional repair costs if the returned package is damaged.

7.4. After product examination concludes that complaint was not justified, the company reserves right to charge extras.

8. WEB

8.1. In order to sell or publish any AROMAS DEL CAMPO product on the internet, an agreement must be signed.

8.2. The display of photographs of products or similar to AROMAS DEL CAMPO in websites must have specified authorization by the company.

9. GENERAL REMARKS

9.1. AROMAS DEL CAMPO reserves right to modify, without notice, prices in current catalogue and discontinue products.

9.2. Printing errors reserved

9.3. Delivery dates are not complaining, AROMAS DEL CAMPO will attempt to fulfil them, however, cannot be held accountable under any case.

9.4. Discounts rates can be modified at any moment.

9.5. Services offered by any company related to AROMAS DEL CAMPO distribution of products; like replacement of lamps, components, shipping of tester products, are covered by AROMAS DEL CAMPO, SL.

9.6. All products are property of AROMAS DEL CAMPO SL until complete claim settlement.

9.7. Client accepts the conditions mentioned in this document.

9.8. AROMAS DEL CAMPO SL reserves right to declare a client account null if commercial agreement terms are not met.

9.9. The prices and descriptions of the products indicated in this price list are subject to possible typographical or updating errors. Aromas del Campo reserves the right to correct any errors, modify prices or specifications without prior notice.

General Information

The descriptions and dimensions of the items in this catalogue are indicative and may be modified for the purpose of technical or design improvements. The natural materials used in our products, such as marble, wood, or other organic elements, may present variations in tone, veining, texture, or small irregularities inherent to their nature. These characteristics are not considered defects, but rather attributes that enhance the authenticity and uniqueness of each piece. We reserve the right to cancel or change all models without prior notice. All items meet the CE. Class 1 and class 2 safety regulations for home lighting appliances. The finishings and technical specifications listed here are for the european market and may vary elsewhere. Do not use stronger bulbs that recommended, and always clean lamps with a soft dry cloth. Metal polish will damage the protective finishings.

5



Table lamps

GAMB
S1358



Specifications

Light source	E27 LED Max 6W 2700K (included) 450lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	Box
Measures (LxWxD)	32 x 32 x 53cm
Weight (gross)	3 Kg
Volume	0,054 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on integrated in body 0€

Finishes

Metal	Marble	
Matt black	Black	186€
Aged Gold	Black	186€
Aged Gold	White	186€

Linen

Natural

TASTA
S1355



Specifications

Light source	LED Strip 25W 2700K 1220lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	48,5 x 41,5 x 12,5 cm
Weight (gross)	3.35 kg
Volume	0,025 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal

Matt black	286€
Aged gold	286€

Mármol

White
Black
Green
Brown

LED not replaceable by user

LADA
S1354



Specifications

Light source	LED Strip 11W 990lm 2700K
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 39 x 20 cm
Weight (gross)	3,4 Kg
Volume	0,047 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal

Matt black	194€
Aged gold	194€

Cermics

White

LED not replaceable by user

IRZO
S1353



Specifications

Light source	G9 5W 450lm 2700K
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	51.5 x 32 x 29 cm
Weight (gross)	3 kg
Volume	0,050 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Base:

Metal

Matt black	174€
Aged gold	174€

Marble

Green	174€
Brown	174€

Shade:

Glass

Opal

GEHIT
S1350



Specifications

Light source	LED strip 8.5W 850lm 2700K dimmable
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	45,5 x 45,5 x 35,2 cm
Weight (gross)	4,9 Kg
Volume	0,0729 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal (Exterior)

Matt black	436€
Aged gold	436€

Metal (Interior)

White

Difusser

Opal

Wood

Dark Walnut

LED not replaceable by user

NURO
S1349*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	53.5 x 28.5 x 28 cm
Weight (gross)	4,35 kg
Volume	0,043 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal

Matt black	370€
Aged gold	370€
Glass	370€

See colour palette

Marble Ball

Black

Marble

Black
White
Brown
Green
Travertine

Shade 801021/40 (not included) 54€

VITREE
S1346



Specifications

Light source	LED strip 12W 1000lm 2700K
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 36 x 37 cm
Weight (gross)	4.5 kg
Volume	0,070 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Touch me dimmable	0€

Finishes

Metal

Matt black	428€
Aged gold	428€

Glass

Clear

LED not replaceable by user

CLOUD
S1345



Specifications

Light source	Bulb G9 5W 450lm 2700k
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	51.5 x 32 x 29 cm
Weight (gross)	4 kg
Volume	0,050 CBM
HS Code	9405.29.90.90

Control

ON/OFF-Dimmable	0€

Finishes

Metal

Matt black	212€
Aged gold	212€

Glass

Clear	+0€
Greenish brown	+44€
Amber	+44€
Grey	+44€

Shade

Opal

CUBIC
S1344



Specifications

Light source	Bulb G9 5W 450lm 2700k
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	49 x 32 x 19 cm
Weight (gross)	3.05 kg
Volume	0,030 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal

Matt black	214€
Aged gold	214€

Shade

Alabaster

COCO
S1342*



Specifications

Light source	Bulb E27 Max. 15W (excluded)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 30 x 12 cm
Weight (gross)	4 kg
Volume	0,020 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Switch ON/OFF in tube	0€

Finishes

Metal

Matt black	240€
Aged gold	240€
Chrome	240€
Leather	

Black
Brown
Grey

Shade NOT included in price.

Catalogue shade reference

801011/36	50€

TEA
S1337



Specifications

Light source	LED chip 6W 600lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	47 x 35 x 12,5 kg
Weight (gross)	2,9 kg
Volume	0,021 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	Marble	
Matt black	Black	180€
Aged gold	White	180€
Metallic grey	Brown	180€

LED not replaceable by user

ANZA
S1336



Specifications

Light source	LED plate 9W 900lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	40,5 x 27,5 x 16 cm
Weight (gross)	1,8 kg
Volume	0,018 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	Marble	
Matt black	Black	176€
Aged gold	White	188€

GINA
S1334



Specifications

Light source	Bulb G9 5W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	40.5 x 28 x 17.5 cm
Weight (gross)	5.45 kg
Volume	0,020 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	Marble	
Aged gold	Black	280€
Aged gold	Green	280€
Shade		
Opal		

LARI
S1333**



Specifications

Light source	2 x LED strip 9W 1600lm 2700K
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	58 x 32 x 23 cm
Weight (gross)	4 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Touch me dimmable 0€

Finishes

Metal	
Matt black	278€
Leather	
Cyber / Dark brown / Taupe / Orange	
Glass	
Clear striped	

**While stocks last

HOLD
S1326



Specifications

Light source	2 x Bulb G9 5W 810lm 2700K (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	40 x 73 x 43 cm
Weight (gross)	12.10 kg
Volume	0,074 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	Marble	
Aged gold	White	328€
Matt black	Black	328€
Glass		
Opal		

SANO
S1325



Specifications

Light source	E27 LED 9W dimmable 2700K 810lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	39 x 15.5 x 22 cm
Weight (gross)	2.7 kg
Volume	0,013 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer integrated in body	0€

Finishes

Body and base:

Black marble / Black wood	278€
Brown marble / Dark wood	278€
Travertine / Beech wood	278€

Shade NOT included in price.

Shade in catalogue

801011/36	50€

KEZO
S1324**



Specifications

Light source	G9 LED dimmable 5W 2700K 450 lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	50 x 26 x 12 cm
Weight (gross)	5,6 kg
Volume	0,016 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body

Matt black	260€
Nickel	260€

Shade

Matt white (standard)

Other finish

See palette colours	+44€

Marble base

Shiny black

**While stocks last

HOLM
S1321



Specifications

Light source	LED plate 14W 2700K 900 lm LED strip 6W 2700K 450lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	2 Boxes S1321 1/2 55 x 20 x 21,5 cm 0,020 CBM (base)
Measures (LxWxD)	
Weight (gross)	S1321 2/2 39 x 39 x 39 cm 2,6 kg 0,060 CBM (Shade)
Volume	
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal

Black	218€

Body

Glass

Diffuser

Glass

LED not replaceable by user

REMS
S1318**



Specifications

Light source	Bulb E27 LED 9W 2700K 720lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44,5 x 44,5 x 20 cm
Weight (gross)	5,6 kg
Volume	0,0396 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal	Leather shade	
Matt black	Black	290€
Matt black	Orange	290€
Matt black	Light brown	290€
Matt black	Dark brown	290€

Shade included in price.

LED not replaceable by user

**While stocks last

OKET
S1317**



Specifications

Light source	LED plate integrated dimmable 10W 2700K 810lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	38 x 33 x 59,5 cm
Weight (gross)	3,8 kg
Volume	0,0746 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body and base: Matt brass // Shade: Matt white	362€
Body and base: Matt black // Shade: Matt black	362€

LED not replaceable by user

**While stocks last

IPON
S1316



Specifications

Light source	LED plate integrated 10W 2700K 810lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	33 x 21 x 55 cm
Weight (gross)	4,2 kg
Volume	0,0381 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal

Matt black	244€
Aged gold	244€

Pantalla

Clear (standard)	+0€

Other smoked finish

Greenish brown	+44€
Amber	+44€
Blue	+44€
Grey	+44€

TURA C
S1313/C



Specifications

Light source	Chip LED 5W 2700K dimmable
Voltage	220-240V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26,5 x 26,5 x 45,5 cm
Weight (gross)	3,1 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal

Matt black	322€
Matt brass	322€

Leather head

Black / Dark Brown / Light Brown / Orange

Marble

Matt black

LED not replaceable by user

TURA
S1313



Specifications

Light source	Chip LED 5W 2700K dimmable
Voltage	220-240V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	53,5 x 8,5 x 33 cm
Weight (gross)	2,4 kg
Volume	0,006 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal

Matt black	294€

Leather head

Black / Brown / Orange

Marble

Matt black

LED not replaceable by user

DOUL
S1310**



Specifications

Light source	Bulb G4 LED 3W 2700K 450lm dimmable (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	64 x 34 x 17 cm
Weight (gross)	2,8 kg
Volume	0,036 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Push switch 0€

Finishes

Glass

Transparent striped glass

Body

Matt black	176€

**While stocks last

TANA
S1309



Specifications

Light source	Chip LED 4W 2700K 560lm Dimmer on cable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Tipo II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Caja
Measures (LxWxD)	46,5 x 29 x 30,5 cm
Weight (gross)	2,5 kg
Volume	0,0411 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal

Matt black	180€

DUSSA
S1307



Specifications

Light source	LED plate dimmable 9W 2700K 720lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	28,5 x 17 x 40 cm
Weight (gross)	2,2 kg
Volume	0,018 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body	Cabezal	
Aged gold	Matt white	198€
Matt black	Matt black	198€
Matt black	Travertine	198€
Change head finish		+66€

BION
S1306



Specifications

Light source	Bulb G9 dimmable 5W 2700K (included) 450 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	58,5 x 56 x 10 cm
Weight (gross)	2,5 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body	
Aged gold	296€
Matt black	296€
Base	
Matt black marble	
Shade	
Matt black	
Matt white	

ISON
S1298



Specifications

Light source	LED strip 10W 2700K dimmable 900lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 35 x 52 cm
Weight (gross)	2,5 kg
Volume	0,055 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€
3000K	80€

Finishes

Body	
Aged gold	256€
Matt black	256€
Glass	
Clear striped	

LED not replaceable by user

YCRO
S1297



Specifications

Light source	Chip LED 8W 2700K dimmable 810lm
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	52 x 15 x 18 cm
Weight (gross)	3,1 kg
Volume	0,015 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Marble	Metal	
Matt black	Aged gold	180€
Matt black	Matt black	180€

LED not replaceable by user.

NANO
S1294



Specifications

Light source	COB LED 3W, 2700K 450lm
Voltage	3,7V 2000 mAh
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20

Battery Autonomy

5 hours - maximum intensity
10 hours - medium intensity
20 hours - low intensity
2000mAh

Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 32 x 16 cm
Weight (gross)	5,8 kg
Volume	0,013 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Touch me dimmable	0€

Finishes

Marble	
Matt black	
Metal (Details)	
Matt brass	334€
Shade	
Opal	

Portable and rechargable Wireless charger included

LED not replaceable by user

PIPE
S1293



Specifications

Light source	GU10 LED 3W 2700K dimmable 450lm (included)
Voltage	220-240 V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	62 x 37 x 15 cm
Weight (gross)	3,1 kg
Volume	0,035 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Matt black	196€

KINE
S1288*



Specifications

Light source	LED plate 10W 2700K 900lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	2 Boxes
S1288 39,5 x 22 x 16 cm (base)	6,5 kg 0,014 CBM
1288 46 x 46 x 16,5 cm (Tulipa)	2,6 kg 0,035 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Touch me dimmable	0€

Finishes

Base S1288 (Marble)

Black / White

Shade 1288

Matt black/Matt white/Matt brass

S1288/NEG + 1288/NEG	458€
S1288/NEG + 1288/BCO	458€
S1288/NEG + 1288/ORO	524€
S1288/BCO + 1288/NEG	458€
S1288/BCO + 1288/BCO	458€
S1288/BCO + 1288/ORO	524€

AIDER
S1287**



Specifications

Light source	E27 LED Max. 9W dimmable 2700K 810lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 40,5 x 25 cm
Weight (gross)	2,4 kg
Volume	0,045 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Shade

Shiny black

Metal

Satin nickel	274€
Matt brass	274€

Base

Shiny black marble

Rattan

Natural tone

**While stocks last

AMBOR
S1283



Specifications

Light source	G9 LED dimmable 2x3W 2700K 800lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	36,5 x 15 x 37,3 cm
Weight (gross)	2,9 kg
Volume	0,024 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Base and shade

Matt brass	224€
Matt black	224€

Body

Matt black

ATIL
S1281



Specifications

Light source	G9 LED dimmable 2x5W 2700K 900lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 30 x 21 cm
Weight (gross)	3,5 kg
Volume	0,038 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Shade

Opal

Base and body

Matt brass	380€
Matt black	370€

NOOI
S1276



Specifications

Light source	T8 LED 5W 2700K dimmable 550lm (included)
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	61 x 22 x 26 cm
Weight (gross)	2,1 kg
Volume	0,035 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	204€
Matt black	
Shade	
Line textil cream	

NINO
S1275



Specifications

Light source	Chip LED 7W 2700K dimmable 800lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	53 x 28 x 26 cm
Weight (gross)	3 kg
Volume	0,039 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Touch me dimmable 0€

Finishes

Metal	320€
Matt black	
Matt brass (details)	
Optic glass	
Clear	
Dimmer Touch Me on head	
LED not replaceable by user	

LYB
S1274



Specifications

Light source	Chip LED integrated 5W 2700K 450lm
Voltage	220-240 V/ 12V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	65 x 30 x 9 cm
Weight (gross)	1,8 kg
Volume	0,018 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Matt black	330€
LED not replaceable by user	

SHIN
S1261*



Specifications

Light source	E27 LED 5W 2700K dimmable 720lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	46 x 24 x 17 cm
Weight (gross)	6 kg
Volume	0,019 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Base marble	**Metal**	
Matt black	Matt black	296€
Matt white	Matt white	296€

Shade NOT included

Shade en catalogue

801011/36 50€

ABBACUS
S1258



Specifications

Light source	G9 LED 5W 2700K 500lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	31,5 x 30,5 x 9,5 cm
Weight (gross)	3,9 kg
Volume	0,009 CBM
HS Code	9405.29.90.90

Control

ON/OFF 0€

Dimmer on cable +44€

Finishes

Matt brass	274€
Shade (included)	
Opal	
Clear**	

**While stocks last

ERTO
S1257



Specifications

Light source	G9 LED 5W 2700K 500lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	65,5 x 31 x 12,5 cm
Weight (gross)	3 kg
Volume	0,025 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Matt black	344€
Matt brass details	

Compatible accessories (included):

Alabaster-1096/25- S1257+1096/25
Glass-1223 - S1257+1223
Ceramic-1097/20 - S1257+1097/20
Metal-1038/25 + 1038/25
Striped metal-1089/25 - S1257+1089/25

MAHO
S1254



Specifications

Light source	COB LED 5W 2700K 600lm (included)
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	53,5 x 8,5 x 33 cm
Weight (gross)	2,4 kg
Volume	0,006 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body

Matt black	

Head

Matt brass	204€
Matt black	204€

LED not replaceable by user

PULL
S1249



Specifications

Light source	G9 4W 500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 26 x 44 cm
Weight (gross)	3,4 kg
Volume	0,029 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body

Matt black	364€

Metal shade

Matt black	
Aged gold	

Shade

Fabric	

Marble base

Matt black	

LITA
S1230**



Specifications

Light source	Chip LED 3W 3000K 300lm (included)
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 24 x 24 cm
Weight (gross)	4 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€

Finishes

Head

Walnut	176€
Black wood	176€

Body and base

Matt black	

LED not replaceable by user

**While stocks last

NERA
S1229/S



Specifications

Light source	Chip LED 7W 2700K 800lm (included)
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	45 x 32 x 20 cm
Weight (gross)	3,1 kg
Volume	0,029 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Touch me dimmer	0€

Finishes

Body and wood base

Matt black	240€

LED not replaceable by user

ATOM
S1214**



Specifications

Light source	G9 LED 5W 2700K 450lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box + 1 Box shade
Measures (LxWxD)	62 x 24 x 10 cm
Weight (gross)	2,3 kg
Volume	0,015 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Push switch	0€
Dimmer on cable	+44€

Finishes

Body	
Matt black	224€
Matt brass	224€
Shade	
Opal	
Clear**	

****While stocks last**

DOBI
S1207



Specifications

Light source	E14 Max. 33W (not included)
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	54,5 x 21 x 28,5 cm
Weight (gross)	3 kg
Volume	0,033 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Matt black	212€

MARU
S1194



Specifications

Light source	LED COB integrated 3W 3000K 300lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	62,5 x 24 x 10 cm
Weight (gross)	3 kg
Volume	0,015 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€

Finishes

Matt black/Matt brass	290€
Matt black	264€

LED not replaceable by user

LALU
S1189



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	58 x 31 x 17 cm
Weight (gross)	3,6 kg
Volume	0,030 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Body	**Shade**	
Chrome	Shinny white	254€
Matt brass	Shinny white	292€
Shade colour change		+44€

HEDRA
S1159*



Specifications

Light source	E27 LED 9W 2700K dimmable 810lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 30 x 12 cm
Weight (gross)	4 kg
Volume	0,020 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Base marble	**Metal**	
Matt black	Matt black	180€
Matt black	Matt brass	180€

Shade NOT included.

Shade in catalogue

801011/41	62€

ENDO
S1156



Specifications

Light source	G9 LED 5W 2700K 450lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	71,5 x 24 x 22 cm
Weight (gross)	3 kg
Volume	0,038 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Push switch	0€
Dimmer on cable	+44€

Finishes

Body

Matt brass	248€
Chrome	248€

Opal shade included in box

STAN
S1154**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 45 x 45 cm
Weight (gross)	2,8 kg
Volume	0,008 + 0,021 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Matt brass	228€
Matt black	228€

Rattan

Natural

Matt black

**While stocks last

HEDULA
S1150 + 1160/30



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	2 Box (shade + base)
Measures (LxWxD)	35x35x25 cm + 26x27x23 cm
Weight (gross)	3,3 kg
Volume	0,008 + 0,021 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Wood	**Shade**	
Natural	Matt Black	180€
Matt black		

Shade included in price

SAND
S1109



Specifications

Light source	E27 Max. 15W 810lm (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	45 x 39,5 x 39,5 cm
Weight (gross)	6,4 kg
Volume	0,072 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on base	0€

Finishes

Grey terrazo	230€

Shade included

ALDA
S1108*



Specifications

Light source	E27 Max. 15W (no included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	53 x 18 x 18 cm
Weight (gross)	5 kg
Volume	0,017 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Shiny gold/Matt brass/Chrome/ Nickel	264€
Matt black / Matt white	264€

Wood	**Marble**
Natural	Black, White
Black	Green, Brown

Shade not included in price.

Shade in catalogue

801021/36 +50€

TEX
S1026*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	48 x 36 x 12 cm
Weight (gross)	2,8 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Matt black	132€
Matt white	132€

Shade not included in price.

Recommended shade

801011/41	62€

CURN
NAC149/L



Specifications

Light source	LED plate 7W 700lm 2700K
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30cm
Weight (gross)	2.5 kg
Volume	0,075 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Matt black / Chrome / Shiny gold	242€

Marble

Black / White / Green / Brown

Cerámica

See colour palette	0€
Other colour (out of palette)	+44€

LED not replaceable by user

CURN
NAC149/S



Specifications

Light source	LED plate 7W 700lm 2700K
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30cm
Weight (gross)	2 kg
Volume	0,075CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Matt black / Chrome / Shiny gold	216€

Marble

Black / White / Green / Brown

Cerámica

See colour palette	0€
Other colour (out of palette)	+44€

LED not replaceable by user

FILL
NAC148*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30 cm
Weight (gross)	4 kg
Volume	0,075 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	250€

Ceramic

See colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/41

YUT
NAC147*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30 cm
Weight (gross)	4.5 kg
Volume	0,075CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	266€

Ceramic

See colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/41

BAMBU
NAC146/2*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 80 cm
Weight (gross)	8 kg
Volume	0,030 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	438€
Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	
Ceramic	
See colour palette	0€
Other colour (out of palette)	+44€/ piece
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

BAMBU
NAC146*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30 cm
Weight (gross)	3 kg
Volume	0.075 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	286€
Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	
Ceramic	
See colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

SYAL
NAC145*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	81 x 31 30 cm
Weight (gross)	4.5 kg
Volume	0.075 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	262€
Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	
Ceramic	
See colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
161021/40	+70€

OLAS
NAC144*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30 cm
Weight (gross)	5 kg
Volume	0,075 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	348€
Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	
Ceramic	
See colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

MAPI
NAC143*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 25,5 x 66 cm
Weight (gross)	3,8 kg
Volume	0,0404 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Black	274€
Glass	
Colour palette	0€
Other colour (out of palette)	+44€/ piece
Rings	
Matt black	
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

PAPI

NAC142*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 25,5 x 66 cm
Weight (gross)	3,2 kg
Volume	0,0404 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Black	282€
Glass	
Colour palette	0€
Other colour (out of palette)	+44€/ piece
Rings	
Matt black	
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

ROCK

NAC 141/L*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes

Metal	366€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

ROCK

NAC 141/S*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 25,5 x 66 cm
Weight (gross)	2,2 kg
Volume	0,0404 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes

Metal	296€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801130/36	+86€

PIRE

NAC 140/3*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes

Metal	326€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€/ piece
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

PIRE

NAC 140/2*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes

Metal	274€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€/ piece
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

PIRE

NAC 140/1*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 25,5 x 66 cm
Weight (gross)	2,2 kg
Volume	0,0404 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes

Metal	242€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

AMEC

NAC 139*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 80 cm
Weight (gross)	7 kg
Volume	0,030 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes

Metal	396€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
1251/BCO	+112€

ANADA

NAC 138**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 25,5 x 66 cm
Weight (gross)	2,2 kg
Volume	0,0404 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes

Metal	242€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/32	+40€

**While stocks last

LOPO

NAC 137*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes

Metal	244€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

DENA

NAC 136*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 25,5 x 66 cm
Weight (gross)	2,2 kg
Volume	0,0404 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes

Metal	226€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
136011	+40€

CACTUS
NAC135/1*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 25,5 x 66 cm
Weight (gross)	2,2 kg
Volume	0,0404 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	268€

Glass

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/36	+42€

CACTUS
NAC135/2*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	362€

Glass

Colour palette	0€
Other colour (out of palette)	+44€/ piece

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

ETHO
NAC134**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	2.4 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	254€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/46	+74€

**While stocks last

OBRIE
NAC133**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	2,8 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	220€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

4024	+108€

**While stocks last

LUET
NAC132*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 81 cm
Weight (gross)	2,6 kg
Volume	0,0558 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	316€

Glass

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

URAL
NAC131*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	2,6 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	276€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

ONUT
NAC130/2*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	326€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

ONUT
NAC130*



NAC 130

Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	228€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

BORA
NAC129*



Specifications

Light source	LED plate 3W 3000K 300lm (Included)
Voltage	5V/2A
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP65

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 44 cm
Weight (gross)	4 kg
Volume	0,040 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Touch me dimmable	0€

Finishes

Metal cover

Aged gold	204€
Matt black	204€

Ceramic cover

Palette colours	204€
Other colour (out of palette)	+44€

Clear striped glass
Handle synthetic leather

Portable and rechargeable

4800 mAh
USB Type C
Autonomy since 48h

TILLA
NAC128*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	3 kg
Volume	0,122 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	280€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/36	+50€

DAB
NAC127*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 44 cm
Weight (gross)	3 kg
Volume	0,040 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	220€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/35	+44€

BABEL
NAC126**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	248€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

**While stocks last

GOT
NAC125*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 91 x 26 cm
Weight (gross)	2,4 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	242€

Glass

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/32	+40€

COPO
NAC124*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	2,8 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	260€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€/ piece

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

ADON
NAC119*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3,3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	258€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801021/41	+62€

HOME
NAC118**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 45 x 45 cm
Weight (gross)	2,8 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	180€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	
Other colour (out of palette)	+44€
Shade NOT included in price.	
Recommended shade reference	
801011/41	+62€

**While stocks last

METRIC
NAC117*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3,2 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	306€
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

SONICA
NAC116*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	2 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	268€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/35	+44€

ATINA
NAC115*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	2,4 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	256€
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/35	+44€

ONICA
NAC114*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	2 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	290€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

TARO

NAC113*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3,3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	270€

Ceramic

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801021/41	+62€

NOA

NAC110*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 30 x 31 cm
Weight (gross)	3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	336€

Glass

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

PONN PONN

NAC109*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 30 x 31 cm
Weight (gross)	4,8 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	298€

Glass

Colour palette	0€
Other colour (out of palette)	+44€/colour

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

KITTA KITTA

NAC108*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	3,3 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	278€

Glass

Colour palette	0€
Other colour (out of palette)	+44€/colour

Shade NOT included in price.

Catalogue shade reference

801011/41	62€

KITTA PONN

NAC107*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	5,5 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	296€

Glass

Colour palette	0€
Other colour (out of palette)	+44€/colour

Shade NOT included in price.

Catalogue shade reference

801011/40	54€

PONN
NAC106*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	2,4 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	228€

Glass

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/36	50€

LUSA
NAC104*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	2,6 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	272€

Glass

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

801011/41	+62€

MELLY
NAC103*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 30 x 31 cm
Weight (gross)	2,4 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal

Chrome/Shiny gold/Matt brass/ Black/White/Nickel	248€

Glass

Colour palette	0€
Other colour (out of palette)	+44€

Shade NOT included in price.

Catalogue shade reference

151011/45	+62€

SAM
NAC093**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	50 x 48 x 48 cm
Weight (gross)	4,5 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Wood

Walnut	226€

Recycled glass

Brown

Shade NOT included in price.

Catalogue shade reference

801011/46	+74€

**While stocks last



Side Tables

The table lamp designs NAC110, NAC 113, NAC114, NAC116, NAC117, NAC130, NAC130/2 have a multipurpose use, they can be manufactured as lamps and also as small tables for the placement of the lamps themselves. Both in glass and ceramic, in any color of the NCS color palette.

NOA

M110



View 3D



Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	3 kg / 2 kg
Volume	0,056 CBM / 0,026 CBM
HS Code	9403.89.00.10

Finishes

Metal Cover and Base	
Satin nickel	284€
Matt brass	284€
Matt black	284€
Body in glass	
Colours palette	0€
Other colour (out of palette)	+44€

TARO

M113



View 3D



Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	3,2 kg / 2 kg
Volume	0,056 CBM / CBM
HS Code	9403.89.00.10

Finishes

Metal Cover and Base	
Satin nickel	318€
Matt brass	318€
Matt black	318€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€

ONICA

M114



View 3D



Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	2,4 kg / 2 kg
Volume	0,056 CBM / 0,026 CBM
HS Code	9403.89.00.10

Finishes

Metal Cover and Base	
Satin nickel	304€
Matt brass	304€
Matt black	304€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€

SONICA

M116



View 3D



Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	2 kg /2 kg
Volume	0,056 CBM / 0,026 CBM
HS Code	9403.89.00.10

Finishes

Metal Cover and Base	
Satin nickel	268€
Matt brass	268€
Matt black	268€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€

METRIC
M117



View 3D



Packaging	
Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	3,6 kg / 2 kg
Volume	0,056 CBM / 0,026 CBM
HS Code	9403.89.00.10

Finishes	
Metal Cover and Base	
Satin nickel	328€
Matt brass	328€
Matt black	328€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€

ONUT DOBLE
M130/2



View 3D



Packaging	
Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	3,8 kg / 2 kg
Volume	0,056 CBM / CBM
HS Code	9403.89.00.10

Finishes	
Metal Cover and Base	
Satin nickel	382€
Matt brass	382€
Matt black	382€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€



Pendant lamps

LIDA
C1357/3



Specifications

Light source	LED strip 3 x 5W 1200lm 2700K
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	120 x 21 x 24 cm
Weight (gross)	8 kg
Volume	0,0605 CBM
HS Code	9405.29.90.90

Control

ON/OFF - LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Matt black	694€
Aged old	

Glass

Transparent

Mechanical Joint piece 1357J

LIDA
C1357



Specifications

Light source	LED strip 10W 900lm 2700K dimmable in cable
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	120 x 21 x 24 cm
Weight (gross)	7,8 kg
Volume	0,0605 CBM
HS Code	9405.19.90.90

Control

ON/OFF - LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Matt black	496€
Aged old	496€

Glass

Transparent

HITA
C1356/6



Specifications

Light source	12 x G9 5W 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	97,5 x 97,5 x 24 cm
Weight (gross)	14,2 kg
Volume	0,228 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt black	878€
Aged old	878€

Parchment paper

Natural

Diffuser

Opal

HITA
C1356



Specifications

Light source	2 x G9 5W 900lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 24 x 33.5 cm
Weight (gross)	1,65 kg
Volume	0,022 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt black	178€
Aged old	

Parchment paper

Natural

Diffuser

Opal

TASTA
C1355



Specifications

Light source	LED strip 25W 2200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	112.5 x 28 x 20 cm
Weight (gross)	7,45 kg
Volume	0,063 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Matt black	814€
Aged old	814€

Marble

Black

White

Green

Brown

LADA
C1354/5



Specifications

Light source	LED strip 25W 2200lm 2700K
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	132 x 117,5 x 117,5 cm
Weight (gross)	5,8 kg
Volume	0,04 CBM
HS Code	9405.29.90.90

Control

ON/OFF - LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	638€
Aged old	638€
Ceramic	
White	

IRZO
C1353/6



Specifications

Light source	6 xG9 5W 2250lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	100 x 100 x 20 cm
Weight (gross)	14,2 kg
Volume	0,200 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	792€
Aged gold	792€
Glass	
Opal	
Optional:	
Leather	
Orange	
Black	
Brown	

IRZO
C1353



Specifications

Light source	G9 5W 450 lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 24 x 26 cm
Weight (gross)	2 kg
Volume	0,0150 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	156€
Aged gold	156€
Glass	
Opal	

VANT
C1352



Specifications

Light source	LED plate 9W 900lm 2700K
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	34,5 x 26 x 18,7 cm
Weight (gross)	1,9 kg
Volume	0,017 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	**Marble**	
Matt black	Black	188€
Aged gold	White	188€
Compatible accessories (not included)		
C1352 + 1096/25 (alabaster)		298€
C1352 + 1096/35 (alabaster)		353€
C1352 + 1097/30 (ceramics)		256€
C1352 + 1132 (Natural Osion)		376€
C1352 + 1132 (Osion color)		420€
C1352 + 1093/50 (Natural Range)		372€
C1352 + 1093/50 (Color range)		416€

HULO
C1351



Specifications

Light source	GU10 5W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 33 x 25 cm
Weight (gross)	3,6 kg
Volume	0,02 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	208€
Aged gold	208€
Marble	
Black	
White	
Green	
Brown	

GEHIT
C1350/60



Specifications

Light source	LED strip 14W 1200lm 2700K
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	66 x 32 x 65 cm
Weight (gross)	6,35 kg
Volume	0,14 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt black	654€
Aged gold	654€

Glass

Transparent

Wood

Dark walnut

Diffuser

Opal

GEHIT
C1350/40



Specifications

Light source	LED strip 14W 2700K
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	45 x 28 x 46 cm
Weight (gross)	3 kg
Volume	0,06 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V (install outside of the canopy)	120€

Finishes

Metal

Matt black	418€
Aged gold	418€

Glass

Transparent

Wood

Dark walnut

Acrilic

Opal

NURO
C1349



Specifications

Light source	GU10 5W 2700K 450lm (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	54,5 x 28,5 x 18,5 cm
Weight (gross)	3,5 kg
Volume	0,03 CBM
HS Code	9405.29.90.90

Control

ON/OFF - dimmable bulbs	0€
DALI/230V (install outside of the canopy)	120€

Finishes

Metal

Matt black	352€

Marble

Black/White/Brown/ Green/Travertine

Glass

See colors palette

Marble ball

Black

Metal details

Aged gold

YMA
C1347/H



Specifications

Light source	LED strip 15W/m 1500 lm 2700K
Voltage	220-240V642 50/60 Hz
Frecuency	Type I
Class	F
Energy Classification	IP20
Protection	

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	11 kg
Volume	0,122 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

4m Silicone Tubing 852€

Accessories (as pictured)

Green marble ball 10 cm
Matt brass metal disc 20 cm
Painted resin ball (color palette) 10 cm
White resin ball (color palette) 10 cm
White resin ball 10 cm
Matt brass metal disc 20 cm
Clear striped glass ball 14 cm
Matt black metal ball 10 cm
Matt brass metal disc 20 cm
Clear striped glass ball 14 cm
White marble ball 10 cm

YMA
C1347/V



Specifications

Light source	LED strip 15W/m 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 54,5 cm
Weight (gross)	9 kg
Volume	0,105 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

2m Silicone Tubing 642€

Accessories (as pictured)

Aged gold metal ball 10 cm
Painted resin ball (palette finish) 10 cm
Striped fume glass ball 20 cm
Matt brass metal disc 20 cm
Striped clear glass gold 14 cm
Alabaster disc 25 cm
Brown marble ball 10 cm

YMA
C1347/1



Specifications

Light source	LED strip 15W/m 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	41 x 10 x 40 cm
Weight (gross)	2 kg
Volume	0,016 CBM
HS Code	9405.29.90.90

Control

ON/OFF - LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

1m Silicone Tubing 182€

Metal
Matt Black

Compatible accessories (NOT included):

1347/MN
1347/MO
1347MC
1347/NEG
1347/BCO
1347/BROWN
1347VER
1347/RESIN
1347/RESPINT
1347/GREY14
1347/GREY20
1289
1038

YMA
C1347/2



Specifications

Light source	LED strip 15W/m 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	41 x 10 x 40 cm
Weight (gross)	2,50 kg
Volume	0,016 CBM
HS Code	9405.29.90.90

Control

ON/OFF - LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

2m Silicone Tubing 198€

Metal
Matt Black

Compatible accessories (NOT included):

1347/MN
1347/MO
1347MC
1347/NEG
1347/BCO
1347/BROWN
1347VER
1347/RESIN
1347/RESPINT
1347/GREY14
1347/GREY20
1289
1038

YMA
C1347/3



Specifications

Light source	LED strip 15W/m 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	41 x 10 x 40 cm
Weight (gross)	2,75 kg
Volume	0,016 CBM
HS Code	9405.29.90.90

Control

ON/OFF - LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

3m Silicone Tubing 248€

Metal
Matt Black

Compatible accessories (NOT included):

1347/MN
1347/MO
1347MC
1347/NEG
1347/BCO
1347/BROWN
1347VER
1347/RESIN
1347/RESPINT
1347/GREY14
1347/GREY20
1289
1038

YMA
C1347/4



Specifications

Light source	LED strip 15W/m 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	41 x 10 x 40 cm
Weight (gross)	3,15 kg
Volume	0,016 CBM
HS Code	9405.29.90.90

Control

ON/OFF - LED regulable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

4m Silicone Tubing 304€

Metal
Matt Black

Compatible accessories (NOT included):

1347/MN
1347/MO
1347MC
1347/NEG
1347/BCO
1347/BROWN
1347VER
1347/RESIN
1347/RESPINT
1347/GREY14
1347/GREY20
1289
1038

VITREE
C1346/S



Specifications

Light source	LED strip 12W 1000lm 2700k
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	52 x 28 x 29 cm
Weight (gross)	3,1 kg
Volume	0,042CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Matt black	252€
Aged Gold	252€

Glass

Clear

VITREE
C1346/L



Specifications

Light source	LED strip 30W 2000lm 2700k
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	112 x 33 x 32 cm
Weight (gross)	8,6 kg
Volume	0,118 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	826€
Aged Gold	826€
Glass	
Clear	

CLOUD
C1345/3



Specifications

Light source	3 x Bulb G9 5W 1350lm 2700k (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	113 x 31 x 32 cm
Weight (gross)	8 kg
Volume	0,112 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	544€
Aged Gold	544€
Glass	
Clear	+0€
Greenish brown	+44€
Amber	+44€
Grey	+44€

CLOUD
C1345



Specifications

Light source	Bulb G9 5W 450lm 2700k (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	

Packaging

Package(s)	1 Box
Measures (LxWxD)	35 x 24,5 x 42 cm
Weight (gross)	2,2 kg
Volume	0,036 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	184€
Aged Gold	184€
Glass	
Clear	+0€
Greenish brown	+44€
Amber	+44€
Grey	+44€

CUBIC
C1344/L



Specifications

Light source	LED strip 35W 450lm 2700k
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	122 x 19 x 25 cm
Weight (gross)	10 kg
Volume	0,057CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	1398€
Aged Gold	1398€
Shade	
Alabaster	

CUBIC
C1344/S



Specifications

Light source	Bulb G9 5W 450lm 2700k (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 16 x 19 cm
Weight (gross)	1,3 kg
Volume	0,008 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	160€
Aged Gold	160€
Shade	
Alabaster	

NUMU
C1343/3



Specifications

Light source	3 x LED strip 9W 2700k
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	115 x 13 x 23 cm
Weight (gross)	4,4 kg
Volume	0,034 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
3000 K	180€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Chrome	600€

Diffuser

Opal

Shade

Clear striped

NUMU
C1343



Specifications

Light source	3 x LED strip 9W 2700lm 2700k
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	80 x 11.5 x 11.5 cm
Weight (gross)	1,6 kg
Volume	0,010CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
3000 K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Chrome	218€

Diffuser

Opal

Shade

Clear striped

MARG
C1341/40



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	46,5 x 46,5 x 38,5 cm
Weight (gross)	3,85 kg
Volume	0,083 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Matt black	328€
Matt white	328€
Green leaf	372€
Mocca	372€
Silhouette	372€

Canopy

Matt black

Marble

Black /White/Brown /Travertine /Green

Cable length	3m
Cable colour	Black

MARG
C1341/30



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	36,5 x 36,5 x 28,5 cm
Weight (gross)	2,55 kg
Volume	0,038 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Matt black	304€
Matt white	304€
Green leaf	348€
Mocca	348€
Silhouette	348€

Canopy

Matt black

Marble

Black / White /Brown /Travertine/Green

Cable length	3m
Cable colour	Black

MARG
C1341/20



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26,5 x 26,5 x 20,5 cm
Weight (gross)	1,65 kg
Volume	0,014 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Matt black	196€
Matt white	196€
Green leaf	240€
Mocca	240€
Silhouette	240€

Canopy

Matt black

Marble

Black /White /Brown /Travertine /Green

Cable length	3m
Cable colour	Black

TRAG
C1340/40



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	46,5 x 46,5 x 38,5 cm
Weight (gross)	3,85 kg
Volume	0,083 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	304€
Matt white	304€
Green leaf	348€
Mocca	348€
Silhouette	348€
Canopy Black	
Cable length	3m
Cable colour	Black

TRAG
C1340/30



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	36,5 x 36,5 x 28,5 cm
Weight (gross)	2,55 kg
Volume	0,038 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	278€
Matt white	278€
Green leaf	322€
Mocca	322€
Silhouette	322€
Canopy Black	
Cable length	3m
Cable colour	Black

TRAG
C1340/20



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26,5 x 26,5 x 20,5 cm
Weight (gross)	1,65 kg
Volume	0,014 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	170€
Matt white	170€
Green leaf	214€
Mocca	214€
Silhouette	214€
Canopy Black	
Cable length	3m
Cable colour	Black

FLOW
C1339/6



Specifications

Light source	6 x G9 7W 4500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	95 x 95 x 20,5 cm
Weight (gross)	10,85 kg
Volume	0,185 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Bulb dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	682€
Aged gold	682€
Shade	
Opal	
Cable length	3m
Cable colour	Black

FLOW
C1339



Specifications

Light source	G9 7W 810lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	32 x 27 x 27,5 cm
Weight (gross)	1,80 kg
Volume	0,024 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Bulb dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	204€
Aged gold	204€
Shade	
Opal	
Cable length	3m
Cable colour	Black

BETTY
C1338/2



Specifications

Light source	2 x LED plate 10W 1800lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	93 x 47 x 18,5 cm
Weight (gross)	8,2 kg
Volume	0,080 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	510€
Aged gold	510€
Glass	
Clear (standard)	
Greenish brown	+44€/ shade
Amber	+44€/ shade
Grey	+44€/ shade
Blue	+44€/ shade

The height is configurated during the installation of the pendant, by threading the different tubes (2x60+1x30+2x15 cm)

BETTY
C1338



Specifications

Light source	LED plate 10W 900lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	62,5 x 47 x 18,5 cm
Weight (gross)	4,9 kg
Volume	0,054 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	256€
Aged gold	256€
Glass	
Clear (standard)	
Greenish brown	+44€
Amber	+44€
Grey	+44€
Blue	+44€

The height is configurated during the installation of the pendant, by threading the different tubes (2x60+1x30+2x15 cm)

TEA
C1337/5



Specifications

Light source	5 x Cree LED 6W 2850lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	125 x 24 x 13,5 cm
Weight (gross)	2,85 kg
Volume	0,041 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	**Marble**	
Matt black	Black	406€
Aged gold	White	406€
Metallic grey	Brown	406€

Marble cannot be change

Cable length	3m
Cable colour	Black

TEA
C1337/8



Specifications

Light source	8 x Cree LED 6W 2800lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	63 x 72 x 19 cm
Weight (gross)	5,95 kg
Volume	0,086 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt Black	748€
Marble	
Black	

TEA
C1337



Specifications

Light source	Cree LED 6W 600lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	33,5 x 22 x 35 cm
Weight (gross)	4,15 kg
Volume	0,026 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	**Marble**	
Matt black	Black	142€
Aged gold	White	142€
Metallic grey	Brown	142€

Marble cannot be change

Cable length	3m
Cable colour	Black

ANZA
C1336/5



Specifications

Light source	5 x LED plate 9W 3650lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	106 x 23 x 17,5cm
Weight (gross)	6,35 kg
Volume	0,043 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED replaceable by user

Finishes

Metal	Marble	
Matt black	Black	714€
Aged gold	White	766€

Change of marble is not possible

Cable length	3m
Cable colour	Black

ANZA
C1336



Specifications

Light source	LED plate 9W 810lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 19 x 20 cm
Weight (gross)	1,35 kg
Volume	0,010 CBM
HS Code	9405.29.90.90

Control

DALI/230V adapter (install outside of the canopy)	0€

LED NOT replaceable by user

Finishes

Metal	Marble	
Matt black	Black	172€
Aged gold	White	172€

Change of marble is not possible

Cable length	3m
Cable colour	Black

SOKO
C1335/8



Specifications

Light source	LED strip 22W 2250lm 2700K
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	78,5 x 34 x 19,5 cm
Weight (gross)	6,75 kg
Volume	0,052 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	Marble	
Matt black	Black	644 €
Aged gold	White	644 €

Shade

Opal

Change of marble is not possible

Cable length	3m
Cable colour	Black

GINA
C1334/5



Specifications

Light source	5 x Bulb G9 5W 2250lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	117 x 41.5 x 18 cm
Weight (gross)	7.85kg
Volume	0,0873 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	840 €
Aged gold	840 €

Shade

Opal

Cable length	3m
Cable colour	Black

GINA
C1334



Specifications

Light source	Bulb G9 5W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	17.5 x 57.5 x 24
Weight (gross)	2.3 kg
Volume	0,024 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	210€
Aged gold	210€

Shade

Opal

The height is configurated during the installation of the pendant, by threading the different tubes (3X50+1X30 cm)

STOR
C1332**



Specifications

Light source	4 x LED plate 9W 1800lm 2700K
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	75.5 x 47.5 x 25 cm
Weight (gross)	8.35 kg
Volume	0,090 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal

Matt black	718€

Shade
Matt nickel

Disc
Brown marble / Black marble / Travertine / White marble / Green marble

The height is configurated during the installation of the pendant, by threading the different tubes (1X15+1X30 cm)

**While stocks last

HADO
C1331/12



Specifications

Light source	12 x bulb G4(included), 3W 2450lm 2700K dimmable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	130 x 130 x 11.5cm
Weight (gross)	14,7 kg
Volume	0,1943 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body

Aged gold	1408€

Glass
Optic transparent striped

Cable length	3m
Cable colour	Black

Two pendants can be put on the same canopy as in the catalogue picture.

HADO
C1331/10



Specifications

Light source	10 x bulb G4 (included), 3W 2150lm 2700K dimmable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	114x114x11.5 cm
Weight (gross)	12,25 kg
Volume	0,1494 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body

Aged gold	1298€

Glass
Optic transparent striped

Cable length	3m
Cable colour	Black

Two pendants can be put on the same canopy as in the catalogue picture.

HADO
C1331/8



Specifications

Light source	8 x bulb G4 (included), 3W 1850lm 2700K dimmable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	89 x 89 x 11 cm
Weight (gross)	9.65 kg
Volume	0,087 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body

Aged gold	1096€

Glass
Optic transparent striped

Cable length	3m
Cable colour	Black

Two pendants can be put on the same canopy as in the catalogue picture.

NOSA
C1330**



Specifications

Light source	4 x Bulb GU-10 (included), 5W 1800lm 2700K
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	116 x 23.5 x 17 cm
Weight (gross)	9.6 kg
Volume	0,046 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body

Aged gold	594€
Matt black	594€

Corrugated metal sheets:

Palette colour	+0€
Other colour (Out of palette)	+66€

Cable length	3m
Cable colour	Black

**While stocks last

CRAM
C1329/6



Specifications

Light source	6 x LED strip 3,3W 3150lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	70.5 x 53.5 x 19 cm
Weight (gross)	11,15 kg
Volume	0,0716 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	1390€
Aged gold	1390€
Silicone	
Opal	

The height is configurated during the installation of the pendant, by threading the different tubes (2x50+1x30+1x15 cm)

CRAM
C1329/2



Specifications

Light source	2 x LED strip 20W 2500lm 2700K
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	52.5 x 10.5 x 127 cm
Weight (gross)	4.8kg
Volume	0,070 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	746€
Aged gold	746€
Silicone	
Opal	

The height is configurated during the installation of the pendant, by threading the different tubes (4 x 50cm)

CRAM
C1329



Specifications

Light source	LED strip 20W 1500lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	59.5 x 10.5 x 116 cm
Weight (gross)	4.40 kg
Volume	0,072 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	520€
Aged gold	520€
Silicone	
Opal	

The height is configurated during the installation of the pendant, by threading the different tubes (4 x 50cm)

LERA
C1323



Specifications

Light source	10 x bulb G9 5W (included) 2700K 3200 lm
Voltage	220-240V / 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	22,5 x 23,5 x 125,5 cm
Weight (gross)	6,1 kg
Volume	0,1589 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	860€
Nickel	
Aged gold	
Matt black	
Glass	
Opal / Smoked amber	
Cable length	3m
Cable colour	Black

See spare parts on page 113

IMAN
C1322/L



Specifications

Light source	2x LED strip 18W 2700K 3200 lm
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	93 x 43 x 16 cm
Weight (gross)	7,5 kg
Volume	0,0640 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	958€
Matt black	
Aged gold	
Glass	
Striped clear	
Cable length	3m
Cable colour	Black

See spare parts on page 113

IMAN
C1322



Specifications

Light source	2x LED strip 11W 2700K 1600 lm
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	58 x 44,5 x 16 cm
Weight (gross)	3,85 kg
Volume	0,0413 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	520€
Matt black	
Aged gold	
Glass	
Striped clear	

The height is configurated during the installation of the pendant, by threading the different tubes (1 x 10cm + 4x50cm)

See spare parts on page 113

CANNA
C1319/L



Specifications

Light source	LED strip 20W 2700K 1650lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	17 x 17 x 134 cm
Weight (gross)	3,6 kg
Volume	0,0387 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Aged gold	638€
Matt black	638€
Glass	
Opal	
Cable length	3m
Cable colour	Black

See spare parts on page 113

CANNA
C1319/S



Specifications

Light source	LED strip dimmable 9W 2700K 750lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	67,5 x 16 x 16 cm
Weight (gross)	1,70 kg
Volume	0,0173 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Aged gold	222€
Matt black	222€
Glass	
Opal	
Cable length	3m
Cable colour	Black

See spare parts on page 113

REMS
C1318



Specifications

Light source	Bulb E27 LED 9W 2700K 720lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44,5 x 44,5 x 20 cm
Weight (gross)	2,5 kg
Volume	0,0297 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	202€
Leather shade	
Black /Orange /Light brown /Dark brown	
Cable length	3m
Cable colour	Black

REMS
C1318/2



Specifications

Light source	2 x E27 LED dim. 9W 2700K 720lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	18 x 45 x 93 cm
Weight (gross)	4,2 kg
Volume	0,0753 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	410€
Matt black	
Leather shade	
Black /Orange /Light brown /Dark brown	

The height is configurated during the installation of the pendant, by threading the different tubes (4 x 50cm)

OKET
C1317



Specifications

Light source	LED plate integrated 10W 2700K 720lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	29 x 29 x 38 cm
Weight (gross)	3 kg
Volume	0,0320 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal: Matt brass // **Shade:** Matt white	318€
Metal: Matt black // **Shade:** Matt black	318€
Cable length	3m
Cable colour	Black

IPON
C1316/1



Specifications

Light source	LED plate 10W 2700K 810lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 15 x 26 cm
Weight (gross)	3,4 kg
Volume	0,0101 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230Vadapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	168€
Aged gold	168€
Shade	
Clear (standard)	+0€
Greenish brown	+44€
Amber	+44€
Grey	+44€
Blue	+44€
Cable length	3m
Cable colour	Black

IPON
C1316/4



Specifications

Light source	4 x LED plate 10W 2700K 2100lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	126 x 48 x 20 cm
Weight (gross)	6,2 kg
Volume	0,1210 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	638€
Matt black Aged gold	
Shade	
Clear (standard)	+0€
Greenish brown	+44€/per shade
Amber	+44€/per shade
Grey	+44€/per shade
Blue	+44€/per shade

The height is configurated during the installation of the pendant, by threading the different tubes (4x30+1x15+1x60 cm each arm)

PEPO
C1315/40



Specifications

Light source	LED strip 15W 2700K 1080 lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	65x45x42 cm
Weight (gross)	4,8 kg
Volume	0,122 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Aged gold	662€
Matt black	662€
Diffuser	
Acrilic	
Glass	
Clear striped	
Cable length	3m
Cable colour	Black

PEPO
C1315/60



Specifications

Light source	LED strip 15W 2700K 1080 lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	70x70x72 cm
Weight (gross)	5 kg
Volume	0,123 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Aged gold	740€
Matt black	740€
Diffuser	
Acrilic	
Glass	
Clear striped	
Cable length	3m
Cable colour	Black

PEPO
C1315/70



Specifications

Light source	LED strip 9W 2700 K 720 lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	95x95x97 cm
Weight (gross)	7,9 kg
Volume	0,353 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Aged gold	712€
Matt black	712€

Diffuser

Acrilic

Glass

Clear striped

Cable length	3m
Cable colour	Black

NIRO
C1314



Specifications

Light source	LED strip 30W 2700K 1850lm
Voltage	220-240 V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	28 x 12x 24 cm
Weight (gross)	3,2 kg
Volume	0,0081 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Aged gold	774€
Textured matt black	774€

Wood

Walnut

Difusser

Acrilic

Cable length	3m
Cable colour	Black

TURA
C1313



Specifications

Light source	Chip LED 5W 2700K (included) 500lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	12 x 24 x 12 cm
Weight (gross)	2,2 kg
Volume	0,004 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Matt black	188€

Leather head

Brown

Black

Orange

Cable length	3m
Cable colour	Black

TURA
C1313/C



Specifications

Light source	12 x LED COB 3W 2700K 3150lm
Voltage	220-240 V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	89 x 90 x 16,5 cm
Weight (gross)	6,4 kg
Volume	0,1322 CBM
HS Code	9405.19.90.90

Control

TRIAC - CCT controller + dimmer Driver (adjustment of light intensity and light colour temperature)	0€

LED NOT replaceable by user

Finishes

Body

Matt black 1149€

Leather head (12 uds)

Black /Orange /Light brown / Dark brown /Striped aged gold

Combine them as you like

Cable length	3m
Cable colour	Black

ELMA
C1312/S



Specifications

Light source	LED strip 6W 2700K 600 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	42 x 22 x 21 cm
Weight (gross)	3 kg
Volume	0,069 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal

Black	246€
Aged gold	246€

Glass

Clear striped

Cable length	3m
Cable colour	Black

See spare parts on page 113

ELMA
C1312/L



Specifications

Light source	LED strip 3 x 9W 2700K 2000 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	65 x 65 x 24 cm
Weight (gross)	5,5 kg
Volume	0,019 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

LED 1 NOT replaceable by user

Finishes

Metal

Black	679€
Aged gold	679€

Glass

Clear striped

Cable length	3m
Cable colour	Black

See spare parts on page 113

ELLI
C1311/S



Specifications

Light source	Chip LED 5W 2700K TRIAC dimmable (included) 500 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	50 x 42 x 20 cm
Weight (gross)	3,15 kg
Volume	0,042 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal: Matt black / Details in matt black	396€
Metal: Aged gold / Details in matt black	396€

Acrilic: Opal

Cable length	3m
Cable colour	Black

ELLI
C1311/L



Specifications

Light source	LED strip 22W (included) 3000 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	113 x 113 x 18 cm
Weight (gross)	12,5 kg
Volume	0,230 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
TRIAC + CCT	0€

LED NOT replaceable by user

Finishes

Metal: Matt black / Details in matt black	1042€
Metal: Aged gold / Details in matt black	1042€

Acrilic: Opal

Cable length	3m
Cable colour	Black

DOUL
C1310



Specifications

Light source	G4 LED 3W 2700K (included) 270 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 20 cm
Weight (gross)	3,2 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

Finishes

Metal

Matt black	168€
Aged gold	168€

Cable length	3m
Cable colour	Black

See spare parts on page 113

DUSSA
C1307



Specifications

Light source	LED plate 9W 2700K (included) 900 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	36 x 16 x 25,5 cm
Weight (gross)	1,8 kg
Volume	0,015 CBM
HS Code	9405.19.90.90

Control

ON/OFF - DALI PUSH /230V	0€

LED NOT replaceable by user

Finishes

Body	**Marble**	
Aged gold	Matt white	194€
Matt black	Matt black	194€

Change of head is not possible

Cable length	3m
Cable colour	Black

DUSSA
C1307/6



Specifications

Light source	6 x LED plate 9W 2700K (included) 5400 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	68 x 61 x 15,5 cm
Weight (gross)	8,5 kg
Volume	0,060 CBM
HS Code	9405.19.90.90

Control

ON/OFF - DALI PUSH /230V	0€

Finishes

Body	Marble	
Aged gold	Matt white	968€
Matt black	Matt black	968€
Matt black	Travertine	968€

Change of each marble head +66€

The height is configurated during the installation of the pendant, by threading the different tubes (4 x 50cm)

BIG DUSSA
C1307/L



Specifications

Light source	LED plate 9W 2700K (included) 900 lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	68 x 61 x 15,5 cm
Weight (gross)	8,5 kg
Volume	0,060 CBM
HS Code	9405.19.90.90

Control

ON/OFF - DALI PUSH /230V	0€

LED not replaceable by user

Finishes

Body	Marble	
Matt black	Travertine	254€
Aged gold	Travertine	254€

Change of head is not possible

Cable length	3m
Cable colour	Black

BION
C1306/6



Specifications

Light source	6 x G9 LED 5W 2700K (included) 2700 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	131 x 76,5 x 12,5 cm
Weight (gross)	6,9 kg
Volume	0,120 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body

Textured matt black	1030€
Aged gold	1066€

Shades (included)

Textured matt black

Textured matt white

The height is configurated during the installation of the pendant, by threading the different tubes (3x30cm + 3x50cm)

ICONIC
C1300



Specifications

Light source	LED plate 7W 2700K dimmable 700 lm
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 25 cm
Weight (gross)	4,3 kg
Volume	0,010 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal

Black	198€
Aged gold	198€

Marble

Finnish

Cable length	3m
Cable colour	Black

ONETA
C1299



Specifications

Light source	G4 LED 3W 2700K (included) 270 lm
Voltage	220-240V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 25 cm
Weight (gross)	4,3 kg
Volume	0,010 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Marble	
Matt black	White	184€
Aged gold	Black	184€

Marble

Marble change not possible

Cable length	3m
Cable colour	Black

See spare parts on page 113

ISON
C1298



Specifications

Light source	LED strip 8W 2700K dimmable 800 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	85 x 12 x 12 cm
Weight (gross)	2,2 kg
Volume	0,012 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Matt black	208€
Aged gold	228€

Cable length	3m
Cable colour	Black

See spare parts on page 113

ISON
C1298/5



Specifications

Light source	5 xLED strip 7W 2700K dimmable 4000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	62 x 62 x 22 cm
Weight (gross)	5,2 kg
Volume	0,085 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	220€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black	840€
Aged gold	840€

The height is configurated during the installation of the pendant, by threading the different tubes (3 x 30cm)

See spare parts on page 113

YCRO
C1297



Specifications

Light source	Chip LED 8W 2700K dimmable 800 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 10 x 10 cm
Weight (gross)	2,3 kg
Volume	0,003 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Matt black	120€
Matt brass	120€

Cable length	3m
Cable colour	Black

TUBE
C1296



Specifications

Light source	LED strip 17W 2700K dimmable 2000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	100 x 10 x 10 cm
Weight (gross)	2,3 kg
Volume	0,010 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Body

Aged gold	394€
Matt black	394€

Diffuser

Opal

Cable length	3m
Cable colour	Black

Vertical and horizontal positioning of the lamp can be configured with one single element(included in box)

See spare parts on page 113

ARC
C1292



Specifications

Light source	LED strip 17W 2700K dimmable 2000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	106 x 53 x 11 cm
Weight (gross)	4 kg
Volume	0,062 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Body

Aged gold	540€
Matt black	540€

Diffuser

Opal

Mechanical Joint piece 1292J

Aged gold	18€
Matt black	18€

The height is configurated during the installation of the pendant, by threading the different tubes (3 x 30cm)

See spare parts on page 113

MIRO
C1289**



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 17 x 17 cm
Weight (gross)	2,3 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black	139€

Opal shade included

Compatible accessories (NOT included):

Alabaster - 1289/20/A
Ceramic - 1097/20
Striped metal - 1089/25
Glass - 1223
Metal - 1289/20

C1289 + 1289/20/A	212€
C1289 + 1097/20	180€
C1289 + 1089/25	196€
C1289 + 1223	192€
C1289 + 1289/20	176€
Cable length	3m
Cable colour	Black

MIRO
C1289/6**



Specifications

Light source	6xG9 LED 5W 2700K (included) 2700 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	59 x 20 x 69,5 cm
Weight (gross)	6,2 kg
Volume	0,080 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black	1268€

Opal shade included

Compatible accessories (NOT included):

Alabaster - 1289/20/A
Ceramic - 1097/20
Striped metal - 1089/25
Glass - 1223
Metal - 1289/20

C1289/6 + 6 x 1289/20/A	1772€
C1289/6 + 6 x 1097/20	1580€
C1289/6 + 6 x 1089/25	1676€
C1289/6 + 6 x 1223	1688€
C1289/6 + 6 x 1289/20	1568€

The height is configurated during the installation of the pendant, by threading the different tubes (1x15cm+1x30cm+1x60cm)

AIDER
C1287**



Specifications

Light source	E27 LED max. 9W reg. 2700K (included) 810 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	41 x 41 x 19 cm
Weight (gross)	3 kg
Volume	0,032 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	244€
Satin nickel	
Matt brass	
Shade	
Shiny black	
Rattan	
Natural tone	
Cable length	3m
Cable colour	Black

ATIL
C1281**



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44,5 x 21 x 15,5 cm
Weight (gross)	1,7 kg
Volume	0,013 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt brass	244€
Shade	
Opal	
Cable length	3m
Cable colour	Black

See spare parts on page 113

**While stocks last

DALT
C1280



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	57,5 x 15 x 15 cm
Weight (gross)	2,1 kg
Volume	0,012 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Aged gold/ Green marble	220€
Matt black/ Black marble	220€
Matt black/ White marble	220€
Shade	
Opal	
Marble change	+80€
Cable length	3m
Cable colour	Black

See spare parts on page 113

DALT
C1280/6



Specifications

Light source	6xG9 LED 5W 2700K (included) 2700 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	72,5 x 69,5 x 25,5 cm
Weight (gross)	14 kg
Volume	0,013 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Aged gold / Green marble	907€
Matt black / Black marble	907€

Shade

Opal

Change of each marble piece +180€

The height is configurated during the installation of the pendant, by threading the different tubes (3 x 30cm + 1x15cm)

See spare parts on page 113

FOCUS
C1279



Specifications

Light source	GU10 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	40 x 16 x 17 cm
Weight (gross)	2 kg
Volume	0,010 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body

Matt black	166€

Head

Aged gold	
Anthracite	
Alabaster/head	+36€

Cable length	3m
Cable colour	Black

NOOI
C1276/L



Specifications

Light source	T8 LED 14W 2700K (included) 1260 lm
Voltage	220-240 V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	119 x 22,5 x 20,5 cm
Weight (gross)	4,3 kg
Volume	0,0549 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	388€
Matt black	

Shade

Cream linen textile

Ball

Black metal	+0€
Black/White/Green/ Brown marble	+66€

Cable length	3m
Cable colour	Black

T8/L Replacement 66€

NOOI
C1276



Specifications

Light source	T8 LED 5W 2700K (included) 450 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	58 x 23 x 28 cm
Weight (gross)	1,9 kg
Volume	0,037 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt black	204€

Shade

Cream linen textile

Cable length	3m
Cable colour	Black

T8/S Replacement 33€

NINO
C1275



Specifications

Light source	Chip LED 7W 2700K dimmable 700 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 15 x 15 cm
Weight (gross)	1,6 kg
Volume	0,005 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal

Matt black	222€
Matt brass	222€

Optic glass

Clear

Cable length	3m
Cable colour	Black

See spare parts on page 113

LYB
C1274



Specifications

Light source	Chip LED 5 X 5W 2700K 2500 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	129 x 14 x 16 cm
Weight (gross)	4,7 kg
Volume	0,029 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Matt black	558€
Matt brass (3000K)	573€

LED not replaceable by user
Driver No dimmable

Cable length	3m
Cable colour	Black

COLN
C1267



Specifications

Light source	LED strip 21W 2700K 2100 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	165 x 12 x 12 cm
Weight (gross)	3 kg
Volume	0,024 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	

LED not replaceable by user

Finishes

Matt black	444€

Cable length	1,5m
Cable colour	Black

TERA
C1260**



Specifications

Light source	Chip LED 8W 3000K dimmable 800 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	129 x 14 x 16 cm
Weight (gross)	4,7 kg
Volume	0,029 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Matt black	138€
Matt brass	138€
Blued	138€

Cable length	3m
Cable colour	Black

**While stocks last

ABBACUS
C1258**



Specifications

Light source	4 x G9 LED 5W 2700K (included) 1800 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box + 2 Boxes shades
Measures (LxWxD)	146,5 x 31,5 x 10 cm
Weight (gross)	4,3 kg
Volume	0,046 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt black	824€
Matt brass	824€
Shade	
Opal	

Cable length	1,5m
Cable colour	Black

**While stocks last

ABBACUS
C1258/1



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box + 1 Boxes shades
Measures (LxWxD)	72 x 31,5 x 9,5 cm
Weight (gross)	1,7 kg
Volume	0,021 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt black	354€
Matt brass	354€
Shade	
Opal	
Clear	

Cable length	3m
Cable colour	Black

**While stocks last

ERTO
C1257/5



Specifications

Light source	5 x G9 LED 5W 2700K (included) 2250 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	146,5 x 31,5 x 10 cm
Weight (gross)	4,3 kg
Volume	0,046 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body

Matt black	690 €

Details - Matt brass

Compatible accessories (not included)

Alabaster - 1096/25
Cristal - 1223
Ceramic - 1097/20
Metal - 1038/25
Striped metal - 1089/25

C1257/5 +1096/25	1240 €
C1257/5 +1223	1040 €
C1257/5 +1097/20	950 €
C1257/5 +1038/25	990 €
C1257/5 + + 1089/25	1030 €

The height is configurated during the installation of the pendant, by threading the different tubes (3 x 30cm + 1x15cm)

PULL
C1249/3



Specifications

Light source	3 x G9 4W 500lm 2700K(included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	114 x 22,5 x 33 cm
Weight (gross)	6,5 kg
Volume	0,084 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body

Matt black

Metal shade

Matt black	628€
Aged gold	

Shade

Fabric

The height is configurated during the installation of the pendant, by threading the different tubes (3x50 + 1x30+1x15cm)

PULL
C1249/L



Specifications

Light source	G9 4W 500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	31 x 31 x 54 cm
Weight (gross)	2,9 kg
Volume	0,052 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Canopy and cable

Matt black

Metal shade

Matt black	252€
Aged gold	252€

Shade

Fabric

Cable length	3m
Cable colour	Black

PULL
C1249/S



Specifications

Light source	G9 4W 500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	22 x 39 x 22 cm
Weight (gross)	1,9 kg
Volume	0.02 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (instalar fuera del florón)	106€

Finishes

Body

Matt black	220€

Metal shade

Matt black

Aged gold

Shade

Fabric

Cable length	3m
Cable colour	Black

OHLALA
C1242**



Specifications

Light source	4xE27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	118,5 x 29 x 23,5 cm
Weight (gross)	4,5 kg
Volume	0,081 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black / Matt brass	438€

Bulbs and accessories not included

Cable length	2m
Cable colour	Black

**While stocks last

CRANE
C1241**



Specifications

Light source	E27 Max. 15W (not included) + 2xG4 3W (included) 2700K 540 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	141 x 22,5 x 20 cm
Weight (gross)	4 kg
Volume	0,050 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black / Matt brass	683€

The height is configurated during the installation of the pendant, by threading the different tubes (1 x 30cm + 1x40cm + 1x50cm)

**While stocks last

ULON
C1236



Specifications

Light source	Bulb G9 LED 5W 2700k 450 lm (included) dimmable.
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	63 x 45 x 39 cm
Weight (gross)	4.6 kg
Volume	0,1106 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal		
Matt black		
Glass		
Clear		270€
Other finish		
See colour palette		314€
Out of palette		+44€/ colour
Cable length	3m	
Cable colour	Black	

See spare parts on page 113

MAPI
C1235/H



Specifications

Light source	3 x LED strip 5W 2700K 2200 lm
Voltage	220-240 V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	89 x 57 x 57 cm
Weight (gross)	7,8 kg
Volume	0,1877 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	**Glass**	
Matt black	Clear	802€
Matt black	See colour palette	936€
Matt black	Out of palette	+44€/ each colour
Shade		
Opal		
Cable length	3m	
Cable colour	Black	

See spare parts on page 113

MAPI
C1235/V



Specifications

Light source	3 x LED strip 5W 2700K 2200 lm
Voltage	220-240 V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	89 x 57 x 57 cm
Weight (gross)	7,8 kg
Volume	0,1877 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	**Glass**	
Matt black	Clear	802€
Matt black	See colour palette	936€
Matt black	Out of palette	+44€/ each colour
Shade		
Opal		
Cable length	3m	
Cable colour	Black	

See spare parts on page 113

OVALO
C1234



Specifications

Light source	GU10 LED 5W 2700K
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	2 kg
Volume	0,122 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt Black	196€
Glass	
Colour of palette	

PAPI
C1233



Specifications

Light source	Bulb GU10 LED 5W 2700K (included) 450 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 81 cm
Weight (gross)	4,6 kg
Volume	0,0729 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal		516€
Matt black		
Glass		
See colour palette		+0€
Colour out of palette		+44€/ each colour
Cable length	3m	
Cable colour	Black	

See spare parts on page 113

You can configure the lamp to your liking by combining the three modules

CABLE	146€
MODULE 1	108€
MODULE 2	180€
MODULE 3	96€



Possible combinations of modules



LITA
C1230



Specifications

Light source	Chip LED 3W 3000K 300 lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	19,5 x 15 x 15 cm
Weight (gross)	1,2 kg
Volume	0,020 CBM
HS Code	9405.19.90.90

Control

ON/OFF- LED Dimmable	0€

LED not replaceable by user

Finishes

Matt black wood		138€
Cable length	3m	
Cable colour	Black	

DORA
C1228**



Specifications

Light source	LED strip 6,5W 3000K 650 lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 14 x 16 cm
Weight (gross)	1,6 kg
Volume	0,005 CBM
HS Code	9405.19.90.90

Control

ON/OFF - LED Dimmable	0€

LED not replaceable by user

Finishes

Shiny gold		275€
Cable length	3m	
Cable colour	Black	

DELIE
C1224



Specifications

Light source	G9 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	35 x 17 x 15 cm
Weight (gross)	1,2 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Aged gold / Black marble		168€
Matt black / White Marble		168€
Marble CANNOT be changed		
Cable length	3m	
Cable colour	Black	

See spare parts on page 113

DELIE
C1224/8



Specifications

Light source	8 x G9 5W 2700K (included) 3600 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	64 x 63 x 42 cm
Weight (gross)	8,5 kg
Volume	0,17 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Aged gold / Black marble	1046€
Matt black / White Marble	998€

Marble CANNOT be changed

The height is configurated during the installation of the pendant, by threading the different tubes (3 x 30cm)

See spare parts on page 113

FEST
C1223



Specifications

Light source	6 x E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	41 x 40 x 45 cm
Weight (gross)	1,5 kg
Volume	0,074 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Cable	
Black	682€
Glass 1223 (included)	
Choose between:	
Turquoise Dark blue Amber Brown Pink	
Cable length	2m
Cable colour	Black

YOYO
C1222



Specifications

Light source	3xG9 3W 3000K (included) 810 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	90 x 57,5 x 59 cm
Weight (gross)	3,8 kg
Volume	0,305 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Exterior Black	556€
Interior White	
Diffuser	
Matt brass	
Black	
White	
Cable length	3m
Cable colour	Black

BALL
C1215



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box + 1 Box shade
Measures (LxWxD)	65,5 x 17,5 x 9 cm
Weight (gross)	1,1 kg
Volume	0,010 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt Black	216€
Matt Brass	254€
Shade (included)	
Opal	
Clear**	
Cable length	3m
Cable colour	Black

ATOM
C1214/8



Specifications

Light source	8xG9 LED 5W 2700K (included) 3600 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box + 3 Boxes shades
Measures (LxWxD)	123,5 x 52,5 x 24,5 cm
Weight (gross)	6,7 kg
Volume	0,159 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt black	1254€
Matt brass	1344€
Shades (included)	
Opal / Clear	

The height is configurated during the installation of the pendant, by threading the different tubes (3 x 30cm + 1 x 15cm)

ANET
C1206



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	68,5 x 19 x 18,5 cm
Weight (gross)	2,5 kg
Volume	0,024 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Marble	
Matt black	White	212€
Matt black	Black	212€
Bronze	Brown	212€
Aged gold	White	212€
Aged gold	Brown	212€
Aged gold	Green	212€
Aged gold	Black	212€
Nickel**	Black	212€

Change of marble +66€

Cable length	1,5m
Cable colour	Black

MIKA
C1204



Specifications

Light source	Chip LED 3W 2700K 300 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 6 x 65 cm
Weight (gross)	0,8 kg
Volume	0,002 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Cable	Canopy	
Clear	Black	
Body		
Matt White / Black		126€
Gold		126€
Bronze - Body		126€

Cable length	3m
Cable colour	Black

MIKA MULTI
C1204/8



Specifications

Light source	8 x Chip LED 3W 2700K 2400 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	69 x 20,5 x 11 cm
Weight (gross)	7,2 kg
Volume	0,015 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Canopy and hoop	
Matt Black	1066€
Body	
Shinny Gold	
Matt White	
Matt Black	
Bronze / Body	

Cable length	3m
Cable colour	Black

BIGCOSS
C1203/80



Specifications

Light source	LED strip 28W 2700K 2500 lm+ LED projector 20W 2700K 1500 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	87 x 87 x 23 cm
Weight (gross)	6 kg
Volume	0,174 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Exterior dome	
Matt Black	690€
Internal flat diffuser	
Mirror	

Cable length	3m
Cable colour	Black

MARU
C1194



Specifications

Light source	Chip LED 3W 3000K 300 lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	29,5 x 12 x 12 cm
Weight (gross)	1,2 kg
Volume	0,004 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€

LED not replaceable by user

Finishes

Black / Matt brass	214€
Black / Black	214€

Cable length	3m
Cable colour	Black

ELLA
C1158



Specifications

Light source	LED plate 9W 2700K 900 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	2,5 kg
Volume	0,059 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Matt black	376€
Interior diffuser	
Matt black	
Matt brass	
Cable length	2m
Cable colour	Black

CHAPÉU
C1157**



Specifications

Light source	E27 Max. 15W 2700K (not included)
Voltage	230V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	2,8 kg
Volume	0,122 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Black	228€
Matt brass / Shiny gold	
Nickel	
White	
Chrome	
Ceramic	
Colours palette	
Other colour (out of palette)	+44€
Cable length	2m
Cable colour	Black

ENDO
C1156/6**



Specifications

Light source	6xG9 LED 5W 2700K (included) 2700lm
Voltage	220-240 V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	138 x 48 x 22,5 cm
Weight (gross)	9,2 kg
Volume	0,150 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black	484€
Chrome	484€
Opal shades included in box	
Colours palette	
Cable length	3m
Cable colour	Black

PTAN
C1154



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	1,1 kg
Volume	0,059 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Black	284€
Matt brass	284€
Rattan	
Natural / Black	
Cable length	3m
Cable colour	Black

GLAMM
C1130



Specifications

Light source	LED plate 7W 2700K 700 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 33 x 33 cm
Weight (gross)	3,8 kg
Volume	0,039 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Marble	
White / Black / Green / Brown	
Glass	
Clear Striped	272€
Ceramic/metal dome	
Palette colurs	
Other colours	
Cable length	3m +0€
Cable colour	Black +44€

CORA
C1129



Specifications

Light source	LED plate 7W 2700K 700 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 26 x 23 cm
Weight (gross)	1,8 kg
Volume	0,016 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal		230€
Shiny gold		
Chrome		
White		
Black		
Nickel		
Matt brass		
Ceramics (hand painted):		
Palette colours		0€
Other colour (off palette)		+44€
Cable length	3m	
Cable colour	Black	

CORA
C1129/O



Specifications

Light source	LED plate 3W 3000K 300 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 26 x 23 cm
Weight (gross)	1,8 kg
Volume	0,016 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Ceramics (hand painted):		170€
Colour palette		0€
Other colour (out of palette)		+44€
Cable length	3m	
Cable colour	Black	

TICO
C1095/L/LED



Specifications

Light source	LED plate 9W 2700K 950lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	105 x 105 x 20 cm
Weight (gross)	4,8 kg
Volume	0,220 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	**Accessory**	
Matt black	Matt black	374€
Aged gold	Aged gold	374€
Chrome	Chrome	374€
Acustic disc		
Palette colours		
Cable length	2m	
Cable colour	Black	

LED not replaceable by user

TICO
C1095/L/BULB



Specifications

Light source	Bulb G9 5W 2700K 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	105 x 105 x 30 cm
Weight (gross)	4,8 kg
Volume	0,220 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	**Accessory**	
Matt black	Matt black	374€
Aged gold	Aged gold	374€
Chrome	Chrome	374€
Acustic disc		
Palette colours		
Cable length	2m	
Cable colour	Black	

TICO
C1095/S/LED



Specifications

Light source	LED plate 9W 2700K 950lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 55 x 20 cm
Weight (gross)	4,2 kg
Volume	0,060 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230Vadapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	**Accessory**	
Matt black	Matt black	308€
Aged gold	Aged gold	308€
Chrome	Chrome	308€
Acustic disc		
Palette colours		
Cable length	2m	
Cable colour	Black	

LED not replaceable by user

TICO
C1095/S/BULB



Specifications

Light source	Bulb G9 5W 2700K 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 55 x 20 cm
Weight (gross)	4,2 kg
Volume	0,060 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Accessory	
Matt black	Matt black	308€
Aged gold	Aged gold	308€
Chrome	Chrome	308€

Acustic disc

Palette colours

Cable length	2m
Cable colour	Black

PIRE
C1090/L



Specifications

Light source	GU10 5W 500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	4,3 kg
Volume	0,039 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Canopy and metal parts	
Matt black	272€
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€

Cable length	2m
Cable colour	Black

PIRE
C1090/S



Specifications

Light source	GU10 5W 500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	4,3 kg
Volume	0,039 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Canopy and metal parts	
Matt black	262€
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€

Cable length	2m
Cable colour	Black

DENA
C1088



Specifications

Light source	LED plate 9W 810lm 2700K
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	4,3 kg
Volume	0,039 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Canopy and metal parts	
Matt black	280€
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€

Cable length	2m
Cable colour	Black

BAMBU
C1087



Specifications

Light source	GU10 3W Incluido 2700K 810lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	4 kg
Volume	0,039 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Shinny gold/Matt brass/Matt white/Matt Black/ Chrome / Nickel

Ceramic

Palette colurs	306€
Other colours	+44€

Cable length	2m
Cable colour	Black

COPO
C1085



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	4,3 kg
Volume	0,039 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Shinny gold/Matt brass/Chrome/Black/ White / Nickel

Ceramic dome

Palette colurs	194€
Other colours	+44€
Cable length	2m
Cable colour	Black

BELL
C1084



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	2,1 kg
Volume	0,039 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Shinny gold/Matt brass/Chrome/Black/ White / Nickel

Marble

White / Black / Green / Brown

Ceramic dome	260€
Palette colurs	0€
Other colours	+44€
Cable length	2m
Cable colour	Black

ALPHA
C1083



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	1,3 kg
Volume	0,039 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal or ceramic

Pedant

Shinny gold/Matt brass/Chrome/Black/ White/Nickel

Dome

colour palette	190€
Other colours	+44€
Cable length	2m
Cable colour	Black

BETA
C1082



Specifications

Light source	E27 Max. 15W (no included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	45 x 40 x 41 cm
Weight (gross)	1,5 kg
Volume	0,079 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal or ceramic

Pendant

Shinny gold/Matt brass/Chrome/Black/ White/Nickel

Dome

Colour palette	258€
Other colours	+44€
Cable length	2m
Cable colour	Black

GAMMA
C1081



Specifications

Light source	LED diffuser 9W 2700K 900 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	45 x 40 x 41 cm
Weight (gross)	2 kg
Volume	0,074 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED **Possibility of E27 lampholder (consult)**	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal

Pedant

Shinny gold/Matt brass/Chrome/Black/ White/Nickel

Dome

Colour palette	422€
Out off palette	+44€

Diffuser
Matt black / Matt brass / Chrome

Cable length	2m
Cable colour	Black

CURN
C1080



Specifications

Light source	LED plate 9W 2700K 700 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	42 x 41 x 30 cm
Weight (gross)	2 kg
Volume	0,517 CBM
HS Code	9405.19.90.90

Control

ON/OFF - dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal

Matt black 262€

Marble

Black / White / Green /Brown

Ceramic

See colors palette

ANYA
C1010 + 1143**



Specifications

Light source	E27 Max. 15W (not includeds)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	41 x 41 x 22 cm
Weight (gross)	2,5 kg
Volume	0,044 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

C1010 (single pedant)

Gold

Black

Bamboo shade

1143 - Ø 40 cm (C1010 + 1143) **124€**

Cable length 3m

Cable colour Black

**While stocks last

ANYA
C1010 + 1144**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	51 x 51 x 29 cm
Weight (gross)	2,8 kg
Volume	0,074 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

C1010 (single pedant)

Gold

Black

Bamboo shade

1144 - Ø 50 cm (C1010 + 1144) **154€**

Cable length 3m

Cable colour Black

**While stocks last

HADO
T1331



Specifications

Light source	Bulb G9, 3W 350lm 2700K dimmable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	13.5 x 25.5 x 26.5 m
Weight (gross)	3.40 kg
Volume	0,013 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body

Aged gold 160€

Glass

Optic transparent striped

DOUL
T1310



Specifications

Light source	G4 LED 3W 2700K (included) 270 lm
Voltage	220-240V / 24V(Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	16 x 14 x 14 cm
Weight (gross)	2,4 kg
Volume	0,004 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Aged Gold 146€

Matt Black 146€

Glass

Clear striped

YCRO
T1297



Specifications

Light source	Chip LED 8W 2700K (included) 800 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	23 x 15 x 11 cm
Weight (gross)	1 kg
Volume	0,004 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal

Matt Black / Matt Brass	128€
Matt Black / Matt Black	128€

YCRO
T1297/4



Specifications

Light source	4 x Chip LED 8W 2700K (included) 800 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	101 x 23 x 11 cm
Weight (gross)	2,36 kg
Volume	0,011 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal

Matt Black / Matt Brass	484€
Matt Black / Matt Black	484€

FOCUS
T1279



Specifications

Light source	GU10 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	23 x 27 x 23 cm
Weight (gross)	1,9 kg
Volume	0,019 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt Black	118€
Aged Gold	118€
Antracite	118€
Alabaster	136€

Built in lamp

Surface hole (Diam. 75 mm)
Space required behind the surface (80mm)

NOON
T1278



Specifications

Light source	GU10 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	17 x 11,5 x 10,5 cm
Weight (gross)	1 kg
Volume	0,002 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt Black	90€
Blued	90€

NOON
T1278/1



Specifications

Light source	GU10 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	35 x 18 x 10,5 cm
Weight (gross)	1,5 kg
Volume	0,007 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt Black	114€
Blued	114€

NOON
T1278/3



Specifications

Light source	3 x GU10 LED 5W 2700K (included) 1350 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	84,5 x 11,5 x 10 cm
Weight (gross)	2,1 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt Black	172€
Blued	172€

LATTO
T1268



Specifications

Light source	GU10 LED 5W 2700K dimmable (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 23 x 26 cm
Weight (gross)	1,1 kg
Volume	0,016 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Aged Gold	142€
Matt Black	142€
Anthracite	142€

TAMB
T1019/50



Specifications

Light source	2 x E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 45 x 45 cm
Weight (gross)	0,9 kg
Volume	0,110 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs TRIAC	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Textil	
White / Black / Grey	
Diffuser	
White	
T1019/50 - 50 cm	164€

TAMB
T1019/30



Specifications

Light source	2 x E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 45 x 45 cm
Weight (gross)	0,9 kg
Volume	0,110 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs TRIAC	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Textil	
White / Black / Grey	
Diffuser	
White	
T1019/30 - 30 cm	138€

TAMB SQUARE
T1016



Specifications

Light source	2xE27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 45 x 45 cm
Weight (gross)	0,9 kg
Volume	0,110 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Textil	
White / Black / Grey	162€
Diffuser	
White	



Floor lamps

IRZO
P1353



Specifications

Light source	3 x G9 5W 2700K
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	78 x 40 x 24 cm
Weight (gross)	6.6 kg
Volume	0,0749 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal

Matt black	584€
Aged gold	584€

Glass

Opal

GEHIT
P1350



Specifications

Light source	LED strip 9W 900lm
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	64 x 45 x 30 cm
Weight (gross)	6.6 kg
Volume	0,086 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal

Aged gold	540€
Matt black	540€

Glass

Clear

Wood

Dark Walnut

Difusser

Opal

LED not replaceable by user

VITREE
P1346



Specifications

Light source	LED strip 28W 2000lm
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	37 x 114 x 38 cm
Weight (gross)	9,9 kg
Volume	0,160 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Touch me dimmable 0€

Finishes

Metal

Aged gold	828€
Matt black	828€

Glass

Clear

LED not replaceable by user

NUMU
P1343



Specifications

Light source	3 x LED strip 9W 2700k
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	21 x 121 x 13 cm
Weight (gross)	3,9 kg
Volume	0,0330 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal

Chrome	616€

Marble

Black

Glass

Clear stripped

Diffuser

Opal

LED not replaceable by user

FLOW
P1339



Specifications

Light source	2 x G9 7W 900lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	89 x 76 x 20,5 cm
Weight (gross)	9,85 kg
Volume	0,139 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	**Marble**	
Aged gold	White	528€
Matt black	Black	

Shade

Opal

SOKO
P1335



Specifications

Light source	LED strip 24W 2400lm 2700K (included) dimmable
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	73 x 35 x 25 cm
Weight (gross)	10,30 kg
Volume	0,064 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal	**Marble**	
Aged gold	White	638€
Matt black	Black	

Shade

Opal

LED not replaceable by user

REMS
P1318



Specifications

Light source	E27 LED dimmable 9W 2700K 720lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	2 Boxes
Measures (LxWxD)	P1318 1/2 142 x 50 x 12 cm 3,6 kg 0,090 CBM
Weight (gross)	P1318 2/2 43,5 x 12 x 43,5 cm 2,6 kg 0,060 CBM
Volume	
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal	350€
Matt black	

Leather shade

Black

Orange

Light brown

Dark brown

Shade included in price

OKET
P1317



Specifications

Light source	LED plate 10W 2700K 720lm
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	130 x 40 x 40 cm
Weight (gross)	4 kg
Volume	0,2080 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body and base: Matt brass // **Shade:** Matt white	408€
Body and base: Matt black // **Shade:** Matt black	408€

Telescopic height adjustment.

LED not replaceable by user

NIRO
P1314



Specifications

Light source	LED strip 30W 2700K 1850lm
Voltage	220-240 V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	2 Boxes
Measures (LxWxD)	P1314 1/2 15 x 15 x 153 cm 0,030 CBM
Weight (gross)	P1314 2/2 37 x 37 x 8 cm 1,36 kg 0,010 CBM
Volume	
HS Code	9405.29.90.90

Control

ON/OFF - Foot dimmer on cable	0€

Finishes

Metal	**Marble**	
Aged gold	Matt white	778€
Matt black	Matt black	778€

Wood

Walnut

Difusser

Acrilic

LED not replaceable by user

ELMA
P1312



Specifications

Light source	3 x LED strip 9W 2700K 2000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	54 x 22,5 x 50 cm
Weight (gross)	7,3 kg
Volume	0,061 CBM
HS Code	9405.29.90.90

Control

ON/OFF - TRIAC	0€
3000K	180€

Finishes

Metal	
Black	696€
Aged Gold	696€

Glass

Clear striped

LED not replaceable by user

ELLI
P1311**



Specifications

Light source	LED strip 30W 3000 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	113 x 113 x 18 cm
Weight (gross)	14,2 kg
Volume	0,230 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal: Matt black / Details in matt black // **Marble:** Matt black	880€
Acrilic: Opal	

LED not replaceable by user

**While stocks last

BION
P1306



Specifications

Light source	G9 LED 5W 2700K dimmable (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	138 x 46 x 10 cm
Weight (gross)	4 kg
Volume	0,063 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body	
Textured matt black	394€
Base	
Matt black marble	
Shade	
White	
Black	

BIG DUSSA
P1307



Specifications

Light source	LED plate 9W 2700K 900 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	2 Boxes P1307 1/2 12 x 41 x 120 cm 0,0590 CBM
Measures (LxWxD)	
Weight (gross)	P1307 2/2 43,5 x 12+6 x 43,5 cm 2,6 kg 0,060 CBM
Volume	
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body	Marble	
Matt black	Travertine	444€
Aged gold	Travertine	444€

LED replaceable by user

AIDER
P1287**



Specifications

Light source	E27 LED max. 9W 2700K dimmable (included) 810 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	74,5 x 42,5 x 20 cm
Weight (gross)	4 kg
Volume	0,063 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on foot	0€

Finishes

Metal	
Matt brass	390€
Base	
Shiny black marble	
Rattan	
Natural tone	
Shade	
Shiny black	

NOOI
P1276



Specifications

Light source	T8 LED 14W 2700K (included) 1260 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	115 x 29 x 25 cm
Weight (gross)	3,4 kg
Volume	0,082 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€
3000K	180€

Finishes

Body	
Matt Black	398€
Shade	
Linen textile	

T8/L Replacement	66€

LYB
P1274



Specifications

Light source	Chip LED dimmable 5W 2700K 450lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	165 x 43 x 10 cm
Weight (gross)	3,8 kg
Volume	0,071 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Matt Black	398€

LED chip not replaceable by user

COLN
P1267



Specifications

Light source	LED strip 21W 2700K 2100 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	150 x 18 x 18 cm
Weight (gross)	6,4 kg
Volume	0,048 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal

Matt Black	530€

Marble

Matt Black

LED not replaceable by user

HINOO
P1266



Specifications

Light source	LED chip 17W 2700K 1000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	2 Boxes
P1266 32,5x32,5x29 cm (base)	36 kg 0,031 CBM
P1266 120x46x16,5 cm (cuerpo)	3,6 kg 0,091 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Head	Structure	
Matt black	Matt black	638€
Matt brass	Matt black / Details matt brass	638€

Marble

Black

White

Chip LED NOT replaceable by user

ARCTIC
P1256*



Specifications

Light source	3 x E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	118 x 40,5 x 19 cm
Weight (gross)	6 kg
Volume	0,114 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body and base

Matt black	248€

Lampholder

Matt brass

Accessories see page 101

MAHO
P1254



Specifications

Light source	Chip LED 5W 2700K dimmable 500 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	75 x 35 x 15 cm
Weight (gross)	6 kg
Volume	0,040 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Body

Matt Black

Head

Matt Brass	244€
Matt Black	244€

LED chip not replaceable by user

COT
P1251



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	145 x 52,5 x 15 cm
Weight (gross)	6 kg
Volume	0,114 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body

Walnut wood	498€

Shade (included)

Black / White

PULL
P1249



Specifications

Light source	G9 4W 500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	145 x 52,5 x 15 cm
Weight (gross)	6 kg
Volume	0,114 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body

Matt black

Metal shade

Matt black	496€
Aged gold	496€

Shade

Fabric

Marble

Black

FICUS
P1243



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	145 x 52,5 x 15 cm
Weight (gross)	6 kg
Volume	0,114 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body

Matt Black	380€

Details

Matt Brass

Shade

Matt Brass

OHLALA
P1242**



Specifications

Light source	2 x E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	85 x 35 x 11 cm
Weight (gross)	5,5 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body and base

Matt black	286€

Lampholder

Matt brass

Accessories and bulbs not included

****While stocks last**

LUCA
P1237



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	76,5 x 46 x 27,5 cm
Weight (gross)	19 kg
Volume	0,097 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body and shade

Matt black	444€

Base

White marble

MAPI
P1235



Specifications

Light source	3 x LED strip 10W 2700K 3000lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	77 x 57 x 44,5 cm
Weight (gross)	14,3 kg
Volume	0,0548 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal	Glass	
Matt black	Clear	858€
Matt black	See colour palette	980€
Matt black	Out of palette	+44€/ colour

Shade

Opal

Marble

Matt black

LED replaceable by user

ARIO
P1234



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	112 x 53,5 x 14,5 cm
Weight (gross)	15,3 kg
Volume	0,087 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body and base

Matt black 414€

Shade (included)

Black

NERA
P1229



Specifications

Light source	Chip LED integrated 8W 3000K 800 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	112 x 54 x 15 cm
Weight (gross)	6 kg
Volume	0,087 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Touch me dimmable	0€

Finishes

Body

Matt black 298€

Base

Black lacquered wood

LED NOT replaceable by user

ATOM
P1214



Specifications

Light source	G9 LED 5W 2700K 450lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box + 1 Box shade
Measures (LxWxD)	152 x 33 x 10 cm
Weight (gross)	5,6 kg
Volume	0,050 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Push switch	0€
Dimmer on cable	+80€

Finishes

Body

Matt black 360€

Matt brass 438€

Shade (included)

Opal

Clear**

**While stocks last

MARU
P1194



Specifications

Light source	Chip LED integrated 3W 3000K 300 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	80 x 34 x 10 cm
Weight (gross)	5,4 kg
Volume	0,027 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€

Finishes

Body	Head	
Matt black	Matt black	370€
Matt black	Matt brass	370€

LED not replaceable by user

DIRA
P1185



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	136,5 x 46,5 x 10 cm
Weight (gross)	5,4 kg
Volume	0,0635 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Legs: Metal

Pine imitation	320€

Shade

Light linen

HEDRA
P1159



Specifications

Light source	E27 9W 2700K dimmable (included) 810 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	80 x 33 x 12 cm
Weight (gross)	4,5 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€

Finishes

Metal	**Marble**	
Matt black	Matt black	260€
Matt brass	Matt black	260€

Shade NOT included

Shade catalogue reference

801011/41	+60€

ENDO
P1156



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	84,5 x 32 x 22 cm
Weight (gross)	4,5 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Push switch	0€
Dimmer on cable	+80€

Finishes

Body and base

Matt brass	372€
Chrome	296€

Shade 140 mm included in box

Opal

RIU
P1140



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	157 x 43 x 22,5 cm
Weight (gross)	8,5 kg
Volume	0,152 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body, base and shade

Matt white	448€

Wood

Beech

Shade included

TEX
P1026*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	82 x 36 x 12 cm
Weight (gross)	3,8 kg
Volume	0,035 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Matt white	210€
Matt black	210€

Shade not included

Shade catalogue reference

151011/45	+63€



Wall lamps

LIDA
A1357/R60



Specifications

Light source	Integrated LED 6W 2700K dimmable
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	67 x 67 x 16 cm
Weight (gross)	4 kg
Volume	0,0718 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmer	0€

Finishes

Metal	
Matt Black	484€
Aged Gold	484€

Glass

Clear

LIDA
A1357/R30



Specifications

Light source	Integrated LED 6W 2700K dimmable
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	37 x 37 x 16 cm
Weight (gross)	1,95 kg
Volume	0,0219 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmer	0€

Finishes

Metal	
Matt Black	212€
Aged Gold	212€

Glass

Clear

LIDA
A1357/S



Specifications

Light source	LED Strip 7W 2700K
Voltage	220-240 V / 24V (Included driver)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	39 x 21 x 26 cm
Weight (gross)	3,10kg
Volume	0,0213 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Matt Black	260€
Aged Gold	260€

Glass

Clear

LIDA
A1357/L



Specifications

Light source	LED Strip 9W 2700K
Voltage	220-240 V / 24V (Included driver)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	63 x 21 x 26 cm
Weight (gross)	4 kg
Volume	0,0344 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Matt Black	426€
Aged Gold	426€

Glass

Clear

HITA
A1356



Specifications

Light source	2 x G9 5W 900lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	34,5 x 28 x 16,5 cm
Weight (gross)	1,45 kg
Volume	0,016 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Marble	
Matt Black	Black	172€
Aged Gold	White	172€

Parchment Paper

Natural

TASTA
A1355



Specifications

Light source	LED Strip 14W 2700K 1220lm
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	19,5 x 11,3 x 45,5 cm
Weight (gross)	2,1 kg
Volume	0,01 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal

Matt Black	206€
Aged Gold	206€

Marble

Black
White
Green
Brown

LADA
A1354



Specifications

Light source	E14 5W 2700K 450 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	33 x 23 x 19 cm
Weight (gross)	0,95 kg
Volume	0,014 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt Black	122€
Aged Gold	122€

Ceramics

White

IRZO
A1353



Specifications

Light source	G9 5W 2700K 450 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 24 x 26 cm
Weight (gross)	1,2kg
Volume	0,0150 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt black	118€
Aged gold	118€

Glass

Opal

RITA
A1348/70



Specifications

Light source	E27 Max. 15W (Not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	46 x 24 x 28 cm
Weight (gross)	2,3 kg
Volume	0.03 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Black	374€
Tea green	374€
Silhouette	374€
Vintage Brown	374€
White	374€

Discs

Matt Gold / Chrome / Shiny Gold / Matt White / Matt Black/ Silhoutte / Green tea / Vintage Brown

Canopy

Matt White

RITA
A1348/50



Specifications

Light source	E27 Max. 15W (Not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	46 x 24 x 28 cm
Weight (gross)	2,3 kg
Volume	0.03 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Black	264€
Tea green	264€
Silhouette	264€
Vintage Brown	264€
White	264€

Discs

Matt Gold / Chrome / Shiny Gold / Matt White / Matt Black/ Silhoutte / Green tea / Vintage Brown

Canopy

Matt White

VITREE
A1346



Specifications

Light source	E27 Max. 15W (Not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 25 x 18 cm
Weight (gross)	1,2kg
Volume	0,011CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt Black	132€
Aged Gold	132€
Glass	
Clear	

CLOUD
A1345



Specifications

Light source	G9 5W 500lm 2700K (included) TRIAC Dimmable
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	58 x 24 x 12 cm
Weight (gross)	3,10kg
Volume	0,02 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt Black	176€
Aged Gold	176€
Glass	
Clear (standard)	
Other finishes	
Amber	+44€
Greenish Brown	+44€
Grey	+44€

CUBIC
A1344



Specifications

Light source	G9 5W 500lm 2700K (included) TRIAC Dimmable
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	16 x 26 x 19 cm
Weight (gross)	1.2 kg
Volume	0.01 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt Black	172€
Aged Gold	172€
Alabaster	

NUMU
A1343



Specifications

Light source	LED strip 10W 2700K
Voltage	220-240 V / 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	15 x 51 x 15 cm
Weight (gross)	1,30 kg
Volume	0,0115 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	228€
Chrome	228€
Glass	
Opal	

COCO
A1342



Specifications

Light source	Chip LED 450lm 2700K
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	61 x 42 x 11 cm
Weight (gross)	3,2 kg
Volume	0,028 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Switch ON/OFF	0€

LED not replaceable by user

Finishes

Metal	
Matt black	208€
Aged gold	208€
Leather	
Black	
Brown	
Grey	

FLOW
A1339



Specifications

Light source	G9 7W 700lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP44

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 25 x 27,5 cm
Weight (gross)	1,5 kg
Volume	0,019 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	174€
Aged gold	174€
Shade	
Opal	

BETTY
A1338



Specifications

Light source	LED plate 10W 1000lm 2700K (included)
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	47 x 47 x 18,5 xm
Weight (gross)	4,5kg
Volume	0,0381 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Matt black	236€
Aged gold	236€
Glass	
Clear (standard)	
Other smoked finishes	
Greenish brown	+44€
Amber	+44€
Grey	+44€
Blue	+44€

TEA
A1337/2



Specifications

Light source	CREE LED 3W 300lm 2700K + Bulb G9 5W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	33,5 x 29 x 17 cm
Weight (gross)	1,60 kg
Volume	0,017 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Switch ON/OFF	0€

LED not replaceable by user

Finishes

Metal	**Marble**	
Matt black	Black	204€
Aged gold	White	204€
Metallic grey	Brown	204€
Shade		
Opal		

TEA
A1337



Specifications

Light source	CREE LED 3W 300lm 2700K
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	29 x 25 x 17 cm
Weight (gross)	1,40 kg
Volume	0,012 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Switch ON/OFF	0€

LED not replaceable by user

Finishes

Metal	**Marble**	
Matt black	Black	128€
Aged gold	White	128€
Metallic grey	Brown	128€

ANZA
A1336



Specifications

Light source	LED plate 9W 900lm 2700K
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	36,5 x 36,5 x 24 cm
Weight (gross)	3,05 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	216€
Marble	
Black	
White	
Green	
Brown	
Disc	
Alabaster	

SOKO L
A1335/5



Specifications

Light source	LED strip 16W 1500lm 2700K (included)
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	64 x 31 x 19,5 cm
Weight (gross)	3,80kg
Volume	0,039 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	**Marble**	
Matt black	Black	388€
Aged gold	White	388€

Shade

Opal

SOKO S
A1335/3



Specifications

Light source	LED strip 10W 900lm 2700K (included)
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	39,5 x 37 x 19,5 cm
Weight (gross)	3,15 kg
Volume	0,028 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	**Marble**	
Matt black	Black	236€
Aged gold	White	236€

Shade

Opal

GINA
A1334



Specifications

Light source	Bulb G9 5W 450lm 2700K dimmable (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	33.5 x 28.5 x 18 cm
Weight (gross)	1.8 kg
Volume	0,017 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt black	184€
Aged gold	184€

Shade

Opal

LARI
A1333



Specifications

Light source	LED strip 9W 900lm 2700K dimmable
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP44

Packaging

Package(s)	1 Box
Measures (LxWxD)	21.5 x 15 x 27.5 cm
Weight (gross)	1.3 kg
Volume	0,008 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt black	218€

Accessory

Leather

Cyber / Dark brown / Taupe / Orange

Metal

Striped aged gold

Glass

Clear striped

STOR
A1332



Specifications

Light source	LED plate 9W 450lm 2700K dimmable
Voltage	220-240V / 24V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	41.5 x 24.5 x 25 cm
Weight (gross)	2.10 kg
Volume	0,025 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal

Matt black	176€

Shade

Matt nickel

Disc

Brown marble / Black marble / Travertine / White marble / Green marble

POINT
A1328



Specifications

Light source	LED strip 16W 1500lm 2700K dimmable
Voltage	220-240V / 24V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	67 x 41 x 12,5 cm
Weight (gross)	3 kg
Volume	0,034 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	286€
Aged gold	
Matt black	
Disc	
Alabaster	
Black marble	
White marble	

KEZO
A1324**



Specifications

Light source	Bulb G9 dimmable 5W 2700K (included) 450lm
Voltage	220-240 Hz
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	14 x 18 x 22 cm
Weight (gross)	2,1 kg
Volume	0,007 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	**Shade**	
Matt black/Nickel	Matt white	**144€**
Body	**Shade**	
Matt black/Nickel	Other colour palette	188€

Adjustable shade during installation

CANNA
A1319



Specifications

Light source	LED strip 10W 2700K 750lm dimmable
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	50 x 25 x 19 cm
Weight (gross)	1,85 kg
Volume	0,021
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Aged gold	258€
Matt black	258€
Glass	
Opal	

REMS
A1318



Specifications

Light source	E27 9W 2700K 720lm dimmable (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	31 x 27,5 x 24,5 cm
Weight (gross)	3,6 kg
Volume	0,02 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	**Leather shade**	
Matt black	Black	178€
Matt black	Orange	178€
Matt black	Light brown	178€
Matt black	Dark brown	178€
	Linen shade	
Matt black	Light linen	170€

Shade included in price

OKET
A1317



Specifications

Light source	LED plate 10W 2700K 720lm dimmable
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	48 x 16,5 x 51 cm
Weight (gross)	2,8 kg
Volume	0,04 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Difusser	**Shade**	
Matt black	Matt white	264€
Matt black	Matt black	308€

IPON
A1316



Specifications

Light source	LED plate 10W 2700K 810lm dimmable
Voltage	220-240 V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 26 x 15 cm
Weight (gross)	2,1 kg
Volume	0,01 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	152€
Matt black	
Aged gold	
Shade	
Clear (estandard)	
Other smoked finishes	
Greenish brown	+44€
Amber	+44€
Grey	+44€
Blue	+44€

NIRO
A1314



Specifications

Light source	LED strip dimmable 8W 2700K 700lm
Voltage	220-240 V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	17 x 17 x 80 cm
Weight (gross)	2.25 kg
Volume	0,0231 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	256€
Aged gold	
Matt black	
Wood	
Walnut	
Difusser	
Acrilic	

TURA C
A1313/C



Specifications

Light source	LED Chip 5W 2700K 500 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	14 x 14 x 14 cm
Weight (gross)	0,70kg
Volume	0.003CBM
HS Code	9405.19.90.90

Control

ON/OFF - Switch ON/OFF	0€

LED not replaceable by user

Finishes

Metal	
Matt black	218€
Aged Gold	218€
Leather	
Black	
Dark Brown	
Light Brown	
Orange	

TURA
A1313



Specifications

Light source	Chip LED 5W 2700K 500 lm dimmable
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	61 x 42 x 11 cm
Weight (gross)	3,2 kg
Volume	0,028 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

LED not replaceable by user

Finishes

Metal	**Leather**	
Matt black	Black	210€
Matt black	Brown	210€
Matt black	Orange	210€

ELMA
A1312



Specifications

Light source	LED 10W 2700K dimmable 600lm
Voltage	220-240V /24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP44

Packaging

Package(s)	1 Box
Measures (LxWxD)	54 x 22,5 x 35 cm
Weight (gross)	3,4 kg
Volume	0,042 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Cuerpo	
Matt black	258€
Aged gold	258€
Nickel	258€
Glass	
Clear striped	

See spare parts on page 113

DOUL
A1310



Specifications

Light source	G4 LED 3W 2700K dimmable 270lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP44

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 17 x 39 cm
Weight (gross)	2,4 kg
Volume	0,017 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt Black	194€
Aged Gold	194€
Glass	
Clear striped	

See spare parts on page 113

TANA
A1309



Specifications

Light source	Chip LED 4W 2700K dimmable 400lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 35 x 30 cm
Weight (gross)	2,4 kg
Volume	0,273 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Body	
Matt black	116€

DUSSA
A1307



Specifications

Light source	LED plate 9W 2700K 900lm dimmable
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	17 x 32 x 17 cm
Weight (gross)	1,25 kg
Volume	0,0125 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Acero	**Marble**	
Matt black	Black	176€
Matt black	Travertine	176€
Aged gold	White	176€
Head change		+66€

BION
A1306



Specifications

Light source	G9 LED 5W 2700K Dimmable 450lm (Included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	16 x 48 x 15 cm
Weight (gross)	1,45 kg
Volume	0,018 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	**Shade**	
Matt black	Matt black	176€
Aged gold	Matt white	176€

ONETA
A1299



Specifications

Light source	G4 LED 5W 2700K (included) 450 lm
Voltage	220-240V-24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 25 x 14 cm
Weight (gross)	2,9 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

LED not replaceable by user

Finishes

Cuerpo	**Marble**	198€
Aged gold	Matt black	
Matt black	Matt white	
Shade (included)		
Opal		
Marble change		+66€

See spare parts on page 113

ISON
A1298



Specifications

Light source	LED strip 6W 2700K 600 lm
Voltage	220-240V / 24V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP44

Packaging

Package(s)	1 Box
Measures (LxWxD)	50 x 20 x 18 cm
Weight (gross)	2,9 kg
Volume	0,018 CBM
HS Code	9405.19.90.90

Control

ON/OFF - LED dimmable	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Matt black	230€
Aged gold	230€
Nickel	230€
Shade	
Clear striped	

See spare parts on page 113

YCRO
A1297



Specifications

Light source	Chip LED 8W 2700K dimmable 800 lm
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 14 x 10 cm
Weight (gross)	2,1 kg
Volume	0,003 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

LED not replaceable by user

Finishes

Metal	
Matt black	132€
Aged gold	132€

PIPE
A1293



Specifications

Light source	GU10 3W 2700K dimmable (included) 300 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	18 x 14 x 12 cm
Weight (gross)	1,9 kg
Volume	0,003 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black	120€

MIRO
A1289**



Specifications

Light source	G9 LED dimmable 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	34 x 29 x 15 cm
Weight (gross)	2,4 kg
Volume	0,015 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black	140€
Opal shade included	
Accessories compatibles (NOT included):	
Alabaster - 1289/20/A Ceramic - 1097/20 Metal - 1289/20	
A1289 + 1289/20/A	**224€**
A1289 + 1097/20/E27	**192€**
A1287 + 1289/20	**190€**

See spare parts on page 113

AIDER
A1287



Specifications

Light source	Bulb E27 max. 9W 2700K 810lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	38 x 28 x 43 cm
Weight (gross)	2,5 kg
Volume	0,036 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	212€
Satin nickel	
Matt brass	
Rattan	
Natural tone	
Shade	
Shiny black	

AMBOR
A1283



Specifications

Light source	3xG9 LED 3W 2700K (included) 810lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26,5 x 26,5 x 12 cm
Weight (gross)	1,9 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	142€
Matt brass	142€
Difusser	
Opal	

ATIL
A1281



Specifications

Light source	2xG9 LED 5W 2700K (included) 900lm dimmable
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	48 x 16 x 18 cm
Weight (gross)	2,1 kg
Volume	0,012 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	320€
Matt brass	320€
Shade (included)	
Opal	

DALT
A1280



Specifications

Light source	G9 LED 5W 2700K (included) 450lm dimmable
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	36 x 17,9 x 22,5 cm
Weight (gross)	2,3 kg
Volume	0,013 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	**Marble**	
Matt black	White	194€
Matt black	Black	194€
Aged gold	Green	194€
Marble change		+66€

See spare parts on page 113

NOOI
A1276



Specifications

Light source	T8 5W 2700K dimmable 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	62 x 22 x 28 cm
Weight (gross)	2,3 kg
Volume	0,038 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	184€
Matt Black	
Shade	
Cream linen textile	
Acrylic	
Opal	
T8/S Replacement	33€

NINO
A1275



Specifications

Light source	Chip LED 7W 2700K dimmable 700 lm
Voltage	220-240V-24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 34 x 32 cm
Weight (gross)	2 kg
Volume	0,061 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

LED not replaceable by user

Finishes

Metal	230€
Matt Black	
Details - Matt Brass	
Optic glass	
Clear	
Marble	
Matt Black	

See spare parts on page 113

LYB
A1274



Specifications

Light source	Chip LED 5W 2700K 450 lm
Voltage	220-240V / 12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	80 x 32 x 12 cm
Weight (gross)	1,4 kg
Volume	0,030 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

LED not replaceable by user

Finishes

Matt Black	296€

CLOCK
A1273



Specifications

Light source	LED strip 16W 2700K 1200 lm dimmable
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	68 x 18,3 x 10 cm
Weight (gross)	2,9 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Matt Black	220€
Matt brass	220€

CLOCK XL
A1273/120



Specifications

Light source	LED strip 24W 2700K 2400 lm dimmable
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	125 x 20 x 10 cm
Weight (gross)	5,2 kg
Volume	0,025 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Matt Black	254€
Matt brass	254€

LATTO
A1268



Specifications

Light source	GU10 LED 5W 2700K (included) 450 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	11 x 13 x 15 cm
Weight (gross)	0,5 kg
Volume	0,002 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Flat switch	0€

Finishes

Metal	
Aged gold	126€
Matt black	126€
Antracite	126€

HINOO
A1266



Specifications

Light source	LED chip 13W 2700K 1000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	99.5 x 50 x 18.5 cm
Weight (gross)	3 kg
Volume	0,0895 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Head	Structure	
Matt black	Matt black	312€
Matt brass	Matt black / Details matt brass	312€

XAGO
A1262



Specifications

Light source	S14D LED 16W 2700 dimmable 1600lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	104 x 16 x 24 cm
Weight (gross)	2,8 kg
Volume	0,040 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	298€
Matt Black	
Aged Gold	
Acrylic	
Opal	

ABBY
A1259/2



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	79 x 26 x 13 cm
Weight (gross)	2,3 kg
Volume	0,026 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt brass	110€
Matt black	104€

*Accesories and bulb NOT included
The accessory must to have a E27 peach and the diameter must not be more than 35 cm.

ABBY
A1259/4



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	79 x 26 x 13 cm
Weight (gross)	2,3 kg
Volume	0,026 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt brass	220€
Matt black	220€

*Accesories and bulb NOT included
The accessory must to have a E27 peach and the diameter must not be more than 50 cm.

ABBY
A1259/6



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	79 x 26 x 13 cm
Weight (gross)	2,3 kg
Volume	0,026 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt brass	240€
Matt black	240€

*Accesories and bulb NOT included
The accessory must to have a E27 peach and the diameter must not be more than 50 cm.

ABBACUS
A1258**



Specifications

Light source	G9 LED 5W 2700K dimmable (included) 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 22 x 14 cm
Weight (gross)	0,8 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Rocker switch	0€

Finishes

Body	
Matt Black	254€
Matt Brass	254€
Shade (included)	
Clear**	
Opal	

ERTO
A1257**



Specifications

Light source	G9 LED 5W 2700K (included) 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 19 cm
Weight (gross)	1,9 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black

Matt brass - Details

Compatible accessories to be selected (NOT included):

Alabaster - 1096/25+A1257	290€
Glass - 1223+A1257	250€
Ceramic - 1097/20+A1257	232€
Metal - 1038/25+A1257	240€
Striped Metal - 1089/25+A1257	248€

SUAL
A1255*



Specifications

Light source	LED plate 9W 2700K 900lm
Voltage	220-240V /24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 20 cm
Weight (gross)	1,9 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black

Compatible accessories to be selected(NOT included):

Alabaster - 1096/25+A1255	208€
Alabaster - 1096/35+A1255	263€
Glass - 1223 + A1255	168€
Ceramic - 1097/30+A1255	166€
Ceramic - 1097/20+A1255	150€
Metal - 1038/25+A1255	158€
Metal - 1038/35+A1255	186€
Striped metal - 1089/25+A1255	166€
A1255 (with out accessories)	98€

LED not replaceable by user

PULL
A1249



Specifications

Light source	Bulb G9 4W 2700K 500lm (included)
Voltage	220-240V/24V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	87,5 x 25 x 23,5 cm
Weight (gross)	3,2 kg
Volume	0,051 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Switch ON/OFF	0€

Finishes

Body

Matt Black

Metal shade

Matt Brass	302€
Matt Black	302€

Shade

Fabric

MAHO
A1254



Specifications

Light source	Chip LED 5W 2700K 500 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 20 cm
Weight (gross)	1,9 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

Finishes

Body

Matt Black

Head

Matt Brass	154€
Matt Black	154€

LED not replaceable by user

FLEXI LEATHER
A1248



Specifications

Light source	Chip LED 3W 2700K
Voltage	220-240 V/12V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 18 cm
Weight (gross)	1,6 kg
Volume	0,033 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Switch ON/OFF	0€

Finishes

Metal

Matt brass	160€

Leather

Dark brown

LED not replaceable by user

LUCA
A1237



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	32 x 26,5 x 17,5 cm
Weight (gross)	1,6 kg
Volume	0,015 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt Black	140€

LITA
A1230**



Specifications

Light source	Chip LED integrated 3W 3000K 300 lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	61 x 42 x 11 cm
Weight (gross)	3,2 kg
Volume	0,028 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

LED not replaceable by user

Finishes

Head	
Walnut wood	122€
Black walnut wood	122€
Body and base	
Matt Black	
Cromed swivel	

NERA
A1229**



Specifications

Light source	Chip LED intregrated 8W 3000K 800 lm
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	61 x 42 x 11 cm
Weight (gross)	3,2 kg
Volume	0,028 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

LED not replaceable by user

Finishes

Matt black	130€

DELIE
A1224



Specifications

Light source	G9 LED 5W 2700K dimmable (included) 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	22 x 14 x 26 cm
Weight (gross)	1,1 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Aged Gold / Black Marble	166€
Matt Black / White Marble	166€

DELIE
A1224/L



Specifications

Light source	G9 LED 5W 2700K dimmable (included) 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	112 x 18 x 19,5 cm
Weight (gross)	2,25 kg
Volume	0,028 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Aged Gold / Black Marble	240€
Matt Black / White Marble	240€

HELMET CURVE
A1219**



Specifications

Light source	E27 3W 2700K 300lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 18 cm
Weight (gross)	1,6 kg
Volume	0,033 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt brass	286€
Matt black	286€

HADA
A1218



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	50: 60 x 11 x 64.5 cm 30: 44,5 x 44 x 17 cm
Weight (gross)	1, 5kg
Volume	50: 0,043 / 30: 0,03 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	∅ 30	∅50
Matt black	187€	239€
Matt white	187€	239€
Chrome	195€	247€
Shiny gold	195€	247€
Wicker		
Dark / Brown border		
Light / Taupe border		

ATOM
A1214



Specifications

Light source	G9 LED 5W 2700K dimmable (included) 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	21 x 20 x 21 cm
Weight (gross)	0,6 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Push switch	0€

Finishes

Metal	
Matt black	204€
Matt brass	204€
Shade (included)	
Clear	
Opal	

DOBI
A1207



Specifications

Light source	E14 Max. 40W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 18 x 18 cm
Weight (gross)	1 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt Black	190€

COSS
A1203/40



Specifications

Light source	LED integrated 21W 2700K 1200 lm
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	49 x 49 x 19 cm
Weight (gross)	2,6 kg
Volume	0,05 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Exterior dome	256€
Matt White	
Matt Black	
Diffuser	
Matt Black	
White	
Matt Brass	

COSS
A1203/60



Specifications

Light source	LED integrated 28W 2700K 2400 lm
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	67,5 x 67,5 x 24 cm
Weight (gross)	2,6 kg
Volume	0,05 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Exterior dome	312€
Matt White	
Matt Black	
Diffuser	
Matt Black	
White	
Matt Brass	

COSS ALABASTER
A1203/40/ALABASTRO



Specifications

Light source	LED integrated 21W 2700K 1200 lm
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	49 x 49 x 19 cm
Weight (gross)	2,6 kg
Volume	0,05 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Exterior dome	
Matt Black	256€
Aged Gold	306€
Diffuser	
Alabaster	

BIGCOSS
A1203/80



Specifications

Light source	LED strip 20W 2700K 2500 lm
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	87 x 87 x 22 cm
Weight (gross)	1,2 kg
Volume	0,166 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

LED not replaceable by user

Finishes

Body	626€
Matt Black	
Diffuser	
Mirror	

GLIC
A1199



Specifications

Light source	LED integrated 5W 2700K 500lm
Voltage	220-240 V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	35,5 x 35,5 x 15 cm
Weight (gross)	2 kg
Volume	0,02 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€

LED not replaceable by user

Finishes

Metal	186€
Canopy: Matt black	
Touch me: Matt brass	
Glass	
Wavy opal	

LED not replaceable by user

MARU
A1194



Specifications

Light source	Chip LED 3W 3000K 300lm
Voltage	220-240V /24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	31 x 25 x 27 cm
Weight (gross)	1,6 kg
Volume	0,021 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€
	120€

LED not replaceable by user

Finishes

Black/Matt brass	210€
Black/Matt black	210€

LOTTO
A1174



Specifications

Light source	E14 LED 2W 2700K (included - B030) 180lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	0,5 kg
Volume	0,021 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Shiny gold	140€
Chrome	140€
Carving glass shade	

LOTTO
A1175



Specifications

Light source	E14 LED 2W 2700K (included - B030) 180lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	0,7kg
Volume	0,021 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Shiny gold	162€
Chrome	162€
Carving glass shade	

LOTTO
A1176



Specifications

Light source	E14 LED 2W 2700K (included - B030) 180lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	1,4 kg
Volume	0,021 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Shiny gold	170€
Chrome	170€
Carving glass shade	

DUO
A1170/2



Specifications

Light source	2xE27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	140 x 68 x 12 cm
Weight (gross)	3 kg
Volume	0,114 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	440€
Matt Black	
Shade	
Exterior - Matt Black	
Interior - Matt White	

CALP
A1168



Specifications

Light source	G9 Bulbs LED 3,5W 2700K dimmable 350lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 23 x 26 cm
Weight (gross)	1,9 kg
Volume	0,016 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Ceramic	148€
Consult colour palette	+0€
Out of palette	+44€

FLEXOR
A1151



Specifications

Light source	Chip LED 3W 2700K 270lm
Voltage	220-240V / 12V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	36 x 15 x 9 cm
Weight (gross)	1,1 kg
Volume	0,005 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Switch ON/OFF	0€

LED not replaceable by user

Finishes

Matt Black	118€
Matt White	118€

FLAT
A1135+1135/30



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30x30x9 cm
Weight (gross)	0,3 kg
Volume	0,0081 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1135	
Matt black	66€
Accessories 1135	
1135/30 - 30 cm	86€
A1135 + 1135/30	152€

FLAT
A1135+1135/60



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60x60x9 cm
Weight (gross)	0,9 kg
Volume	0,032 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1135	
Matt black	66€
Accessories 1135	
1135/60 - 60 cm	150€
A1135 + 1135/60	216€

FLAT
A1135+1135/90



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	90x90x9 cm
Weight (gross)	1,2 kg
Volume	0,072 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V (install outside of the canopy)	120€

Finishes

Fitting A1135	
Matt black	66€
Accessories 1135	
1135/90 - 90 cm	206€
A1135 + 1135/90	272€

ARTEN
A1134 + 1134/30



Specifications

Light source	E27 max. 15W (not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 9 cm
Weight (gross)	2 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1134	
Matt black	74€
Accessories 1134	
1134/30 - 30cm	106€
Palette colour	+0€
Out of palette	+44€
A1134+1134/30	180€

ARTEN
A1134 + 1134/50



Specifications

Light source	E27 max. 15W (not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 60 x 9 cm
Weight (gross)	3,2 kg
Volume	0,032 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1134

Matt black	74€

Accessories 1134

1134/50 - 50 cm	228€
Palette colour	+0€
Out of palette	+44€
A1134+1134/50	302€

ARTEN
A1134 + 1134/70



Specifications

Light source	E27 max. 15W (not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	90 x 90 x 9 cm
Weight (gross)	5 kg
Volume	0,072 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1134

Matt black	74€

Accessories 1134

1134/70 - 70 cm	274€
Palette colour	+0€
Out of palette	+44€
A1134+1134/70	348€

OSION
A1132



Specifications

Light source	LED diffuser 9W 2700K 900lm dimmable
Voltage	220-240V-24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 55 x 20 cm
Weight (gross)	1,2 kg
Volume	0,061 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Diffuser

Chrome / Black / Matt brass

Resin

Colour palette	256€
Other colour	+44€

AORA
A1129



Specifications

Light source	LED plate 7W 2700K 700lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 27 x 30 cm
Weight (gross)	2,2 kg
Volume	0,021 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Body

Shinny Gold	150€
Chrome	150€
White	150€
Black	150€

Ceramica (hand painted):

Consult colour palette	+0€
Off palette	+44€

ALTUN
A1120/15



Specifications

Light source	LED plate 9W 2700K dimmable 900lm
Voltage	220-240V /24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 12 cm
Weight (gross)	1,4 kg
Volume	0,005 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Canopy

White

Shade

Matt Brass (Canopy matt black)	154€
Matt Black (Canopy matt black)	154€
Matt White	154€
Other colour	+44€ / colour

ALTUN
A1120/22



Specifications

Light source	LED plate 12W 2700K dimmable 1200lm
Voltage	220-240V /24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 25 x 15 cm
Weight (gross)	1,7 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Canopy
White

Shade

Matt Brass (Canopy matt black)	186€
Matt Black (Canopy matt black)	186€
Matt White	186€
Other colour	+44€ / colour

FIND
A1110**



Specifications

Light source	Chip LED 3W 3000K 300 lm
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	37 x 14 x 12 cm
Weight (gross)	1,1 kg
Volume	0,006 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Switch ON/OFF	0€

LED not replaceable by user

Finishes

Chrome	102€

CROPI
A1100/25



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Boxes
Measures (LxWxD)	60 x 60 x 30 cm
Weight (gross)	0,9 kg
Volume	0,108 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt brass	236€
Matt black	236€

CROPI
A1100/56



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 60 x 30 cm
Weight (gross)	0,9 kg
Volume	0,108 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt brass	274€
Matt black	274€

TICO
A1095/L



Specifications

Light source	LED plate 13W 2700K 950lm
Voltage	220-240V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	105 x 105 x 20 cm
Weight (gross)	4,8 kg
Volume	0,220 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	Accessory	
Matt black	Black marble	358€
Aged gold	Aged gold	358€

Acustic disc
Palette colours

TICO
A1095/S



Specifications

Light source	LED plate 13W 2700K 950lm
Voltage	220-240V / 24V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 55 x 20 cm
Weight (gross)	4,2 kg
Volume	0,060 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Accessory	
Matt black	Black marble	218€
Aged gold	Aged gold	218€

Acustic disc

Palette colours

LED not replaceable by user

DANA
A1098/35



Specifications

Light source	Bulb G9 5W 2700K 450lm dimmable
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	42 x 42 x 20 cm
Weight (gross)	4,2 kg
Volume	0,035 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Steel	
Matt black	
Glass	
Opal	
Resin	
White	198€
Colours palette	+44€

DANA
A1098/50



Specifications

Light source	Bulb G9 5W 2700K 450lm dimmable
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 55 x 20 cm
Weight (gross)	4,2 kg
Volume	0,060 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable Bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Steel	
Matt black	
Glass	
Opal	
Resin	
White	280€
Colours palette	+44€

RANG
A1093



Specifications

Light source	LED integrated 9W 2700K 900lm
Voltage	220-240V/ 24V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	58,5 x 58,5 x 33 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Steel	
Matt Brass	
Chrome	
Matt black	
Resin	
White	252€
Colours palette	+44€

LED not replaceable by user

VASTER
A1092



Specifications

Light source	G9 LED dimmable 5W 2700K (included) 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	21 x 18 x 18 cm
Weight (gross)	2 kg
Volume	0,007 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Chrome	194€
Natural alabaster	

GHABAN
A1086 + 1086/60



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	2 Box	
A1086	24 X 24 12 CM	2,3 kg
1086/60	64 X 34 X 3 CM	1 kg

HS Code 9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1086

Matt black	78 €

Textil

See colour palette	+0€
Out of palette	+44€
1086/60 (textil)	184€
A1086 + 1086/60	262€

GHABAN
A1086 + 1086/90



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	2 Box	
A1086	24 X 24 12 CM	2,3 kg
1086/90	94 X 94 X 3 CM	1,8 kg

HS Code 9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1086

Matt black	78 €

Textil

See colour palette	+0€
Out of palette	+44€
1086/90 (textil)	252€
A1086 + 1086/90	330€

GHABAN
A1086 + 1086/110



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	2 Boxes	
A1086	24 X 24 12 CM	2,3 kg
1086/110	114 X 114 X 3 CM	2,4 kg

HS Code 9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1086

Matt black	78 €

Textil

See colour palette	+0€
Out of palette	+44€
1086/110 (textil)	320€
A1086 + 1086/110	398€

MINI ROSS
A1063/25



Specifications

Light source	3 x Bulbs G9 dimmables LED 3W 2700K (included) 810 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44x30x30 cm
Weight (gross)	0,5 kg
Volume	0,039 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Chrome	124€
Matt Black	124€

MINI ROSS
A1063/40



Specifications

Light source	3 x Bulb G9 LED 3W 2700K (included) 810 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	45x41x40 cm
Weight (gross)	0,6 kg
Volume	0,074 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal

Matt Brass	204€
Chrome	204€

NOLD
A1053 + 1226



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	0,8 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Shiny gold / Chrome	63€
Black / White	55€
Glass	
Clear	84€
Turquoise	84€
Amber	84€
Dark blue	84€
Pink	84€
Brown	84€
COMPLETE LAMP	
A1053/5/ORO + 1226	133€

For more sizes of fittings and other accessories, see page 101

LASS
A1053+1225/30**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	0,8 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Steel	
Shiny gold / Chrome	
White / Black	
1225/30	77€
A1053/5	63€
COMPLETE LAMP	
A1053/5/ORO+1225/30	140€

For more sizes of fittings and other accessories, see page 101

****While stocks last**

LASS
A1053+1225/50**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	0,8 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Steel	
Shiny gold / Chrome	
White / Black	
1225/50	100€
A1053/5	63€
COMPLETE LAMP	
A1053/5/ORO+1225/50	163€

For more sizes of fittings and other accessories, see page 101.

****While stocks last**

FEST
A1053 + 1223



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	0,8 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Shiny gold / Chrome	63€
Black / White	55€
Glass	
Turquoise	70€
Amber	70€
Dark blue	70€
Pink	70€
Brown	70€
COMPLETE LAMP	
A1053/5/ORO + 1223	133€

For more sizes of fittings and other accessories, see page 101

SPIDER
A1053 + 1163/30



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	45x41x40 cm
Weight (gross)	0,6 kg
Volume	0,074 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Shiny gold / Chrome	63€
Black / White	55€
COMPLETE LAMP	
A1053/5/ORO+1163/30	196€

For more sizes of fittings and other accessories, see page 101

SPIDER
A1053 + 1163/52



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	55x45x45 cm
Weight (gross)	0,8 kg
Volume	0,111 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Shiny gold / Chrome	63€
Black / White	55€
COMPLETE LAMP	
A1053/5/ORO+1163/52	218€

For more sizes of fittings and other accessories, see page 101

LAOS
A1053/5 + 1141



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box (1141) + 1 Box (A1053)
Measures (LxWxD)	30x30x9 + 27x23x26 cm
Weight (gross)	0,9 / 0,6 kg
Volume	0,032 / 0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
5 cm -Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1141	
1141/30 - 30 cm	44€
1141/50 - 50 cm	55€
COMPLETE LAMP	
A1053/5/ORO + 1141/30	107€
A1053/5/ORO + 1141/50	118€

For more sizes of fittings and other accessories, see page 101

LAOS
A1053/10 + 1141



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box (1141) + 1 Box (A1053)
Measures (LxWxD)	60x60x9 + 27x23x26 cm
Weight (gross)	0,9 / 0,6 kg
Volume	0,032 / 0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1141	
1141/30 - 30 cm	44€
1141/50 - 50 cm	55€
COMPLETE LAMP	
A1053/10/ORO + 1141/30	121€
A1053/10/ORO + 1141/50	132€

For more sizes of fittings and other accessories, see page 101

TAN TAN
A1053/5 + 1125



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 17 cm
Weight (gross)	1,2 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1125	
1125/30 - Natural / Black	112€
1125/60 - Natural / Black	151€
1125/90 - Natural / Black	225€
COMPLETE LAMP	
A1053/5/ORO + 1125/30	175€
A1053/5/ORO + 1125/60	214€
A1053/5/ORO + 1125/90	288€

For more sizes of fittings and other accessories, see page 101

TAN TAN
A1053/10 + 1125



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 17 cm
Weight (gross)	1,5 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1125	
1125/30 - Natural / Black	112€
1125/60 - Natural / Black	151€
1125/90 - Natural / Black	225€
COMPLETE LAMP	
A1053/10/ORO + 1125/30	189€
A1053/10/ORO + 1125/60	228€
A1053/10/ORO + 1125/90	302€

For more sizes of fittings and other accessories, see page 101.

TAN TAN
A1053/15 + 1125



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 17 cm
Weight (gross)	1,5 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
15 cm - Shiny gold / Chrome	90 €
15 cm - Black / White	77 €
Accessories 1125	
1125/30 - Natural / Black	112€
1125/60 - Natural / Black	151€
1125/90 - Natural / Black	225€
COMPLETE LAMP	
A1053/15/ORO + 1125/30	202€
A1053/15/ORO + 1125/60	241€
A1053/15/ORO + 1125/90	315€

For more sizes of fittings and other accessories, see page 101.

KASSY
A1053/5 + 1097



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	45x41x40 cm
Weight (gross)	0,6 kg
Volume	0,074 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1097	
1097/30 - 30 cm	68€
1097/20 - 20 cm	52€
COMPLETE LAMP	
A1053/5/ORO + 1097/30	131€
A1053/5/ORO + 1097/20	115€

For more sizes of fittings and other accessories, see page 101.

KASSY
A1053/10 + 1097



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44x30x30 cm
Weight (gross)	0,5 kg
Volume	0,039 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1097	
1097/30 - 30 cm	68€
1097/20 - 20 cm	52€
COMPLETE LAMP	
A1053/10/ORO + 1097/30	145€
A1053/10/ORO + 1097/20	129€

For more sizes of fittings and other accessories, see page 101.

ALBA
A1053/5+1096



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	**44 x 44 x 18 cm**
Weight (gross)	**1,1 / 0,7 kg**
Volume	**0,034 CBM**
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1096	
1096/25 - 25 cm	110€
1097/35 - 35 cm	165€
COMPLETE LAMP	
A1053/5/ORO + 1096/25	173€
A1053/5/ORO + 1097/35	228€

For more sizes of fittings and other accessories, see page 101.

ALBA
A1053/10+1096



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	**44 x 44 x 18 cm**
Weight (gross)	**1,1 / 0,7 kg**
Volume	**0,034 CBM**
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1096	
1096/25 - 25 cm	110€
1097/35 - 35 cm	165€
COMPLETE LAMP	
A1053/10/ORO + 1096/25	187€
A1053/10/ORO + 1097/35	242€

For more sizes of fittings and other accessories, see page 101.

WAVE
A1053/5+1094/30



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	1,1 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1094	
1094/30 - 30 cm	126€
COMPLETE LAMP	
A1053/5/ORO + 1094/30	189€

For more sizes of fittings and other accessories, see page 101.

WAVE
A1053/10+1094/30



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	1,1 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1094	
1094/30 - 30 cm	126€
COMPLETE LAMP	
A1053/10/ORO + 1094/30	203€

For more sizes of fittings and other accessories, see page 101.

LINE
A1053/5 + 1089



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 9 cm
Weight (gross)	0,6 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1089	
1089/25 - 25 cm	68 €
COMPLETE LAMP	
A1053/5/ORO + 1089/25	131€

For more sizes of fittings and other accessories, see page 101.

LINE
A1053/10 + 1089



Specifications

Light source	E27 Max. 15W (Not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 9 cm
Weight (gross)	0,6 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1089	
1089/25 - 25 cm	68 €
COMPLETE LAMP	
A1053/10/ORO + 1089/25	145€

For more sizes of fittings and other accessories, see page 101.

HABAN
A1053/5 + 1088



Specifications

Light source	E27 Max. 15W (Not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box (1088) + 1 Box (A1053)
Measures (LxWxD)	30x30x9 + 27x23x26cm
Weight (gross)	0,9 + 0,6 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1088	
1088/25 - 25 cm	60€
1088/35 - 35 cm	74€
Out of palette	+44€
COMPLETE LAMP	123€
A1053/5/ORO + 1088/25	137€
A1053/5/ORO + 1088/35	

For more sizes of fittings and other accessories, see page 101.

HABAN
A1053/10 + 1088



Specifications

Light source	E27 Max. 15W (Not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box (1088) + 1 Box (A1053)
Measures (LxWxD)	44 x 30 x 9 + 27x23x26 cm
Weight (gross)	0,9 + 0,6 kg
Volume	0,039 + 0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1088	
1088/25 - 25 cm	60€
1088/35 - 35 cm	74€
Out of palette	+44€
COMPLETE LAMP	
A1053/5/ORO + 1088/25	137€
A1053/5/ORO + 1088/35	151€

For more sizes of fittings and other accessories, see page 101.



Accessories

A1053



Fitting A1053	
5 cm -Shiny Gold / Chrome	63 €
5 cm - Black / White	55 €
10 cm - Gold / Chrome	77 €
10 cm - Black / White	63 €
15 cm -Shiny Gold /Chrome	90 €
15 cm - White / Black	77 €
20 cm - Shiny Gold	112 €
20 cm - Chrome	112 €
20 cm - Black / White	90 €
25 cm - Shiny Gold	118 €
25 cm - Chrome	118 €
25 cm - Black / White	100 €

Finishes

Shiny gold

Chrome

White

Black

C1010



Single pendant C1010		Finishes
E27	50 €	Gold cable
3 m black cable textil	50 €	Black

1038



Material	Finishes		Sizes
Steel	Black		Ø 15 cm
	White		Ø 25 cm
	Shiny gold /matt brasss		Ø 35 cm
	Chrome		E27
	1038/15	30 €	
	1038/25	60 €	
	1038/35	88 €	

R1052



Material	Finishes and sizes	
Metal wire	30 cm - Gold / Chrome	120 €
	30 cm - Black / White	80 €
E27	60 cm - Gold / Chrome	155 €
	60 cm - Black / White	102 €
	90 cm - Gold / Chrome	220 €
	90 cm - Black / White	163 €

1088



Material	Finishes		Sizes
Steel	Palette colour		Ø 25 cm
	Other colour	+44 €	Ø 35 cm
			E27
	1088/25	60 €	
	1088/35	74 €	

1089



Material	Finishes		Sizes
Striped metal	Shiny gold / Matt brass		Ø 25 cm
	Chrome		E27
	Black		
	White		
	1089/25	68 €	

1093/50



Material	Finishes	Sizes
Resin	Palette colour	Ø 50 cm
	184 €	E27/ E10
	Other colour +44 €	

1094/30



Material	Finishes	Sizes
Albaster	Natural	Ø 30 cm
	126 €	E27
		E10

1096



Material	Finishes		Sizes
Alabaster	Natural		Ø 25 cm
			Ø 35 cm
	1096/25	110 €	E27
	1096/35	165 €	E10

1097



Material	Finishes		Sizes
Ceramic	Grey		Ø 20 cm
			Ø 30 cm
	1097/20	52 €	E27
	1097/30	68 €	E10

1125



Material	Finishes		Measures
Rattan	Natural		Ø 30 cm
	Black		Ø 60 cm
			Ø 90 cm
			E27
	1125/30	112€	
	1125/60	151 €	
	1125/90	225€	

1132



Material	Finishes		Measures
Resin	White	188€	Ø 50 cm
	Other colour	+44 €	E27 / E10

1141

Material	Finishes	Meaures
Straw	Natural	Ø 30 cm 44€ Ø 50 cm 55€ E27



1143**

Material	Finishes	Measures
Natural Bamboo	1143/BRZ - Bronze 1143/NEG - Black	Ø 40 cm 176€ E27



1144**

Material	Finishes	Measures
Natural Bamboo	1143/BRZ - Bronze 1143/NEG - Black	Ø 50 cm 192€ E27



1160**

Material	Finishes	Measures
Fiber	Black	Ø 30 cm 120€ Ø 60 cm 220€ E27



1163

Material	finishes		Measures
Metal wire	Shinny Gold Chrome Black White		Ø 30 cm Ø 52 cm E27
		1163/30	133 €
		1163/52	155 €



1195

Material	Finishes		Measures
Metal	Textured		Ø 35 cm Ø 50 cm
		1195/35 76 € 1195/50 98 €	E10



1215

Material	Finishes	Measures
Steel	Matt Black Matt Brass	Lenght 25 cm



Auxiliary wall mount for pendants 40 €

1218

Material	Finishes	Measures
Wicker Leather	Dark wicker / Brown trim Light wicker / Taupe trim	Ø 30 cm Ø 50 cm
	1218/30 1218/50	132€ 184€



1223

Material	Finishes		Measures
Glass	Turquoise Amber Dark Blue Pink Brown	70€ 70€ 70€ 70€ 70€	Ø 25 cm E27



1225

Material	Finishes	Measures
Glass	Transparent grid Black edge	Ø 30 cm 77€ Ø 50 cm 100€ E27



1226

Material	Finishes		Measures
Glass	Turquoise Amber Dark Blue Pink Brown	84€ 84€ 84€ 84€ 84€	Ø 25 cm E27



1289/20

Material	Finishes		Measures
Metal (1289/20)	Matt Black	50€	Ø 20 cm G9
Alabaster (1289/20/A)	Natural	84€	

Only for 1289 collection



1347

Material	Finishes	Measures
Metal	Matte black Aged gold Chrome	Ø 10 cm



1347/MN - Matte black	26€
1347/MO - Aged gold	26€
1347/MC - Chrome	26€

1347

Material	Finishes	Measures
Glass	Opal	Ø 14 cm Ø 20 cm



1347/OPAL14	44€
1347/OPAL20	76€

1347

Material	Finishes	Measures
Mármol	Black White Green Brown	Ø 10 cm



1347/NEG -Black	78€
1347/BCO - White	78€
1347/VER - Green	78€
1347/BROWN - Brown	78€

1347

Material	Finishes	Measures
Glass	Transparent Smoky Gray	Ø 14 cm Ø 20 cm Ø 14 cm Ø 20 cm



1347/14T	44€
1347/20T	76€
1347/GREY14	54€
1347/GREY20	84€

1347

Material	Finishes	Measures
Resina	White Color Palette	Ø 10 cm



1347/RESIN	38€
1347/RESPINT	54€



Bulbs & Shades

B223



E27 4W 420 lm 2700K — 14 €

Dimmable

B211



E27 7W / 750 lm / 2700K — 8 €

E27 9W / 810 lm / 2700K — 10 €

B162



GU10 — 22 €
5W
400 lm
Smart Wifi 1800K - 6500K

Please specify the lamp reference

B161



GU10 — 12 €
5W
420 lm
3000K / 5000K

Dimmable 7W 2700K — 12 €

Please specify the lamp reference

B116-2



E14 — 8 €
5W
420 lm
2700K
Dimmable

B057



E27 — 15€
12W
1500lm
3000K
Dimmable

B056



E27 — 26 €
3W
350lm
2700K

B055



E27 — 34 €
3W
350lm
2700K

B054



E27 — 32 €
3W
350lm
2700K

B053



E27 — 30 €
3W
350lm
2700K

B052



G95 E27 — 24 €
7W
806 lm
2700K
OPAL

B051



E27 — 34 €
3,8W
2700K
Control WI-FI

B050



E27 — 36 €
2,5W
90 lm / 100 lm / 110 lm
2000K / 3000K / 4000K
Dimmable / Dimmable

B048



G200 E27 — 38 €
3W
2700K
Black dots

B047



G125 E27 — 32 €
3W
2700K
Black dots

B046



E27 — 30 €
3W
270lm
2700K

B043



E27 — 42 €
4W
130 lm
Led 1800K

B041



E27 — 20 €
COB 3W
350 lm
2700K

B039



E27 — 42 €
6W
806 lm
2700K
Finishes: Gold/ Chrome

B038



E27 — 18 €
6W
550 lm
2700K
Finishes: Gold / Chrome
Dimmable

B037



E27 — 40 €
COB 3W
350 lm
2700K
Finishes: clear
stripped

B035



E27 — 34 €
6W Led
806 lm
2700K
Dimmable
Finishes: Gold / Chrome

B034



E27 — 34 €
COB 3W
350 lm
2700K
Finishes: Clear

B033



E27 — 34 €
COB 3W
350 lm
2700K
Finiches: Opal

B030



E14 — 24 €
4W
450 lm
2700K
Dimmable
Finishes: Gold / Chrome

B028



E27 — 40 €
COB 3W
350 lm
2700K

B027



E27
COB 3W
350 lm
2700K

40 €

B023



E27
4W Led
300 lm
2700K
Dimmable

38 €

B020



E27
4W Led
300 lm
2200K
Dimmable

34 €

B019



E27
4W Led
300 lm
2700K

40 €

B015**



E27
COB 3W
350 lm
2700K

40 €

B005



5W / 450 lm / 2700K — 8 €
8W / 720 lm / 2700K — 10 €

G9 LED Dimmable

Reg. - 3'5W 320 lm 3000K — 12 €

COB LED



E27
COB 3W
350 lm
2700K
Dimmable

10 €

B001 G4/DIRECT



3W / 270 lm / 2700K — 20 €

G4 LED Dimmable

Bulb compatible with DOUL and HADO colecction

B001 G4/INDIRECT



3W / 270 lm / 2700K — 20 €

G4 LED Dimmable

Bulb compatible with ONETA colecction

Reference	D	H	Finishes	PVP
801011/30	300	160	Chinz White	40€
801021/30			Chinz Black	40€
801031/30			Chinz Cream	40€
801011/31	300	200	Chinz White	42€
801021/31			Chinz Black	42€
801031/31			Chinz Cream	42€
801011/32	300	380	Chinz White	40€
801021/32			Chinz Black	40€
801031/32			Chinz Cream	40€
801011/35	350	200	Chinz White	44€
801021/35			Chinz Black	44€
801031/35			Chinz Cream	44€
801011/36	350	240	Chinz White	50€
801021/36			Chinz Black	50€
801031/36			Chinz Cream	50€
801011/40	400	180	Chinz White	54€
801021/40			Chinz Black	54€
801021/40			Chinz Cream	54€
801011/41	400	240	Chinz White	62€
801021/41			Chinz Black	62€
801031/41			Chinz Cream	62€
801011/45	450	180	Chinz White	65€
801021/45			Chinz Black	65€
801031/45			Chinz Cream	65€
801011/46	450	240	Chinz White	74€
801021/46			Chinz Black	74€
801031/46			Chinz Cream	74€
801011/47	450	300	Chinz White	70€
801021/47			Chinz Black	70€
801031/47			Chinz Cream	70€
1251/BCO	500	300	Chinz White	112€
1251/NEG			Chinz Black	112€



CE

Reference	D	H	Finishes	PVP
1160**	300	200	Black natural fiber	120€
	600			220€



CE

Reference	D1	D2	H	Finishes	PVP
151011/40	320	400	230	Chinz White	64€
151021/40				Chinz Black	64€
151031/40				Chinz Cream	64€
	350	450	260		
151011/45				Chinz White	66€
151021/45				Chinz Black	66€
151031/45				Chinz Cream	66€



CE

Reference	D	H	Finishes	PVP
4024	450	270	Pleated paper	108€
4025	400	240	Rounded pleated paper	108€



CE

Reference	D	H	Finishes	PVP
11532	300	380	Chinz White Gold interior	124€



CE

Referencia	Acabados	PVP
134011/45	Chins White	66€
134021/45	Chins Black	66€



CE

Reference	D	H	Finishes	PVP
1143**	400	220	Natural Bamboo 1143/BRZ - Bronze 1143/NEG - Black	176€
1144**	500	250	Natural Bamboo 1144/BRZ - Bronze 1144/NEG - Black	192€



CE

Reference	D	H	Finishes	PVP
801128	400	240	Light linen	112€
801129			Dark linen	112€



CE

Reference	D	H	Finishes	PVP
136011	300	380	For DENA NAC136	40€



CE

References	D1	D2	H	Finishes	PVP
1610	180	400	220	White Cotton	70€
				Black Cotton	70€



CE

References	D	H	Finishes	PVP
801131	450	300	Dark Linen / Black Trim	172€



CE

References	D	H	Finishes	PVP
801132	400	500	Light Linen / Orange Trim	188€



CE



Spare parts

Reference	D	Packaging	Finishes	PVP
1302/200/OPAL	200	Individual box 26 x 26 x 26 cm 1,5 kg 0,017 CBM 9405190.00	Opal	65€
1302/200/TR	200		Clear fluted Colour	68€ 68€
1302/140/OPAL	140	Individual box 20 x 20 x 20 cm 0,9 kg 0,008 CBM 9405190.00	Opal	35€

D



Reference	D	Packaging	Finishes	PVP
1214/140	140	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00 4 x Caja	Opal Clear	34€
1214/200	200	Individual box 26 x 26 x 26 cm 0,9 kg 0,017 CBM 9405190.00 2 x Caja	Opal Clear	64€

D



CE

Reference	Finishes	Packaging	PVP
1323/140 1323/200	Opal Clear Nickel Aged gold Matt black	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00 4 x Caja Individual box 26 x 26 x 26 cm 0,9 kg 0,017 CBM 9405190.00 2 x Caja	50€





CE

Reference	Finishes	Packaging	PVP
1322	Striped	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	55€



CE

Reference	Finishes	Packaging	PVP
1322/L	Striped	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	132€



CE

Reference	Finishes	Packaging	PVP
1319/L	Opal	Individual box 24 x 25 x 105 cm 0,8 kg 0,063 CBM 9405190.00	198€



CE

Reference	Finishes	Packaging	PVP
1319/S	Opal	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	94€



Reference	Finishes	Packaging	PVP
1316	Clear Smoked	Individual box 41 x 47 x 40 cm 0,6 kg 0,072 CBM 9405190.00	66€ 99€



Reference	Finishes	Packaging	PVP
1312	Striped	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	36€



Reference	Finishes	Packaging	PVP
1312	Opal	Individual box 41 x 47 x 40 cm 0,6 kg 0,072 CBM 9405190.00	30€



Reference	Finishes	Packaging	PVP
1310	Striped	Individual box 22 x 23 x 30 cm 0,6 kg 0,008 CBM 9405190.00	44€



Reference	Finishes	Packaging	PVP
1299	Opal	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00	34€



Reference	Finishes	Packaging	PVP
1298 (S1298) 1298 (C1298/5)	Striped	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	66€



Reference	Finishes	Packaging	PVP
1298 (A1298) 1298 (C1298)	Striped	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	76€



Reference	Finishes	Packaging	PVP
1296	Opal	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	99€



Reference	Finishes	Packaging	PVP
1292	Opal	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	99€



Reference	Finishes	Packaging	PVP
1289	Opal	Individual box 22 x 23 x 30 cm 0,6 kg 0,008 CBM 9405190.00	34€



Reference	Finishes	Packaging	PVP
1281	Opal	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	88€



Reference	Finishes	Packaging	PVP
1281	Opal	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	62€



Reference	Finishes	Packaging	PVP
1280	Opal	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	40€



Reference	Finishes	Packaging	PVP
1275	Clear	Individual box 23 x 22 x 30 cm 0,6 kg 0,008 CBM 9405190.00	50€



Reference	Finishes	Packaging	PVP
1265	Striped	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00	39€



Reference	Finishes	Packaging	PVP
1264	Opal Striped	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00 4 x Caja Caja individual 26 x 26 x 26 cm 0,9 kg 0,017 CBM 9405190.00 2 x Caja	55€



Reference	Finishes	Packaging	PVP
1236	Colour	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	165€



Reference	Finishes	Packaging	PVP
1235/OVAL	Colour	Individual box 24 x 25 x 65 cm 0,6 kg 0,008 CBM 9405190.00	176 €



Reference	Finishes	Packaging	PVP
1235/SPHERE	Opal	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	98€



Reference	Finishes	Packaging	PVP
1233/1 1235/DIAMOND	Colour	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	108€



CE

Reference	Finishes	Packaging	PVP
1233/2	Colour	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	180€



CE

Reference	Finishes	Packaging	PVP
1233/3	Colour	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	96€



CE

Reference	Finishes	Packaging	PVP
1224	Opal Specify metal finish	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	40€



CE

Reference	Finishes	Packaging	PVP
1206	Striped Specify metal finish	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00	39€



CE

Reference	Finishes	Packaging	PVP
1199	Frosted	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00	66€



CE

Reference	Finishes	Packaging	PVP
1130/CRISTAL	Striped	Individual box 42 x 41 x 30 cm 0,6 kg 0,0517 CBM 9405190.00	80€



CE

Reference	Finishes	Packaging	PVP
129/CP	Colors palette	Individual box 42 x 41 x 30 cm 0,6 kg 0,0517 CBM 9405190.00	66€



CE

Dimmer Options & Modifications

Table and floor lamps

Type II

The table and floor lamps with dimmer features are indicated in the technical specifications of each model in this price list.

All table and floor lamps with E27, E14, GU10 and G9 lamp holders can be adapted to achieve this dimming, provided they have the following features:



In our price list , you can find the E27, E14, GU10 and G9 dimmable bulbs recommended for each model, which you can incorporate into our table and floor lamps to be able to dimmer them.

Please contact us to find out the recommended dimmer surcharge for each table or floor lamp.

With these two elements installed in the lamp, simple dimming is achieved.

For more details and information on each model, please contact our technical department.

Pendant and wall lamps

Type I

Those pendants and wall lamps with dimming features are indicated in the technical specifications of each model in this price list.

All pendants and wall lamps with E27, E14, GU10 and G9 lamp holders can be adapted to achieve this dimming, provided they have the following elements:



In our price list, you can find the E27, E14, GU10 and G9 dimmable bulbs recommended for each model, which you can incorporate into our table and floor lamps to be able to dimmer them.

Regarding to the dimmer or dimming interface, we have various types of dimming interfaces with protocols such as DALI, 0-10V, 1-10V, PUSH or TRIAC.

Depending on the model and features of the LED component (LED strip or chip) of the lamp, we can adapt the luminaire to each protocol.

With these two elements installed in the lamp, simple dimming is achieved.

For more details and information on each model, please contact our technical department.

Dimmer Switches (only for table and floor lamps)

Reference	Dimmer system	Specifications	RRP
MOD. CAB-REG-S	Dimmer switch for table lamps	On cable	40€
MOD. CAB-REG-P	Dimmer switch for floor lamps	On cable	80€

Dimmer interfaces (only for pendants and wall lamps)

Reference	Measures (LxWxH)	Dimmer system	Specifications	RRP
DALI/230V	45 x 45 x 20 mm	DALI / PUSH	100-240V / 200W @ 220V / 100W @ 110V	120€
MULTIREG/ 12-24V	138 x 40 x 28'5 mm	DALI PUSH 0-10V / 1-10V	Input 12V - 24 V / Until 12A 144W - 288W Dip-Switch	154€

Modifications on cable (only for pendants and wall lamps)

Reference	Specifications	RRP
MOD. CAB-FLO	Cable with switch and plug	80€
MOD. EXT-CAB	Extra cable meter	20€/m
	Tensor	15€/m

Create your lamp

In this space, we offer the possibility of generating your own multiple pendant based on any of our many individual pendants.

For this purpose, we present a series of special pendants in different shapes, sizes and finishes.

Just choose from the following options:

1. Which pendant is ideal for your lamp?

Browse through our extensive catalogue of individual pendants and choose the ideal one for your idea and space.

2. Shape and size of canopy

Check the space where the lamp will be installed and check which size and shape best suits it.



Round

300 x 300 x 45 mm

500 x 500 x 45 mm

700 x 700 x 45 mm



Cuadrado

400 x 400 x 45 mm

600 x 400 x 45 mm



Square

700 x 250 x 45 mm

700 x 45 x 45 mm



Built - in

Diameter 100 mm

Dia. surface hole - 75 mm

Space requered for installation - 80 mm

* For other sizes and shapes, please consult our technical and sales department.

3. Finishes and outlets of the canopy

Our basic finishes are: **Matt black and matt white**

You must inform us of the number of outlets and their distribution by means of a sketch, drawing or similar.

* For other finishes, please consult our technical and sales department.



Composition A
Pendant: C1275
Units: 9
Canopy: M.F50
2.268€



Composition B
Pendant: C1084
Units: 3
Canopy: M.F704
920 €



Reference	Measures (LxWxH)	Finishes	Comments	RRP
M.F30	300 x 300 x 45 mm	Matt black or white	Indicate pendant, outlets and distirbution	220 €
M.F50	500 x 500 x 45 mm	Matt black or white	Indicate pendant, outlets and distirbution	270 €
M.F70	700 x 700 x 45 mm	Matt black or white	Indicate pendant, outlets and distirbution	320 €
M.F4040	400 x 400 x 45 mm	Matt black or white	Indicate pendant, outlets and distirbution	250 €
M.F7025	700 x 250 x 45 mm	Matt black or white	Indicate pendant, outlets and distirbution	200 €
M.F704	700 x 45 x 45 mm	Matt black or white	Indicate pendant, outlets and distirbution	140 €
M.F25A60	Canopy 250 x 250 x 45 mm Ring 600 x 600 x 6 mm	Matt black or white	Canopy + distribuitor ring Indicate pendant, outlets and distirbution	310 €
EP1279	100 x 100 x 80 mm	Matt black	**Check compatibility with pendant beforehand**	36 €



Composition C

Pendant: C1297
Units: 10
Canopy: M.F7025

1.400€





Composition D

Pendant: C1229
Units: 8
Canopy: M.F25A60

1.318€





Composition E

Pendant: C1230
Units: 13
Canopy: M.F70

2114€



Composition F

Pendant: C1206
Units: 5
Canopy: M.F4040

1.380€




SLOVENSKY



aromas

AROMAS DEL CAMPO LIGHTING S.L.U
Pol. Ind. l'Horta Vella
Calle Tintorers 45-47
46117 Bétera - Valencia - Spain

CONTACTO
T. +34 962 737 953
Email. aromas@aromasdelcampo.com
Web. aromasdelcampo.com