TOOY

GLOBAL PRICELIST 2026

About

TOOY is a decorative lighting brand that brings a contemporary vision of light to life: not just function, but language, atmosphere, and character.
With a distinctive aesthetic and a cross-disciplinary design aP.roach, TOOY creates collections that seamlessly adapt to both residential and contract settings, blending formal purity with stylistic exploration.
Each product is the result of technical expertise, artisanal care, and a keen sensitivity to the evolving ways of living — a constant balance between beauty, functionality, and identity.
Under the guidance of Valeria Giacomozzi and Valerio Tidei, TOOY translates global design trends into the distinctive signature of Made in Italy, positioning itself as a trusted voice in the international design scene.

Our Philosophy

TOOY travels in the light. And just like a ray, it discovers the reality that surrounds it: it illuminates it, highlights it, and reveals its most unexpected details.
It collides, giving the gaze a new perspective. This is our modus operandi.
Moreover our “modus cogendi” - our method in which each project is the result of a training process; processes that are tenaciously researched to overcome errors, develop evaluations and reflect on our own work, maintaining a firm aP.roach dedicated to the study of forms, the exploration of the most refined materials and the identification of the ideal meeting point between functionality and minimalist aesthetics.



Made in Italy

CATEGORY INDEX

Pendant



512.21
BILANCELLA
P. 11



512.22
BILANCELLA
P. 11



509.24
BOLINA
P. 11



509.25
BOLINA
P. 12



509.26
BOLINA
P. 12



559.21
EXCALIBUR
P. 13



555.22
FILIPA
P. 13



561.21
GORDON
P. 13



561.22
GORDON
P. 14



561.24
GORDON
P. 14

518.11
IGOR
P. 14



518.21
IGOR
P. 15



557.22L
LEGIER
P. 15



557.24L
LEGIER
P. 15



564.21/22
LEI
P. 16



558.22
LILLY
P. 16



558.23
LILLY
P. 17



558.25
LILLY
P. 17



565.21
LEI
P. 17



565.22S
LINFA
P. 18



565.22M
LINFA
P. 18



565.22B
LINFA
P. 18



565.23S
LINFA
P. 19



565.23M
LINFA
P. 19



565.23B
LINFA
P. 19



556.21L
MOLLY
P. 20



556.22L
MOLLY
P. 20



556.23L
MOLLY
P. 20



554.15
MUSE
P. 21



554.21
MUSE
P. 21



554.22
MUSE
P. 21



552.21
NABILA
P. 22



552.21L
NABILA
P. 22



552.22
NABILA
P. 22



552.22L
NABILA
P. 23



552.23
NABILA
P. 23



563.11
NASTRO
P. 23



563.12
NASTRO
P. 24



563.13
NASTRO
P. 24



563.14
NASTRO
P. 24

563.21/25
NASTRO
P. 25

563.22/26
NASTRO
P. 25

560.21
OSMAN
P. 26

510.14
STILLA
P. 26

520.21
STRUCTURE
P. 26

520.22
STRUCTURE
P. 27

520.23
STRUCTURE
P. 27

562.21
THULA
P. 27

562.22
THULA
P. 28

562.23
THULA
P. 28

521.11
VOLTA
P. 29

521.21
VOLTA
P. 29

521.22
VOLTA
P. 29

521.23
VOLTA
P. 30

Chandelier

559.12
EXCALIBUR
P. 32

559.13
EXCALIBUR
P. 32

565.18
LINFA
P. 33

565.12
LINFA
P. 33

565.13
LINFA
P. 34

565.15
LINFA
P. 34

554.13
MUSE
P. 35

552.19
NABILA
P. 35

552.19L
NABILA
P. 35



552.10
NABILA
P. 36



552.10L
NABILA
P. 37



552.12
NABILA
P. 37



552.12L
NABILA
P. 38



552.14
NABILA
P. 38



552.14L
NABILA
P. 39



552.16
NABILA
P. 39



552.16L
NABILA
P. 40



552.48
NABILA
P. 40



552.48L
NABILA
P. 41



552.32FLAT
NABILA
P. 41



552.32LFLAT
NABILA
P. 42



552.48FLAT
NABILA
P. 42



552.48LFLAT
NABILA
P. 43



560.12
OSMAN
P. 43



560.16
OSMAN
P. 44



560.17
OSMAN
P. 44



505.08
QUADRANTE
P. 45



505.09
QUADRANTE
P. 45



505.12
QUADRANTE
P. 45



505.16
QUADRANTE
P. 46



505.25
QUADRANTE
P. 46



510.18
STILLA
P. 46



510.12
STILLA
P. 47

Wall



559.41
EXCALIBUR
P. 49



559.42
EXCALIBUR
P. 49



555.41
FILIPA
P. 49



561.41
GORDON
P. 50



561.42
GORDON
P. 50



561.43
GORDON
P. 50



561.48
GORDON
P. 51



561.49
GORDON
P. 51



557.42L
LEGIER
P. 51



557.44L
LEGIER
P. 52



558.42
LILLY
P. 52

565.43
LINFA
P. 52



551.44
MACAO
P. 53



556.42L
MOLLY
P. 53



554.44
MUSE
P. 53



563.41
NASTRO
P. P. 54

563.42
NASTRO
P. P. 54

563.43
NASTRO
P. 55

563.46
NASTRO
P. 55

563.47
NASTRO
P. 56

560.41
OSMAN
P. 56

560.42
OSMAN
P. 56

510.41
STILLA
P. 57

510.42
STILLA
P. 57

520.41V
STRUCTURE
P. 57

520.42V
STRUCTURE
P. 58

520.43V
STRUCTURE
P. 58

520.41H
STRUCTURE
P. 58

520.42H
STRUCTURE
P. 59

520.43H
STRUCTURE
P. 59

520.44H
STRUCTURE
P. 59

562.41
THULA
P. 60

562.42
THULA
P. 60

562.43
THULA
P. 61

562.45
THULA
P. 61

562.46
THULA
P. 61

562.47
THULA
P. 62



521.41
VOLTA
P. 62



521.42
VOLTA
P. 62



521.43
VOLTA
P. 63

Wall/ Ceiling



512.71
BILANCELLA
P. 65



509.43
BOLINA
P. 65



509.44
BOLINA
P. 65



509.45
BOLINA
P. 66



557.74L
LEGIER
P. 66



564.45/46
LEI
P. 66/67



565.41
LINFA
P. 67



556.71L
MOLLY
P. 67



556.72L
MOLLY
P. 68



556.73L
MOLLY
P. 68



554.71
MUSE
P. 68



554.72
MUSE
P. 69

552.41
NABILA
P. 69

552.41L
NABILA
P. 69

552.42
NABILA
P. 70



552.42L
NABILA
P. 70



552.43
NABILA
P. 70



552.73/73L
NABILA
P. 71



560.74
OSMAN
P. 71

566.41
TRATTI
P. 72

566.42
TRATTI
P. 72



566.72
TRATTI
P. 72



566.73
TRATTI
P. 73

Ceiling



509.71
BOLINA
P. 75



509.72
BOLINA
P. 75



509.73
BOLINA
P. 75



561.11A
GORDON
P. 76



561.11B
GORDON
P. 76



561.11C
GORDON
P.



561.13ABC
GORDON
P. 77



561.71
GORDON
P. 77



557.72L
LEGIER
P. 77



564.71/72
LEI
P. 78



510.74
STILLA
P.78



566.71
TRATTI
P. 79



566.74
TRATTI
P. 79

566.75
TRATTI
P. 79

566.76
TRATTI
P. 80

566.77
TRATTI
P. 80

Table

509.34
BOLINA
P. 82

555.31
FILIPA
P. 82

561.31
GORDON
P. 82

557.32L
LEGIER
P. 83

557.34L
LEGIER
P. 83

558.31
LILLY
P. 83

558.32
LILLY
P. 84

565.32
LINFA
P. 84

551.32
MACAO
P. 84



556.31L
MOLLY
P. 85



556.32L
MOLLY
P. 85



554.35
MUSE
P. 85



552.32
NABILA
P. 86



552.33
NABILA
P. 86



552.36
NABILA
P. 86



563.31
NASTRO
P. 87



563.32
NASTRO
P. 87



563.33
NASTRO
P. 87



563.34
NASTRO
P. 88



560.31
OSMAN
P. 88



560.34
OSMAN
P. 88



510.31
STILLA
P. 89

Floor



561.61
GORDON
P. 91



561.62
GORDON
P. 91



564.61
LEI
P. 91



558.65
LILLY
P. 92



565.65
LINFA
P. 92



551.64
MACAO
P. 92



551.65
MACAO
P. 93



556.62L
MOLLY
P. 93



556.65L
MOLLY
P. 93



554.65
MUSE
P. 94



552.66/66L
NABILA
P. 94



563.61
NASTRO
P. 95



563.62L
NASTRO
P. 95



563.63
NASTRO
P. 95



563.64
NASTRO
P. 96



560.61
OSMAN
P. 96



560.64
OSMAN
P. 96



520.61
STRUCTURE
P. 97



566.61
TRATTI
P. 97

Track



564.45/46
LEI
P. 99

Nastro System



P. 100

Suggested Application



P. 105

Accessories



P. 115

PENDANT



BILANCELLA, Roberto Giacomucci

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
40W 2700K	220/240V	3200 lm	Phase cut	C74 sand black	**512.21C74**	**511,00**
				C64 Dark bronze	**512.21C64**	**590,00**

Note: Cable length 150 cm.

CE IP 40



BILANCELLA, Roberto Giacomucci

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
40W 2700K	220/240V	3200 lm	Phase cut	C74 Sand black	**512.22C74**	**564,00**
				C64 Dark bronze	**512.22C64**	**651,00**

Note: Cable length 800 cm.
Additional ceiling attachment available.
3 ceiling attachments included.

CE IP 40



BOLINA, Fabio Fantolino

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
19W 2700K	220/240V	3900 lm	DALI-2 and Push	C64 Dark bronze + L04 Caramel nabuk + Amber glass	**509.24C64L04VETAMB**	**980,00**
				C64 Dark bronze + L05 Light beige nabuk + White glass	**509.24C64L05VETSAT**	**980,00**

Note: Rod kit length 30-60-90 cm included.
Custom stem on request.
110/120V version available on request at an additional cost.

CE IP 20







measurements in mm

BOLINA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
28.5W 2700K	220/240V	5850 lm	DALI-2 and Push	C64 Dark bronze + L04 Caramel nabuk + Amber glass	**509.25C64L04VETAMB**	**1.390,00**
				C64 Dark bronze + L05 Light beige nabuk + White glass	**509.25C64L05VETSAT**	**1.390,00**

Note: Rod kit length 30-60-90 cm included.
Custom stem on request.
110/120V version available on request at an additional cost.

CE IP 20







BOLINA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
57W 2700K	220/240V	11700 lm	DALI-2 and Push	C64 Dark bronze + L04 Caramel nabuk + Amber glass	**509.26C64L04VETAMB**	**1.985,00**
				C64 Dark bronze + L05 Light beige nabuk + White glass	**509.26C64L05VETSAT**	**1.985,00**

Note: Rod kit 30-60-90 cm included.
Custom stem on request.
110/120V version available on request at an additional cost.

CE IP 20









EXCALIBUR, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 15W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**559.21C74C41**	**453,00**
				C64 Dark bronze + C83 Satin Titanium	**559.21C64C83**	**453,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 12 x Ø 6,5.

CE ⏚ IP 40



FILIPA, Corrado Dotti

max LED bulb + LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
G9 max 5W + LED 4W 2700K	220/240V	500 lm	According to bulb + Phase cut	C74 Sand black + C46 Sand grey + Clear glass	**555.22C74C46**	**787,00**
				C74 Sand black + L01 Two - tone leather + Clear glass	**555.22C74L01**	**902,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE ⏚ IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.21C2C2**	**265,00**
				C2 Matte black + C41 Brushed brass	**561.21C2C41**	**333,00**
				C2 Matte black + C48 Black chrome	**561.21C2C48**	**333,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 10,2 x Ø 6,5.

CE ⏚ IP 40

measurements in mm



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.22C2C2**	**358,00**
				C2 Matte black + C41 Brushed brass	**561.22C2C41**	**425,00**
				C2 Matte black + C48 Black chrome	**561.22C2C48**	**425,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 10,2 x Ø 6,5.

CE IP 40



GORDON, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
24W 2700K	220/240V	2760 lm	Phase cut	C2 Matte black + C2 Matte black	**561.24C2C2**	**566,00**
				C2 Matte black + C41 Brushed brass	**561.24C2C41**	**704,00**
				C2 Matte black + C48 Black chrome	**561.24C2C48**	**704,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE IP 40



IGOR, Duccio Maria Gambi

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
50W 2700K	220/240V	5500 lm	DALI-2 and Push	C2 Matte black + Ripstop fabric	**518.11C2RIPTX**	**2.287,00**
				C68 Satin nickel + Ripstop fabric	**518.11C68RIPTX**	**2.442,00**

Note: Cable length 200 cm.
110/120V version available on request at an additional cost.

CE IP 20



IGOR *Duccio Maria Gambi*

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
50W 2700K	220/240V	5500 lm	DALI-2 and Push	C2 Matte black + Ripstop fabric	**518.21C2RIPTX**	**1.877,00**
				C68 Satin nickel + Ripstop fabric	**518.21C68RIPTX**	**2.004,00**

Note: Cable length 200 cm.
110/120V version available on request at an additional cost.

CE IP 20



LEGIER, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/240V	1400lm	Phase cut	C74 Sand black + C72 Opaque nickel + Smoke glass	**557.22LC74C72VE25SM**	**467,00**
				C74 Sand black + C41 Brushed brass + Smoke glass	**557.22LC74C41VET25SM**	**467,00**
				C74 Sand black + C72 Opaque nickel + Opal white glass	**557.22LC74C72VET25OP**	**467,00**
				C74 Sand black + C41 Brushed brass + Opal white glass	**557.22LC74C41VET25OP**	**467,00**

Note: Cable length 150 cm.
Dimming DALI system on request with remote driver.
Also available in E27 with opal white glass only.
110/120V version available on request at an additional cost.

CE IP 40



LEGIER, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/240V	1400 lm	Phase cut	C74 Sand black + C72 Opaque nickel + Smoke glass	**557.24LC74C30VET35SM**	**521,00**
				C74 Sand black + C41 Brushed brass + Smoke glass	**557.24LC74C41VET35SM**	**521,00**
				C74 Sand black + C72 Opaque nickel + Opal white glass	**557.24LC74C30VET35OP**	**521,00**
				C74 Sand black + C41 Brushed brass + Opal white glass	**557.24LC74C41VET35OP**	**521,00**

Note: Cable length 150 cm.
Dimming DALI system on request with remote driver.
Also available in E27 with opal white glass only.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm



LEI, Studio10

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x GU10 max 4,5W	220/240V	/	According to bulb	C2 Matte black + Clear / Frost glass	**564.21C2**	**390,00**
				C42 Satin Brass + Clear / Frost glass	**564.21C42**	**433,00**
				C70G Brushed titanium + Clear / Frost glass	**564.21C70G**	**433,00**

Note: Cable length 150 cm.
Optional glass on request: Smoke, Ruby Red, Bottle Green.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 4,9 x Ø 3,5.

CE IP 20



LEI, Studio10

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
5 W 2700K	220/240V	660 lm	Phase cut	C2 Matte black + Clear / Frost glass	**564.22C2**	**450,00**
				C42 Satin Brass + Clear / Frost glass	**564.22C42**	**480,00**
				C70G Brushed titanium + Clear / Frost glass	**564.22C70G**	**480,00**

Note: Cable length 150 cm.
Optional glass on request: Smoke, Ruby Red, Bottle Green.
110/120V version available on request at an additional cost.
Lenses with 18° or 36° beam available on request.

CE IP 20



LILLY, , Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 15W	220/240V	/	According to bulb	C74 Sand black + Beige fabric and black net	**558.22C74SHABL**	**195,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 4,5 x H 8,2.

CE IP 40



LILLY, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 15W	220/240V	/	According to bulb	C74 Sand black + Beige fabric and black net	**558.23C74SHABL**	**244,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 4,5 x H 8,2.

CE IP 40



LILLY, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 15W	220/240V	/	According to bulb	C74 Sand black + Beige fabric and black net	**558.25C74SHABL**	**421,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6 x H 10,2.

CE IP 40



LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
2,7W 2700K	220/240V	350 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.21C24**	**254,00**
				C70 Titanium + Clear / White / Smoke glass	**565.21C70**	**254,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.21C72**	**254,00**

Note: Cable length 150 cm.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm



LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
6 x 2,7W 2700K	220/240V	2100 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.22sC24**	**1.680,00**
				C70 Titanium + Clear / White / Smoke glass	**565.22sC70**	**1.680,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.22sC72**	**1.680,00**

Note: Cable length 125 cm.
DALI version on request.
Counterweight available on request (see page 126).
110/120V version available on request at an additional cost.

CE IP 40



LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
10 x 2,7W 2700K	220/240V	3500 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.22mC24**	**2.390,00**
				C70 Titanium + Clear / White / Smoke glass	**565.22mC70**	**2.390,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.22mC72**	**2.390,00**

Note: Cable length 125 cm.
DALI version on request.
Counterweight available on request (see page 126).
110/120V version available on request at an additional cost.

CE IP 40



LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
14 x 2,7W 2700K	220/240V	4900 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.22bC24**	**3.216,00**
				C70 Titanium + Clear / White / Smoke glass	**565.22bC70**	**3.216,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.22bC72**	**3.216,00**

Note: Cable length 125 cm.
DALI version on request.
Counterweight available on request (see page 126).
110/120V version available on request at an additional cost.

CE IP 40



LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
6 x 2,7W 2700K	220/240V	2100 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.23sC24**	**1.644,00**
				C70 Titanium + Clear / White / Smoke glass	**565.23sC70**	**1.644,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.23sC72**	**1.644,00**

Note: Cable length 125 cm.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
10 x 2,7W 2700K	220/240V	3500 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.23mC24**	**2.436,00**
				C70 Titanium + Clear / White / Smoke glass	**565.23mC70**	**2.436,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.23mC72**	**2.436,00**

Note: Cable length 125 cm.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
14 x 2,7W 2700K	220/240V	4900 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.23bC24**	**3.374,00**
				C70 Titanium + Clear / White / Smoke glass	**565.23bC70**	**3.374,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.23bC72**	**3.374,00**

Note: Cable length 125 cm.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm



MOLLY, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/240V	1400 lm	Phase cut	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.21L**	**285,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.21L**	**376,00**

Note: Cable length 150 cm.
Dimming DALI system on request with remote driver.
110/120V version available on request at an additional cost.

CE ⏚ IP 40



MOLLY, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/240V	1400 lm	Phase cut	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.22L**	**313,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.22L**	**474,00**

Note: Cable length 150 cm.
Dimming DALI system on request with remote driver.
110/120V version available on request at an additional cost.

CE ⏚ IP 40



MOLLY, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
14W 2700K	220/240V	1900 lm	Phase cut	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.23L**	**523,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.23L**	**790,00**

Note: Cable length 150 cm.
Dimming DALI system on request with remote driver.
110/120V version available on request at an additional cost.

CE ⏚ IP 40



MUSE, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
5 x G9 max 5W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**554.15C74C41VETCLE**	**1.056,00**

Note: Cable length 125 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 5,7 x Ø 1,8.

CE IP 40



MUSE, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**554.21C74C41VETCLE**	**240,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 5,7 x Ø 1,8.

CE IP 40



MUSE, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**554.22C74C41VETCLE**	**298,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 5,7 x Ø 1,8.

CE IP 40

measurements in mm



NABILA, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.21C2C41CLE**	**187,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.21C2C48SMO**	**227,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.21C8364CHA**	**249,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 5,7 x Ø 1,8.

CE IP 40



NABILA, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x 3,5W LED 2700K	220/240V	590 lm	/	C2 Matte black + C41 Brushed brass + Clear glass	**552.21LC2C41CLE**	**212,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.21LC2C48SMO**	**247,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.21LC83C64CHA**	**258,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.

CE IP 40



NABILA, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.22C2C41CLE**	**211,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.22C248SMO**	**253,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.22C8364CHA**	**278,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 5,7 x Ø 1,8.

CE IP 40



NABILA, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	code	*€*
1 x 3,5W LED 2700K	220/240V	590 lm	/	C2 Matte black + C41 Brushed brass + Clear glass	**552.22LC2C41CLE**	**239,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.22LC248SMO**	**276,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.22L8364CHA**	**287,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.

CE ⏚ IP 40



NABILA, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x 3,5W LED 2700K	220/240V	590 lm	/	C2 Matte black + C41 Brushed brass + Clear glass	**552.23C2C41CLE**	**475,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.23C2C48SMO**	**545,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.23C8364CHA**	**590,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 10 x Ø 3.

CE ⏚ IP 40

measurements in mm



NASTRO, Studiopepe

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 R80 max. 12W	220/240V	/	According to bulb	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black	**563.11**	**589,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 114 x Ø 80.

CE IP 20



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
2 x 9W 2700K	220/240V	2060 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black	**563.12**	**970,00**

Note: Cable length 125 cm.
Decentralized canopy.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*hardware finishes + cylinder*	*code*	*€*
3 x 9W 2700K	220/240V	3090 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black	**563.13**	**1.558,00**

Note: Cable length 125 cm.
Decentralized canopy.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4 x 9W 2700K	220/240V	4120 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish - grey / C41 Brushed brass / C74 Sand black	**563.14**	**2.232,00**

Note: Cable length 125 cm.
Decentralized canopy.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
26W 2700K	220/ 240V	3334 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.21**	**1.497,00**

Note: Cable length 125 cm.
Decentralized canopy.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
48W 2700K	220/ 240V	6149 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.22**	**1.790,00**

Note: Cable length 125 cm.
Decentralized canopy.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm

OSMAN, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E14 max.8W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**560.21C2C41CLE**	**248,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.21C2C48SMO**	**290,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,0.

CE IP 20

STILLA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4 x 6.5W 2700K	220/240V	5200 lm	/	C64 Dark Bronze + White glass	**510.14C64VETWHI**	**1.281,00**
				C72 Opaque Nickel + White glass	**510.14C72VETWHI**	**1.281,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE IP 20

STRUCTURE P&V, Marco Casamonti / Studio Archea



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
65W 2700K	220/240V	3650 lm	DALI-2 and Push	C2 Matte black	**520.21C2**	**1.875,00**
				C22 Beige	**520.21C22**	**1.875,00**
				C64 Dark bronze	**520.21C64**	**1.875,00**

Note: Cable length 150 cm.
Up & down light.
110/120V version available on request at an additional cost.

CE IP 20

STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
125W 2700K	220/240V	7250 lm	DALI-2 and Push	C2 Matte black	**520.22C2**	**2.348,00**
				C22 Beige	**520.22C22**	**2.348,00**
				C64 Dark bronze	**520.22C64**	**2.348,00**

Note: Cable length 150 cm.
Up & down light.
110/120V version available on request at an additional cost.

CE IP 20

STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
195W 2700K	220/240V	11150 lm	DALI-2 and Push	C2 Matte black	**520.23C2**	**3.286,00**
				C22 Beige	**520.23C22**	**3.286,00**
				C64 Dark bronze	**520.23C64**	**3.286,00**

Note: Cable length 150 cm.
Up & down light.
110/120V version available on request at an additional cost.

CE IP 20

THULA, Federica Biasi



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
11W 2700K	220/240V	1400 lm	Phase cut	Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: W02 Canaletto walnut / W03 Light oak	**562.21**	**1.278,00**
				Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: L02 Beige leather	**562.21**	**1.679,00**

Note: Cable length 150 cm.
DALI version on request.
110/120V version available on request at additional cost (not dimmable).

CE IP 40

measurements in mm



THULA, Federica Biasi

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
20W 2700K	220/240V	2600 lm	Phase cut	Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: W02 Canaletto walnut / W03 Light oak	**562.22**	**1.715,00**
				Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: L02 Beige leather	**562.22**	**2.149,00**

Note: Cable length 150 cm.
DALI version on request.
110/120V version available on request at additional cost (not dimmable).

CE IP 40



THULA, Federica Biasi

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
26W 2700K	220/240V	3400 lm	Phase cut	Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: W02 Canaletto walnut / W03 Light oak	**562.23**	**2.107,00**
				Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: L02 Beige leather	**562.23**	**2.564,00**

Note: Cable length 150 cm.
DALI version on request.
110/120V version available on request at additional cost (not dimmable).

CE IP 40



VOLTA, TOOY Studio

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**521.11C2C2**	**278,00**
				C2 Matte black + C22 Beige	**521.11C2C22**	**278,00**
				C2 Matte black + C68 Satin Nickel	**521.11C2C68**	**332,00**
				C22 Beige + C2 Matte black	**521.11C22C2**	**278,00**
				C22 Beige + C22 Beige	**521.11C22C22**	**278,00**
				C22 Beige + C68 Satin Nickel	**521.11C22C68**	**332,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE ⏚ IP 40



VOLTA, TOOY Studio

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
5 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**521.21C2C2**	**818,00**
				C2 Matte black + C22 Beige	**521.21C2C22**	**818,00**
				C2 Matte black + C68 Satin Nickel	**521.21C2C68**	**980,00**
				C22 Beige + C2 Matte black	**521.21C22C2**	**818,00**
				C22 Beige + C22 Beige	**521.21C22C22**	**818,00**
				C22 Beige + C68 Satin Nickel	**521.21C22C68**	**980,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE ⏚ IP 40

measurements in mm



VOLTA, TOOY Studio

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
7 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**521.22C2C2**	**1.112,00**
				C2 Matte black + C22 Beige	**521.22C2C22**	**1.112,00**
				C2 Matte black + C68 Satin Nickel	**521.22C2C68**	**1.328,00**
				C22 Beige + C2 Matte black	**521.22C22C2**	**1.112,00**
				C22 Beige + C22 Beige	**521.22C22C22**	**1.112,00**
				C22 Beige + C68 Satin Nickel	**521.22C22C68**	**1.328,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE ⏚ IP 40



VOLTA, TOOY Studio

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**521.23C2C2**	**1.349,00**
				C2 Matte black + C22 Beige	**521.23C2C22**	**1.349,00**
				C2 Matte black + C68 Satin Nickel	**521.23C2C68**	**1.590,00**
				C22 Beige + C2 Matte black	**521.23C22C2**	**1.349,00**
				C22 Beige + C22 Beige	**521.23C22C22**	**1.349,00**
				C22 Beige + C68 Satin Nickel	**521.23C22C68**	**1.590,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE ⏚ IP 40

CHANDELIER



EXCALIBUR, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
12 x E27 max 15W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**559.12C74C41**	**7.364,00**
				C64 Dark bronze + C83 Satin Titanium	**559.12C64C83**	**7.364,00**

Note: Steel cable length 125 cm.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 12 Ø 6,5.

CE IP 40





EXCALIBUR, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
3 x E27 max 15W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**559.13C74C41**	**1.882,00**
				C64 Dark bronze + C83 Satin Titanium	**559.13C64C83**	**1.882,00**

Note: Steel cable length 125 cm.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 12 x Ø 6,5.

CE IP 40

LINFA, Federico Peri



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
20 x 2.7W 2700K	220/240V	7000 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.12C24**	**4.623,00**
				C70 Titanium + Clear / White / Smoke glass	**565.12C70**	**4.623,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.12C72**	**4.623,00**

Note: Rods included 60-90 cm.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40





LINFA, Federico Peri



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
18 x 2.7W 2700K	220/240V	6300 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.18C24**	**3.342,00**
				C70 Titanium + Clear / White / Smoke glass	**565.18C70**	**3.342,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.18C72**	**3.342,00**

Note: Rods included 60-90 cm.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40





measurements in mm





LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
30 x 2.7W 2700K	220/240V	10500 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.13C24**	**6.440,00**
				C70 Titanium + Clear / White / Smoke glass	**565.13C70**	**6.440,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.13C72**	**6.440,00**

Note: Rods included 60-90 cm.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40









LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
50 x 2.7W 2700K	220/240V	17500 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.15C24**	**11.064,00**
				C70 Titanium + Clear / White / Smoke glass	**565.15C70**	**11.064,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.15C72**	**11.064,00**

Note: Rods included 60-90 cm.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40







MUSE, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
13 x G9 max 5W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**554.13C74C41VETCLE**	**2.787,00**

Note: Cable length 125 cm.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE ⏚ IP 40



NABILA, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
9 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.19C2C41CLE**	**1.322,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.19C2C48SMO**	**1.670,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.19LC83C64CHA**	**1.702,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 1,8 x H 5,7.

CE ⏚ IP 40







measurements in mm



NABILA, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
9 x 3,5W 2700K	220/240V	5310 lm	DALI-2 and Push	C2 Matte black + C41 Brushed brass + Clear glass	**552.19LC2C41CLE**	**1.503,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.19LC2C48SMO**	**1.822,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.19LC83C64CHA**	**1.898,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
110/120V version available on request at an additional cost.

CE IP 40









NABILA, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
10 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.10C2C41CLE**	**1.661,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.10C2C48SMO**	**2.084,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.10C83C64CHA**	**2.188,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 1,8 x H 5,7.

CE IP 40







NABILA, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
10 x 3,5W LED 2700K	220/240V	5900 lm	DALI-2 and Push	C2 Matte black + C41 Brushed brass + Clear glass	**552.10LC2C41CLE**	**1.887,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.10LC2C48SMO**	**2.273,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.10LC83C64CHA**	**2.368,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
110/120V version available on request at an additional cost.

CE ⏚ IP 40







NABILA, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
12 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.12C2C41CLE**	**1.744,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.12C2C48SMO**	**2.166,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.12C83C64CHA**	**2.274,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 1,8 x H 5,7.

CE ⏚ IP 40







measurements in mm

NABILA, Corrado Dotti





LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
12 x 3,5W LED 2700K	220/240V	7080 lm	DALI-2 and Push	C2 Matte black + C41 Brushed brass + Clear glass	**552.12LC2C41CLE**	**1.981,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.12LC2C48SMO**	**2.363,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.12LC83C64CHA**	**2.462,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
110/120V version available on request at an additional cost.

CE ⏚ IP 40







NABILA, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
14 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.14C2C41CLE**	**2.163,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.14C2C48SMO**	**2.812,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.14C83C64CHA**	**2.952,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 1,8 x H 5,7.

CE ⏚ IP 40







NABILA, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
14 x 3,5W LED 2700K	220/240V	8260 lm	DALI-2 and Push	C2 Matte black + C41 Brushed brass + Clear glass	**552.14LC2C41CLE**	**2.641,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.14LC2C48SMO**	**3.434,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.14LC83C64CHA**	**3.605,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
110/120V version available on request at an additional cost.

CE IP 40







NABILA, Corrado Dotti





max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
16 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.16C2C41CLE**	**2.439,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.16C2C48SMO**	**3.087,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.16C83C64CHA**	**3.241,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 1,8 x H 5,7.

CE IP 40







measurements in mm





NABILA, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
16 x 3,5W LED 2700K	220/240V	9440 lm	DALI-2 and Push	C2 Matte black + C41 Brushed brass + Clear glass	**552.16LC2C41CLE**	**2.772,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.16LC2C48SMO**	**3.368,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.16LC83C64CHA**	**3.508,00**

Note: Rod kit 30-60-90 cm + joint kit included.
Custom stem on request (min 25 cm), see page 126.
110/120V version available on request at an additional cost.

CE IP 40











NABILA, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
48 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.48C2C41CLE**	**9.894,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.48C2C48SMO**	**11.877,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.48C83C64CHA**	**12.470,00**

Note: Custom stem on request, see page 126.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 1,8 x H 5,7.

CE IP 40





NABILA, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
48 x 3,5W LED 2700K	220/ 240V	28320 lm	DALI-2 and Push	C2 Matte black + C41 Brushed brass + Clear glass	**552.48LC2C41CLE**	**11.244,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.48LC2C48SMO**	**12.956,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.48LC83C64CHA**	**13.497,00**

Note: Custom stem on request, see page 126.
110/120V version available on request at an additional cost.

CE ⏚ IP 40



NABILA, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
32 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.32FLATC2C41CLE**	**3.990,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.32FLATC2C48SMO**	**4.993,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.32FLATC8364CHA**	**5.242,00**

Note: Rod kit 60-90 cm + joint kit included.
Custom stem on request, see page 126.
Lamp version with cables available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 1,8 x H 5,7.

CE ⏚ IP 40





measurements in mm

NABILA, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
32 x 3,5W LED 2700K	220/ 240V	18880 lm	DALI-2 and Push	C2 Matte black + C41 Brushed brass + Clear glass	**552.32LFLATC2C41CLE**	**4.648,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.32LFLATC2C48SMO**	**5.447,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.32LFLATC83C64CHA**	**5.674,00**

Note: Rod kit 60-90 cm + joint kit included.
Custom stem on request, see page 126.
Lamp version with cables available on request.
110/120V version available on request at an additional cost.

CE IP 40





NABILA, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
48 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.48FLATC2C41CLE**	**6.440,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.48FLATC2C48SMO**	**7.782,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.48FLATC83C64CHA**	**7.990,00**

Note: Rod kit 60-90 cm + joint kit included.
Custom stem on request, see page 126.
Lamp version with cables available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 1,8 x H 5,7.

CE IP 40





NABILA, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
48 x 3,5W LED 2700K	220/ 240V	28320 lm	DALI-2 and Push	C2 Matte black + C41 Brushed brass + Clear glass	**552.48LFLATC2C41CLE**	**7.380,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.48LFLATC2C48SMO**	**8.442,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.48LFLATC83C64CHA**	**8.920,00**

Note: Rod kit 60-90 cm + joint kit included.
Different glass combinations are available on request.
Custom stem on request, see page 126.
Lamp version with cables available on request.
110/120V version available on request at an additional cost.

CE ⏚ IP 40





OSMAN, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
12 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black+ C41 Brushed brass + Clear glass	**560.12C2C41CLE**	**2.596,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.12C2C48SMO**	**3.086,00**

Note: Rod kit 60-90 cm + joint kit included.
Custom stem on request, see page 126.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 3,0.

CE ⏚ IP 20





measurements in mm



OSMAN, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
16 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black+ C41 Brushed brass + Clear glass	**560.16C2C41CLE**	**3.325,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.16C2C48SMO**	**3.992,00**

Note: Rod kit 60-90 cm + joint kit included.
Custom stem on request (min 35 cm), see page 126.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 3,0.

CE IP 20





OSMAN, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
16 x E14 max.8W	220/240V	/	According to bulb	C2 Matte black+ C41 Brushed brass + Clear glass	**560.17C2C41CLE**	**3.649,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.17C2C48SMO**	**4.378,00**

Note: Cable length 60-90 cm + joint kit included.
Custom stem on request (min 35 cm), see page 126.
Sloped ceiling canopy available, see page 121.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded) : Ø 3,0.

CE IP 20









QUADRANTE, Roberto Giacomucci

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8 x G9 max.3W	220/240V	/	According to bulb	C2 Matte black	**505.08C2**	**1.590,00**

Note: Cable length 125 cm.
Decentralized canopy.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 1,8 x H 5,7.

CE IP 20



QUADRANTE, Roberto Giacomucci

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
9 x G9 max.3W	220/240V	/	According to bulb	C2 Matte black	**505.09C2**	**1.880,00**

Note: Cable length 125 cm.
Decentralized canopy.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 1,8 x H 5,7.

CE IP 20



QUADRANTE, Roberto Giacomucci

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
12 x G9 max.3W	220/240V	/	According to bulb	C2 Matte black	**505.12C2**	**2.190,00**

Note: Cable length 125 cm.
Decentralized canopy.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 1,8 x H 5,7.

CE IP 20

measurements in mm



QUADRANTE, Roberto Giacomucci

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
16 x G9 max.3W	220/240V	/	According to bulb	C2 Matte black	**505.16C2**	**3.220,00**

Note: Cable length 125 cm.
Decentralized canopy.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 1,8 x H 5,7.

CE IP 20



QUADRANTE, Roberto Giacomucci

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
25 x G9 max.3W	220/240V	/	According to bulb	C2 Matte black	**505.25C2**	**5.648,00**

Note: Cable length 125 cm.
Decentralized canopy.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 1,8 x H 5,7.

CE IP 20



STILLA, Fabio Fantolino

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
12 x 6.5W 2700K	220/240V	15600 lm	DALI-2 and Push	C64 Dark bronze	**510.12C64VETWHI**	**3.754,00**
				C72 Opaque nickel	**510.12C72VETWHI**	**3.754,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE IP 20



STILLA, Fabio Fantolino

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8 x 6.5W 2700K	220/240V	10400 lm	DALI-2 and Push	C64 Dark bronze	**510.18C64VETWHI**	**2.436,00**
				C72 Opaque nickel	**510.18C72VETWHI**	**2.436,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE IP 20

measurements in mm

WALL



EXCALIBUR, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 15W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**559.41C74C41**	**427,00**
				C64 Dark bronze + C83 Satin Titanium	**559.41C64C83**	**427,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 12 x Ø 6,5.

CE ⏚ IP 40



EXCALIBUR, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
2 x E27 max. 15W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**559.42C74C41**	**855,00**
				C64 Dark bronze + C83 Satin Titanium	**559.42C64C83**	**855,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 12 x Ø 6,5.

CE ⏚ IP 40



FILIPA, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max. 5W	220/ 240V	/	According to bulb	C74 Sand black + C46 Sand grey + Clear glass	**555.41C74C46**	**744,00**
				C74 Sand black + L01 Two tone leather + Clear glass	**555.41C74L01**	**902,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE ⏚ IP 40

measurements in mm



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.41C2C2**	**265,00**
				C2 Matte black + C41 Brushed brass	**561.41C2C41**	**363,00**
				C2 Matte black + C48 Black chrome	**561.41C2C48**	**363,00**

Note: Recessed base available on request (561.45).
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6,5 x H 10,2.

CE ⏚ IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.42C2C2**	**282,00**
				C2 Matte black + C41 Brushed brass	**561.42C2C41**	**377,00**
				C2 Matte black + C48 Black chrome	**561.42C2C48**	**377,00**

Note: Recessed base available on request (561.46).
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6,5 x H 10,2.

CE ⏚ IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.43C2C2**	**293,00**
				C2 Matte black + C41 Brushed brass	**561.43C2C41**	**391,00**
				C2 Matte black + C48 Black chrome	**561.43C2C48**	**391,00**

Note: Recessed base available on request (561.47).
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6,2 x H 10,2.

CE ⏚ IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
2 x E27 max 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.48C2C2**	**796,00**
				C2 Matte black + C41 Brushed brass	**561.48C2C41**	**956,00**
				C2 Matte black + C48 Black chrome	**561.48C2C48**	**956,00**

Note: Cable + plug version available (+ €120,00).
Adjustable rods: 180°.
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6,5 x H 10,2.

CE IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.49C2C2**	**878,00**
				C2 Matte black + C41 Brushed brass	**561.49C2C41**	**941,00**
				C2 Matte black + C48 Black chrome	**561.49C2C48**	**941,00**

Note: Cable + plug version available (+ €120,00).
Custom base on request.
Adjustable rod on three axes with counterweight.
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6,5 x H 10,2.

CE IP 40



LEGIER, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/ 240V	1400 lm	Phase cut	C74 Sand black + C72 Opaque nickel + Smoke glass	**557.42LC74C72VET25SM**	**499,00**
				C74 Sand black + C41 Brushed brass + Smoke glass	**557.42LC74C41VET25OP**	**499,00**
				C74 Sand black + C72 Opaque nickel + Opal white glass	**557.42LC74C72VET25SM**	**499,00**
				C74 Sand black + C41 Brushed brass + Opal white glass	**557.42LC74C41VET25OP**	**499,00**

Note: Dimming DALI system on request with remote driver.
Also available in E27 with opal white glass only.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm

LEGIER, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/ 240V	1400 lm	Phase cut	C74 Sand black + C72 Opaque nickel + Smoke glass	**557.44LC74C72VET25SM**	**586,00**
				C74 Sand black + C41 Brushed brass + Smoke glass	**557.44LC74C41VET25OP**	**586,00**
				C74 Sand black + C72 Opaque nickel + Opal white glass	**557.44LC74C72VET25SM**	**586,00**
				C74 Sand black + C41 Brushed brass + Opal white glass	**557.44LC74C41VET25OP**	**586,00**

Note: Dimming DALI system on request with remote driver.
Also available in E27 with opal white glass only.
110/120V version available on request at an additional cost.

CE ⏚ IP 40

LILLY, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 15W	220/240V	/	According to bulb	C74 Sand black + Beige fabric	**558.42C74SHABL**	**296,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 4,5 x H 8,2.

CE ⏚ IP 40

LINFA, Federico Peri



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
3 x 2,7W 2700K	220/240V	1050 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.43C24**	**752,00**
				C70 Titanium + Clear / White / Smoke glass	**565.43C70**	**752,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.43C72**	**752,00**

Note: DALI version on request.
110/120V version available on request at an additional cost.

CE ⏚ IP 40

MACAO, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 15W	220/240V	/	According to bulb	C74 Sand black + White fabric	**551.44C74SHAWH**	**276,00**
				C74 Sand black + Beige fabric and black net	**551.44C74SHABL**	**276,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6 x H 10,2.

CE ⏚ IP 40

MOLLY, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/240V	1400 lm	Phase cut	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.42L**	**397,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.42L**	**533,00**

Note: Structure finish C74.
Dimming DALI system on request with remote driver.
110/120V version available on request at an additional cost.

CE ⏚ IP 40

MUSE, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4 x G9 max 5W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**554.44C74C41VETCLE**	**1.027,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7

CE ⏚ IP 40

measurements in mm



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
11W 2700K	220/240V	1451 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.41**	**547,00**
				Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / M01 Concrete	**563.41**	**883,00**
				Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black	**563.41** **OUTDOOR**	**781,00**
				Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / M01 Concrete	**563.41** **OUTDOOR**	**1.089,00**

Note: Remote driver included.
Installable upside down.
110/120V version available on request at an additional cost.
DALI version on request.

CE IP 40



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
15W 2700K	220/240V	1862 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.42**	**597,00**
				Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black	**563.42** **outdoor**	**829,00**

Note: Remote driver included.
110/120V version available on request at an additional cost.
DALI version on request.

CE IP 40



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
15W 2700K	220/240V	1862 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.43**	**547,00**
				Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / M01 Concrete	**563.43**	**883,00**
				Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black	**563.43 outdoor**	**799,00**
				Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / M01 Concrete	**563.43 outdoor**	**1.092,00**

Note: Remote driver included.
Installable upside down.
110/120V version available on request at an additional cost.
DALI version on request.

CE IP 40

NASTRO, Studiopepe



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
50W 2700K	220/240V	6387 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.46**	**1.874,00**

Note: Remote driver included.
110/120V version available on request at an additional cost.
DALI version on request.

CE IP 40

measurements in mm



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
68W 2700K	220/240V	8725 lm	Phase cut	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.47**	**2.331,00**

Note: Remote driver included.
Custom steel cable length available.
110/120V version available on request at an additional cost.
DALI version on request.

CE IP 40



OSMAN, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E14 max.8W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**560.41C2C41CLE**	**215,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.41C2C48SMO**	**255,00**

Note: Recessed base available (560.45).
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,0.

CE IP 20



OSMAN, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
2 x E14 max.8W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**560.42C2C41CLE**	**440,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.42C2C48SMO**	**542,00**

Note: Recessed base available (560.46).
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,0.

CE IP 20

STILLA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x 6,5W 2700K	220/240V	1300 lm	/	C64 Dark bronze	**510.41C64VETWHI**	**324,00**
				C72 Opaque nickel	**510.41C72VETWHI**	**324,00**

Note: 110/120V version available on request at an additional cost.

CE IP 20

STILLA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x 6,5W 2700K	220/240V	1300 lm	/	C64 Dark bronze	**510.42C64VETWHI**	**361,00**
				C72 Opaque nickel	**510.42C72VETWHI**	**361,00**

Note: 110/120V version available on request at an additional cost.

CE IP 20

STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,5W 2700K	220/240V	500 lm	/	C2 Matte black	**520.41VC2**	**536,00**
				C22 Beige	**520.41VC22**	**536,00**
				C64 Dark bronze	**520.41VC64**	**536,00**

Note: Up & down light.
110/120V version available on request at an additional cost.

CE IP 20

measurements in mm



STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,5W 2700K	220/240V	500 lm	/	C2 Matte black	**520.42VC2**	**670,00**
				C22 Beige	**520.42VC22**	**670,00**
				C64 Dark bronze	**520.42VC64**	**670,00**

Note: Up & down light.
110/120V version available on request at an additional cost.

CE ⏚ IP 20



STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,5W 2700K	220/240V	500 lm	/	C2 Matte black	**520.43VC2**	**845,00**
				C22 Beige	**520.43VC22**	**845,00**
				C64 Dark bronze	**520.43VC64**	**845,00**

Note: Up & down light.
110/120V version available on request at an additional cost.

CE ⏚ IP 20



STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4,25W 2700K	220/240V	250 lm	/	C2 Matte black	**520.41HC2**	**433,00**
				C22 Beige	**520.41HC47**	**433,00**
				C64 Dark bronze	**520.41HC64**	**433,00**

Note: Single emission.
110/120V version available on request at an additional cost.

CE ⏚ IP 20



STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
31,5W 2700K	220/240V	1800 lm	DALI 2 and Push	C2 Matte black	**520.42HC2**	**567,00**
				C22 Beige	**520.42HC22**	**567,00**
				C64 Dark bronze	**520.42HC64**	**567,00**

Note: Single emission.
110/120V version available on request at an additional cost.

CE IP 20



STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
63W 2700K	220/240V	3600 lm	DALI 2 and Push	C2 Matte black	**520.43HC2**	**711,00**
				C22 Beige	**520.43HC22**	**711,00**
				C64 Dark bronze	**520.43HC64**	**711,00**

Note: Single emission.
110/120V version available on request at an additional cost.

CE IP 20



STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
94,5W 2700K	220/240V	5400 lm	DALI 2 and Push	C2 Matte black	**520.44HC2**	**1.009,00**
				C22 Beige	**520.44HC22**	**1.009,00**
				C64 Dark bronze	**520.44HC64**	**1.009,00**

Note: Single emission.
110/120V version available on request at an additional cost.

CE IP 20

measurements in mm



THULA, Federica Biasi

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
11W 2700K	24V	1400 lm	Phase cut	Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: W02 Canaletto walnut / W03 Light oak	**562.41**	**1.094,00**
				Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: L02 Beige leather	**562.41**	**1.484,00**

Note: Cable + plug version available at €100,00.
Remote driver included.
Driver on board on request.
DALI version on request.
LED Cover available on request (see page 119).
110/120V version available on request at additional cost (not dimmable).

CE IP 40



THULA, Federica Biasi

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
20W 2700K	24V	2600 lm	Phase cut	Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: W02 Canaletto walnut / W03 Light oak	**562.42**	**1.524,00**
				Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: L02 Beige leather	**562.42**	**1.918,00**

Note: Cable + plug version available at €100,00.
Remote driver included.
Driver on board on request.
DALI version on request.
LED Cover available on request (see page 119).
110/120V version available on request at additional cost (not dimmable).

CE IP 40



THULA, Federica Biasi

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
26W 2700K	24V	3400 lm	Phase cut	Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: W02 Canaletto walnut / W03 Light oak	**562.43**	**1.914,00**
				Hardware: C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel + Shade: L02 Beige leather	**562.43**	**2.380,00**

Note: Cable + plug version available at €100,00.
Remote driver included.
Driver on board on request.
DALI version on request.
LED Cover available on request (see page 119).
110/120V version available on request at additional cost (not dimmable).

CE IP 40



THULA, Federica Biasi

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8W 2700K	24V	1000 lm	Phase cut	C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel	**562.45**	**731,00**

Note: Cable + plug version available at €100,00.
Remote driver included.
Driver on board on request.
DALI version on request.
110/120V version available on request at additional cost (not dimmable).

CE IP 40



THULA, Federica Biasi

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
11W 2700K	24V	1400 lm	Phase cut	C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel	**562.46**	**768,00**

Note: Cable + plug version available at €100,00.
Remote driver included.
Driver on board on request.
DALI version on request.
110/120V version available on request at additional cost (not dimmable).

CE IP 40

measurements in mm



THULA, Federica Biasi

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
20W 2700K	24V	2600 lm	Phase cut	C22 Beige + C22 Beige / C22 Beige + C68 Satin nickel / C74 Sand black + C74 Sand black / C74 Sand black + C68 Satin nickel	**562.47**	**964,00**

Note: Cable + plug version available at €100,00.
Remote driver included.
Driver on board on request.
DALI version on request.
110/120V version available on request at additional cost (not dimmable).

CE IP 40



VOLTA, TOOY Studio

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**521.41C2C2**	**198,00**
				C2 Matte black + C22 Beige	**521.41C2C22**	**198,00**
				C2 Matte black + C68 Satin Nickel	**521.41C2C68**	**237,00**
				C22 Beige + C2 Matte black	**521.41C22C2**	**198,00**
				C22 Beige + C22 Beige	**521.41C22C22**	**198,00**
				C22 Beige + C68 Satin Nickel	**521.41C22C68**	**237,00**

Note: 110/120V version available on request at an additional cost.

CE IP 40

4



VOLTA, TOOY Studio

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
2 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**521.42C2C2**	**289,00**
				C2 Matte black + C22 Beige	**521.42C2C22**	**289,00**
				C2 Matte black + C68 Satin Nickel	**521.42C2C68**	**344,00**
				C22 Beige + C2 Matte black	**521.42C22C2**	**289,00**
				C22 Beige + C22 Beige	**521.42C22C22**	**289,00**
				C22 Beige + C68 Satin Nickel	**521.42C22C68**	**344,00**

Note: 110/120V version available on request at an additional cost.

CE ⏚ IP 40



VOLTA, TOOY Studio

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
3 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**521.43C2C2**	**380,00**
				C2 Matte black + C22 Beige	**521.43C2C22**	**380,00**
				C2 Matte black + C68 Satin Nickel	**521.43C2C68**	**442,00**
				C22 Beige + C2 Matte black	**521.43C22C2**	**380,00**
				C22 Beige + C22 Beige	**521.43C22C22**	**380,00**
				C22 Beige + C68 Satin Nickel	**521.43C22C68**	**442,00**

Note: 110/120V version available on request at an additional cost.

CE ⏚ IP 40

measurements in mm

WALL / CEILING

BILANCELLA, Roberto Giacomucci



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
40W 2700K	220/240V	3200 lm	Phase cut	C74 Sand black	**512.71C74**	**490,00**
				C64 Dark bronze	**512.71C64**	**588,00**

CE IP 40

BOLINA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
10W 2700K	220/240V	1950 lm	/	C64 Dark bronze + L04 Caramel nabuk + Amber glass	**509.43C64L04VETAMB**	**388,00**
				C64 Dark bronze + L05 Light beige nabuk + Satin white glass	**509.43C64L05VETSAT**	**388,00**

Note: Dimmable version available on request.
110/120V version available on request at an additional cost.

CE IP 20

BOLINA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
19W 2700K	220/240V	3900 lm	/	C64 Dark bronze + L04 Caramel nabuk + Amber glass	**509.44C64L04VETAMB**	**680,00**
				C64 Dark bronze + L05 Light beige nabuk + Satin white glass	**509.44C64L05VETSAT**	**680,00**

Note: Dimmable version available on request.
110/120V version available on request at an additional cost.

CE IP 20

measurements in mm



BOLINA, Fabio Fantolino

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
28.5W 2700K	220/240V	5850 lm	/	C64 Dark bronze + L04 Caramel nabuk + Amber glass	**509.45C64L04VETAMB**	**948,00**
				C64 Dark bronze + L05 Light beige nabuk + Satin white glass	**509.45C64L05VETSAT**	**948,00**

Note: Dimmable version available on request.
110/120V version available on request at an additional cost.

CE ⏚ IP 20



LEGIER, Corrado Dotti

LED	voltage	nominal flux	dimmability	finishes	code	€
8,2W 2700K	220/ 240V	1400 lm	Phase cut	C74 Sand black + C72 Opaque nickel + Smoke Glass	**557.74LC74C72VET25SM**	**487,00**
				C74 Sand black + C41 Brushed brass + Smoke Glass	**557.74LC74C41VET25OP**	**487,00**
				C74 Sand black + C72 Opaque nickel + Opal white Glass	**557.74LC74C72VET25SM**	**487,00**
				C74 Sand black + C41 Brushed brass + Opal white Glass	**557.74LC74C41VET25OP**	**487,00**

Note: Dimming DALI system on request with remote driver.
Also available in E27 with opal white glass only.
110/120V version available on request at an additional cost.

CE ⏚ IP 40



LEI, Studio10

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x Gu10 max 4,5W	220/240V	/	According to bulb	C2 Matte black + Clear / Frost glass	**564.41C2**	**406,00**
				C42 Satin Brass + Clear / Frost glass	**564.41C42**	**433,00**
				C70G Brushed titanium + Clear / Frost glass	**564.41C70G**	**433,00**

Note: 110/120V version available on request at an additional cost.
Adjustable direct light: 355° horizontally and 90° vertically.
Optional glass on request: Smoke, Ruby Red, Bottle Green.
Recessed base available on request.
Max. bulb dimensions (excluded): Ø 3,5 x H 4,9.

CE ⏚ IP 20

LEI, Studio10



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
5W 2700K	12-40V CC 160mA	660 lm	Phase cut	C2 Matte black + Clear / Frost glass	**564.42C2**	**440,00**
				C42 Satin Brass + Clear / Frost glass	**564.42C42**	**469,00**
				C70G Brushed titanium + Clear / Frost glass	**564.42C70G**	**469,00**

Note: Remote driver included (max distance from light source 3 meters).
Adjustable direct light: 355° horizontally and 90° vertically.
Optional glass on request: Smoke, Ruby Red, Bottle Green.
110/120V version available on request at an additional cost.
Recessed base available on request.
Lens: 18° beam and 36° beam available on request.

CE IP 20

LINFA, Federico Peri



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
2,7W 2700K	220/240V	350 lm	Phase cut	C24 Hot gold + Clear / White / Smoke glass	**565.41C24**	**196,00**
				C70 Titanium + Clear / White / Smoke glass	**565.41C70**	**193,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.41C72**	**193,00**

Note: Recessed base available on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40

MOLLY, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/240V	1400 lm	Phase cut	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.71L**	**251,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.71L**	**334,00**

Note: Dimming DALI system on request with remote driver.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm

MOLLY, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/240V	1400 lm	Phase cut	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.72L**	**293,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.72L**	**440,00**

Note: Dimming DALI system on request with remote driver.
110/120V version available on request at an additional cost.

CE ⏚ IP 40

MOLLY, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
14W 2700K	220/240V	1900 lm	Phase cut	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.73L**	**494,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.73L**	**789,00**

Note: Dimming DALI system on request with remote driver.
110/120V version available on request at an additional cost.

CE ⏚ IP 40

MUSE, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**554.71C74C41VETCLE**	**238,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE ⏚ IP 40

MUSE, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	According to bulb	C74 Sand black + C41 Brushed brass	**554.72C74C41VETCLE**	**280,00**



Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE IP 40

NABILA, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.41C2C41CLE**	**126,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.41C2C48SMO**	**140,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.41C8364CHA**	**162,00**



Note: 110/120V version available on request at an additional cost.
IP44 version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7

CE IP 40

NABILA, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x 3,5W 2700K	220/240V	590 lm	/	C2 Matte black + C41 Brushed brass + Clear glass	**552.41LC2C41CLE**	**143,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.41LC2C48SMO**	**153,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.41LC83C64CHA**	**160,00**



Note: Driver on board.
Version with remote driver available on request.
Dimmable version available on request.
IP44 version available on request at an additional cost.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm

NABILA, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.42C2C41CLE**	**160,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.42C2C48SMO**	**180,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.42C8364CHA**	**202,00**

Note: 110/120V version available on request at an additional cost.
IP44 version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE IP 40

NABILA, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x 3,5W 2700K	220/240V	590 lm	/	C2 Matte black + C41 Brushed brass + Clear glass	**552.42LC2C41CLE**	**182,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.42LC2C48SMO**	**197,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.42LC83C64CHA**	**205,00**

Note: Driver on board.
Version with remote driver available on request.
Dimmable version available on request.
IP44 version available on request at an additional cost.
110/120V version available on request at an additional cost.

CE IP 40

NABILA, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E14 max 4,5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.43C2C41CLE**	**440,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.43C2C48SMO**	**508,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.43C83C64CHA**	**552,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3.

CE IP 40

NABILA, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
3 x G9 max 5W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**552.73C2C41CLE**	**398,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.73C2C48SMO**	**474,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.73C8364CHA**	**497,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE IP 40

NABILA, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
3 x 3,5W 2700K	220/240V	1770 lm	/	C2 Matte black + C41 Brushed brass + Clear glass	**552.73LC2C41CLE**	**452,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.73LC2C48SMO**	**517,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.73LC83C64CHA**	**538,00**

Note: Remote driver included.
Version with on-board driver available on request.
Dimmable version available on request.
110/120V version available on request at an additional cost.

CE IP 40

OSMAN, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4 x E14 max. 8W	220/240V	/	According to bulb	C2 Matte black + C41 Brushed brass + Clear glass	**560.74C2C41CLE**	**871,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.74C2C48SMO**	**990,00**

Note: 110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,0.

CE IP 20

measurements in mm



TRATTI, Cara / Davide

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
15W 2700K	24V	950 lm	Phase cut	N01 Natural Powder nylon	**566.41N01**	**1.150,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



TRATTI, Cara / Davide

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
15W 2700K	24V	950 lm	Phase cut	N01 Natural Powder nylon	**566.42N01**	**1.290,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



TRATTI, Cara / Davide

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
35W 2700K	24V	1950 lm	Phase cut	N01 Natural Powder nylon	**566.72N01**	**2.340,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



TRATTI, Cara / Davide

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
35W 2700K	24V	1950 lm	Phase cut	N01 Natural Powder nylon	**566.73N01**	**1.880,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm

CEILING

BOLINA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
38W 2700K	220/240V	7800 lm	DALI-2 and Push	C64 Dark Bronze + L04 Caramel nabuk + Amber glass	**509.71C64L04VETAMB**	**1.925,00**
				C64 Dark Bronze + L05 Light beige nabuk + White glass	**509.71C64L05VETSAT**	**1.925,00**

Note: 110/120V version available on request at an additional cost.

CE IP 20

BOLINA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
45W 2700K	220/240V	9750 lm	DALI-2 and Push	C64 Dark Bronze + L04 Caramel nabuk + Amber glass	**509.72C64L04VETAMB**	**2.068,00**
				C64 Dark Bronze + L05 Light beige nabuk + White glass	**509.72C64L05VETSAT**	**2.068,00**

Note: 110/120V version available on request at an additional cost.

CE IP 20

BOLINA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
66,5W 2700K	220/240V	13650 lm	DALI-2 and Push	C64 Dark Bronze + L04 Caramel nabuk + Amber glass	**509.73C64L04VETAMB**	**2.946,00**
				C64 Dark Bronze + L05 Light beige nabuk + White glass	**509.73C64L05VETSAT**	**2.946,00**

Note: 110/120V version available on request at an additional cost.

CE IP 20

measurements in mm



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.11AC2C2**	**446,00**
				C2 Matte black + C41 Brushed brass	**561.11AC2C41**	**536,00**
				C2 Matte black + C48 Black chrome	**561.11AC2C48**	**536,00**

Note: Recessed canopy available (561.15A).
Adjustable height from 70 to 90 cm.
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 6,5 x H 10,2.

CE IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.11BC2C2**	**455,00**
				C2 Matte black + C41 Brushed brass	**561.11BC2C41**	**546,00**
				C2 Matte black + C48 Black chrome	**561.11BC2C48**	**546,00**

Note: Recessed canopy available (561.15B).
Adjustable height from 75 to 95 cm.
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 6,5 x H 10,2.

CE IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.11CC2C2**	**463,00**
				C2 Matte black + C41 Brushed brass	**561.11CC2C41**	**554,00**
				C2 Matte black + C48 Black chrome	**561.11CC2C48**	**554,00**

Note: Recessed canopy available (561.15C).
Adjustable height from 80 to 100 cm.
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 6,5 x H 10,2.

CE IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
3 x E27 max. 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.13ABCC2C2**	**1.158,00**
				C2 Matte black + C41 Brushed brass	**561.13ABCC2C41**	**1.354,00**
				C2 Matte black + C48 Black chrome	**561.13ABCC2C48**	**1.354,00**

Note: Recessed canopy available (561.15ABC).
Adjustable height from 80 to 100 cm.
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): H 10,2 x Ø 6,5.

CE ⏚ IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	According to bulb	C2 Matte black + C2 Matte black	**561.71C2C2**	**398,00**
				C2 Matte black + C41 Brushed brass	**561.71C2C41**	**444,00**
				C2 Matte black + C48 Black chrome	**561.71C2C48**	**444,00**

Note: Recessed canopy available (561.75).
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 6,5 x H 10,2.

CE ⏚ IP 40



LEGIER, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/ 240V	1400 lm	Phase cut	C74 Sand black + C72 Opaque nickel + Smoke Glass	**557.72LC74C30VET25SM**	**432,00**
				C74 Sand black + C41 Brushed brass + Smoke Glass	**557.72LC74C41VET25SM**	**432,00**
				C74 Sand black + C72 Opaque nickel + Opal white Glass	**557.72LC74C30VET25OP**	**432,00**
				C74 Sand black + C41 Brushed brass + Opal white Glass	**557.72LC74C41VET25OP**	**432,00**

Note: Dimming DALI system on request with remote driver.
Also available in E27 with opal white glass only.
110/120V version available on request at an additional cost.

CE ⏚ IP 40

measurements in mm



LEI, Studio10

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x Gu10 max. 4,5W	220/240V	/	According to bulb	C2 Matte black + Clear / Frost glass	**564.71C2**	**380,00**
				C42 Satin Brass + Clear / Frost glass	**564.71C42**	**413,00**
				C70G Brushed titanium + Clear / Frost glass	**564.71C70G**	**413,00**

Note: Optional glass on request: Smoke, Ruby Red, Bottle Green.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,5 x H 4,9.

CE IP 20



LEI, Studio10

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
5W 2700K	12-40V CC 160mA	660 lm	Phase cut	C2 Matte black + Clear / Frost glass	**564.72C2**	**410,00**
				C42 Satin Brass + Clear / Frost glass	**564.72C42**	**440,00**
				C70G Brushed titanium + Clear / Frost glass	**564.72C70G**	**440,00**

Note: Remote driver included (max distance from light source 3 meters).
Optional glass on request: Smoke, Ruby Red, Bottle Green.
Lenses with 18° or 36° beam available on request.
110/120V version available on request at an additional cost.

CE IP 20



STILLA, Fabio Fantolino

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4 x 6,5W 2700K	220/240V	5200 lm	/	C64 Dark bronze	**510.74C64VETWHI**	**1.040,00**
				C72 Opaque nickel	**510.74C72VETWHI**	**1.040,00**

Note: 110/120V version available on request at an additional cost.

CE IP 20



TRATTI, Cara / Davide

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
50W 2700K	24V	3200 lm	Phase cut	N01 Natural Powder nylon	**566.71N01**	**3.490,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



TRATTI, Cara / Davide

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
85W 2700K	24V	4660 lm	Phase cut	N01 Natural Powder nylon	**566.74N01**	**3.992,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40



TRATTI, Cara / Davide

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
28,5W 2700K	24V	1564 lm	Phase cut	N01 Natural Powder nylon	**566.75N01**	**2.440,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm

TRATTI, Cara / Davide



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
38,8W 2700K	24V	2130 lm	Phase cut	N01 Natural Powder nylon	**566.76N01**	**3.220,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40

TRATTI, Cara / Davide



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
52,1W 2700K	24V	2854 lm	Phase cut	N01 Natural Powder nylon	**566.77N01**	**4.350,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40

TABLE

BOLINA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
19W 2700K	220/240V	3900 lm	Dimmer on cable	C64 Dark bronze + L04 Caramel nabuk + Amber glass	**509.34C64L04VETAMB**	**756,00**
				C64 Dark bronze + L05 Light beige nabuk + White glass	**509.34C64L05VETSAT**	**756,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE IP 20

FILIPA, Corrado Dotti



max LED bulb + LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max. 5W	220/240V	/	/	C74 Sand black + C46 Sand grey + Clear glass	**555.31C74C46**	**722,00**
				C74 Sand black + L01 Two - tone leather + Clear glass	**555.31C74L01**	**796,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE IP 40

GORDON, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	/	C2 Matte black + C2 Matte black	**561.31C2C2**	**441,00**
				C2 Matte black + C41 Brushed brass	**561.31C2C41**	**526,00**
				C2 Matte black + C48 Black chrome	**561.31C2C48**	**526,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6,2 x H 10,2.

CE IP 40



LEGIER, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/ 240V	1400 lm	Dimmer on cable	C74 Sand black + C72 Opaque nickel + Smoke Glass	**557.32LC74C72VET25SM**	**487,00**
				C74 Sand black + C41 Brushed brass + Smoke Glass	**557.32LC74C41VET25SM**	**487,00**
				C74 Sand black + C72 Opaque nickel + Opal white Glass	**557.32LC74C72VET25OP**	**487,00**
				C74 Sand black + C41 Brushed brass + Opal white Glass	**557.32LC74C41VET25OP**	**487,00**

Note: Cable length 150 cm.
Also available in E27 with opal white glass only.
110/120V version available on request at an additional cost.

CE IP 40



LEGIER, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/ 240V	1400 lm	Dimmer on cable	C74 Sand black + C72 Opaque nickel + Smoke Glass	**557.34LC74C72VET25SM**	**541,00**
				C74 Sand black + C41 Brushed brass + Smoke Glass	**557.34LC74C41VET25SM**	**541,00**
				C74 Sand black + C72 Opaque nickel + Opal white Glass	**557.34LC74C72VET25OP**	**541,00**
				C74 Sand black + C41 Brushed brass + Opal white Glass	**557.34LC74C41VET25OP**	**541,00**

Note: Cable length 150 cm.
Also available in E27 with opal white glass only.
110/120V version available on request at an additional cost.

CE IP 40



LILLY, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E14 max. 10W	220/240V	/	/	C74 Sand black + Beige fabric and black net	**558.31C74SHABL**	**248,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 4,5 x H 8,2.

CE IP 20

measurements in mm

LILLY, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 15W	220/240V	/	/	C74 Sand black + Beige fabric and black net	**558.32C74SHABL**	**469,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 6 x H 10,2.

CE IP 20

LINFA, Federico Peri



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
2 x 2.7W 2700K	220/240V	700 lm	Driver on plug	C24 Hot gold + White / Clear glass	**565.32C24**	**532,00**
				C70 Titanium + Smoke / Clear glass	**565.32C70**	**532,00**
				C72 Opaque nickel + Smoke / White glass	**565.32C72**	**532,00**

Note: Cable length 150 cm.
Touch dimmer on board.
Different glass combination available on request.
110/120V version available on request at an additional cost.

CE IP 40

MACAO, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 15W	220/240V	/	/	C74 Sand black + White fabric	**551.32C74SHAWH**	**313,00**
				C74 + Beige fabric and black net	**551.32C74SHABL**	**313,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 6,5 x H 12.

CE IP 20

MOLLY, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/240V	1400 lm	Dimmer on cable	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.31L**	**459,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.31L**	**528,00**

Note: Cable length 150 cm.
Structure finish C74.
110/120V version available on request at an additional cost.

CE IP 40

MOLLY, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8,2W 2700K	220/240V	1400 lm	Dimmer on cable	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.32L**	**629,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.32L**	**697,00**

Note: Cable length 150 cm.
Structure finish C74.
110/120V version available on request at an additional cost.

CE IP 40

MUSE, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4 x G9 max. 5W	220/240V	/	/	C74 Sand black + C41 Brushed brass	**554.35C74C41VETCLE**	**1.220,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE IP 40

measurements in mm

NABILA, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	/	C2 Matte black + C41 Brushed brass + Clear glass	**552.32C2C41CLE**	**202,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.32C2C48SMO**	**242,00**
				C83 Satin titanium + C64 Dark bronze+ Champagne glass	**552.32C8364CHA**	**266,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE IP 40

NABILA, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
3 x G9 max 5W	220/240V	/	/	C2 Matte black + C41 Brushed brass + Clear glass	**552.33C2C41CLE**	**534,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.33C2C48SMO**	**725,00**
				C83 Satin titanium + C64 Dark bronze+ Champagne glass	**552.33C8364CHA**	**762,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE IP 40

NABILA, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x G9 max 5W	220/240V	/	/	C2 Matte black + C41 Brushed brass + Clear glass	**552.36C2C41CLE**	**185,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**552.36C2C48SMO**	**219,00**
				C83 Satin titanium + C64 Dark bronze + Champagne glass	**552.36C8364CHA**	**240,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 1,8 x H 5,7.

CE IP 40

NASTRO, Studiopepe



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
13W 2700K	220/240V	1559 lm	On board	Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.31**	**592,00**
				Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / M01 Concrete	**563.31**	**990,00**

Note: Cable length 150 cm.
Driver on plug.
Touch dimmer on board.
110/120V version available on request at an additional cost.

CE IP 40

NASTRO, Studiopepe



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
13W 2700K	220/240V	1559 lm	On board	Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.32**	**706,00**
				Hardware: C22 Beige / C25 Terracotta / C26 Greenish-grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / M01 Concrete	**563.32**	**1.090,00**

Note: Cable length 150 cm.
Driver on plug.
Touch dimmer on board.
110/120V version available on request at an additional cost.

CE IP 40

NASTRO, Studiopepe



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
7,7W 2700K	220/240V	570 lm	Touch dimmer on board	C22 Beige / C25 Terracotta / C74 Sand black	**563.33**	**295,00**

Note: Cable length 150 cm.
Driver on plug.
110/120V version available on request at an additional cost.
Two-colour combination available on request.

CE IP 40

measurements in mm



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
3W 2700K	220/240V	320 lm	Gesture sensor	C3 Yellow lemon / C9 Mint green / C22 Beige / C25 Terracotta / C74 Sand black	**563.34**	**363,00**

Note: 6.5 h battery life.
On/off and dimming control with gesture sensor.
Gift packaging included.

CE IP 54



OSMAN, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E14 max. 8W	220/240V	/	/	C2 Matte black+ C41 Brushed brass + Clear glass	**560.31C2C41CLE**	**348,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.31C2C48SMO**	**396,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,0.

CE IP 20



OSMAN, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4 x E14 max. 8W	220/240V	/	/	C2 Matte black+ C41 Brushed brass + Clear glass	**560.34C2C41CLE**	**998,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.34C2C48SMO**	**1.229,00**

Note: Cable length 150 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,0.

CE IP 20

STILLA, Fabio Fantolino



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x 6,5W 2700K	220/240V	1300 lm	/	C64 Dark bronze	**510.31C64VETWHI**	**304,00**
				C72 Opaque nickel	**510.31C72VETWHI**	**304,00**

Note: Cable length 150 cm.
110/120V version available on request at an additional cost.

CE IP 20

measurements in mm

FLOOR



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	/	C2 Matte black + C2 Matte black	**561.61C2C2**	**655,00**
				C2 Matte black + C41 Brushed brass	**561.61C2C41**	**796,00**
				C2 Matte black + C48 Black chrome	**561.61C2C48**	**796,00**

Note: Dimmable version available on request.
Adjustable direct light: 270°.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6,2 x H 10,2.

CE IP 40



GORDON, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 7,5W	220/240V	/	/	C2 Matte black + C2 Matte black	**561.62C2C2**	**978,00**
				C2 Matte black + C41 Brushed brass	**561.62C2C41**	**1.320,00**
				C2 Matte black + C48 Black chrome	**561.62C2C48**	**1.320,00**

Note: Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 6,2 x H 10,2.

CE IP 40



LEI, Studio10

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x GU10 max. 4,5W	220/240V	/	/	C2 Matte black + Clear / Frost glass	**564.61C2**	**980,00**
				C42 Satin Brass + Clear / Frost glass	**564.61C42**	**1.375,00**
				C70G Brushed titanium + Clear / Frost glass	**564.61C70G**	**1.375,00**

Note: Cable length 300 cm.
Optional glass on request: Smoke, Ruby Red, Bottle Green.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 3,5 x H 4,9.

CE IP 20

measurements in mm



LILLY, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max. 15W	220/240V	/	/	C74 Sand black + Beige fabric and black net	**558.65C74SHABL**	**571,00**

Note: Cable length 300 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 6 x H 10,2.

CE IP 20



LINFA, Federico Peri

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
5 x 2.7W 2700K	220/240V	1750 lm	Dimmer on cable	C24 Hot gold + Clear / White / Smoke glass	**565.65C24**	**1.503,00**
				C70 Titanium + Clear / White / Smoke glass	**565.65C70**	**1.503,00**
				C72 Opaque nickel + Clear / White / Smoke glass	**565.65C72**	**1.503,00**

Note: Cable length 300 cm.
Driver on plug.
Different glass combination available on request.
110/120V version available on request at an additional cost.

CE IP 40



MACAO, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 20W	220/240V	/	/	C74 Sand black + White fabric	**551.64C74SHAWH**	**790,00**
				C74 Sand black + Beige fabric and black net	**551.64C74SHABL**	**790,00**

Note: Cable length 300 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 12,5 x H 18.

CE IP 20

MACAO, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E27 max 20W	220/240V	/	/	C74 Sand black + White fabric	**551.65C74SHAWH**	**848,00**
				C74 Sand black + Beige fabric and black net	**551.65C74SHABL**	**848,00**

Note: Cable length 300 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 12,5 x H 18.

CE IP 20

MOLLY, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*dome finishes*	*code*	*€*
8,2W 2700K	220/240V	1400 lm	Dimmer on cable	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.62L**	**863,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.62L**	**997,00**

Note: Cable length 300 cm.
Structure finish C74.
110/120V version available on request at an additional cost.

CE IP 40

MOLLY, Corrado Dotti



LED	*voltage*	*nominal flux*	*dimmability*	*dome finishes*	*code*	*€*
14W 2700K	220/240V	1900 lm	Dimmer on cable	Dome: C46 Sand grey / C74 Sand black Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.65L**	**1.690,00**
				Dome: C41 Brushed brass / C50 Pewter Ring: C41 Sand black / C46 Sand grey / C50 Pewter / C74 Sand black	**556.65L**	**1.880,00**

Note: Cable length 300 cm.
Structure finish C74.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm



MUSE, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4 x G9 max 5W	220/240V	/	/	C74 Sand black + C41 Brushed brass	**554.65C74C41VETCLE**	**1.280,00**

Note: Cable length 300 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 1,8 x H 5,7.

CE IP 40



NABILA, Corrado Dotti

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
6 x G9 max 5W	220/240V	/	/	C2 Matte black + C41 Brushed brass + clear	**552.66C2C41CLE**	**932,00**
				C2 Matte black + C48 Black chrome + smoke	**552.66C2C48SMO**	**1.147,00**
				C83 Satin titanium + C64 Dark bronze + champagne	**552.66C83C64CHA**	**1.210,00**

Note: Cable length 300 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions: Ø 1,8 x H 5,7.

CE IP 40



NABILA, Corrado Dotti

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
6 x 3,5W LED 2700K	220/240V	3540 lm	/	C2 Matte black + C41 Brushed brass + clear	**552.66LC2C41CLE**	**1.060,00**
				C2 Matte black + C48 Black chrome + smoke	**552.66LC2C48SMO**	**1.251,00**
				C83 Satin titanium + C64 Dark bronze + champagne	**552.66LC83C64CHA**	**1.303,00**

Note: Cable length 300 cm.
Dimmable version available on request.
110/120V version available on request at an additional cost.

CE IP 40



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
8W 2700K	220/240V	1039 lm	Dimmer on cable	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.61**	**1.370,00**

Note: Cable length 300 cm.
Driver on plug.
110/120V version available on request at an additional cost.

CE IP 40



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
53W 2700K	220/240V	6776 lm	Dimmer on cable	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.62L**	**1.641,00**

Note: Cable length 300 cm.
Driver box on cable.
IP44 outdoor version available.
110/120V version available on request at an additional cost.

CE IP 40



NASTRO, Studiopepe

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
76W 2700K	220/240V	9807 lm	Driver on cable	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.63**	**2.315,00**

Note: Cable length 300 cm.
Driver box on cable.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm

NASTRO, Studiopepe



LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
105W 2700K	220/240V	13466 lm	Dimmer on cable	Hardware: C22 Beige / C25 Terracotta / C26 Greenish - grey / C74 Sand black + Cylinder: C22 Beige / C25 Terracotta / C26 Greenish-grey / C41 Brushed brass / C74 Sand black / W01 Ash	**563.64**	**2.967,00**

Note: Cable length 300 cm.
Driver box on cable.
Custom steel cable length available.
110/120V version available on request at an additional cost.

CE IP 40

OSMAN, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x E14 max. 8W	220/240V	/	/	C2 Matte black+ C41 Brushed brass + Clear glass	**560.61C2C41CLE**	**625,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.61C2C48SMO**	**751,00**

Note: Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,0.

CE IP 20

OSMAN, Corrado Dotti



max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
4 x E14 max. 8W	220/240V	/	/	C2 Matte black+ C41 Brushed brass + Clear glass	**560.64C2C41CLE**	**1.540,00**
				C2 Matte black + C48 Black chrome + Smoke glass	**560.64C2C48SMO**	**1.820,00**

Note: Dimmable version available on request.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,0.

CE IP 20



STRUCTURE PILAR & VIGA, Marco Casamonti / Studio Archea

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
145W 2700K	220/240V	8500 lm	Dimmer on cable	C2 Matte black + C2 Matte black	**520.61C2C2**	**1.931,00**
				C22 Beige + C22 Beige	**520.61C22C22**	**1.931,00**
				C64 Dark bronze+ C64 Dark bronze	**520.61C64C64**	**1.931,00**

Note: Cable length 300 cm.
110/120V version available on request at an additional cost.

CE IP 20



TRATTI, Cara / Davide

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
26W 2700K	24V	1600 lm	Phase cut	N01 Natural Powder nylon	**566.61N01**	**2.220,00**

Note: Remote driver included.
Custom shape on request.
DALI version on request.
110/120V version available on request at an additional cost.

CE IP 40

measurements in mm

TRACK



LEI, Studio10

max LED bulb	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
1 x Gu10 max. 4,5W	220/240V	/	According to bulb	C2 Matte black + Clear / Frost glass	**564.45C2**	**425,00**
				C42 Satin Brass + Clear / Frost glass	**564.45C42**	**454,00**
				C70G Brushed titanium + Clear / Frost glass	**564.45C70G**	**454,00**

Note: Track not included. See options on page 123.
Adjustable direct light: 355° horizontally and 90° vertically.
Optional glass on request: Smoke, Ruby Red, Bottle Green.
110/120V version available on request at an additional cost.
Max. bulb dimensions (excluded): Ø 3,5 x H 4,9.

CE IP 20



LEI, Studio10

LED	*voltage*	*nominal flux*	*dimmability*	*finishes*	*code*	*€*
5W 2700K	48V	660 lm	DALI	C2 Matte black + Clear / Frost glass	**564.46C2**	**482,00**
				C42 Satin Brass + Clear / Frost glass	**564.46C42**	**514,00**
				C70G Brushed titanium + Clear / Frost glass	**564.46C70G**	**514,00**

Note: Track not included. See options on page 123.
Adjustable direct light: 355° horizontally and 90° vertically.
Optional glass on request: Smoke, Ruby Red, Bottle Green.
Remote 48V track driver available on request.
Remote Casambi DALI available on request.
Lenses with 18° or 36° beam available on request.
110/120V version available on request at an additional cost.

CE IP 20

measurements in mm

SYSTEM

BARS

120 direct light bar



details	version	Finishes	dimensions (cm)	code	€
29.9W-2700K 3462 lm-24V	pendant	C2 C22	120×8×1	**563.B120DS_C2 563.B120DS_C22**	**780,00**
29.9W-2700K 3462 lm-24V	wall	C2 C22	120×8×1	**563.B120DW_C2 563.B120DW_C22**	**540,00**

120 indirect light bar



details	version	Finishes	dimensions (cm)	code	€
29.9W-2700K 3462 lm-24V	pendant	C2 C22	120×8×1	**563.B120IS_C2 563.B120IS_C22**	**780,00**
29.9W-2700K 3462 lm-24V	wall	C2 C22	120×8×1	**563.B120IW_C2 563.B120IW_C22**	**540,00**

60 direct light bar



details	version	Finishes	dimensions (cm)	code	€
14.3W-2700K 1655 lm-24V	pendant	C2 C22	60×8×1	**563.B60DS_C2 563.B60DS_C22**	**580,00**
14.3W-2700K 1655 lm-24V	wall	C2 C22	60×8×1	**563.B60DW_C2 563.B60DW_C22**	**410,00**

60 indirect light bar



details	version	Finishes	dimensions (cm)	code	€
14.3W-2700K 1655 lm-24V	pendant	C2 C22	60×8×1	**563.B60IS_C2 563.B60IS_C22**	**580,00**
14.3W-2700K 1655 lm-24V	wall	C2 C22	60×8×1	**563.B60IW_C2 563.B60IW_C22**	**410,00**

40 no light bar



details	version	Finishes	dimensions (cm)	code	€
-	pendant	C2 C22	40×8×1	**563.B40S_C2 563.B40S_C22**	**310,00**
-	wall	C2 C22	40×8×1	**563.B40W_C2 563.B40W_C22**	**250,00**

measurements in mm

MODULES

CURVES



FLAT curve

details	*version*	*Finishes*	*dimensions (cm)*	*code*	*€*
-	pendant/wall	C2 C22	18×18×1	**563.FCDX_C2** **563.FCDX_C22**	**510,00**
-	pendant/wall	C2 C22	18×18×1	**563.FCSX_C2** **563.FCSX_C22**	**510,00**



VERTICAL curve

details	*version*	*Finishes*	*dimensions (cm)*	*code*	*€*
-	pendant/wall	C2 C22	8×12×12	**563.VCDX_C2** **563.VCDX_C22**	**300,00**
-	pendant/wall	C2 C22	8×12×12	**563.VCSX_C2** **563.VCSX_C22**	**300,00**

MODULES

CURVES + CYLINDERS



FLAT curve + CYLINDER

details	*version*	*Finishes*	*dimensions (cm)*	*code*	*€*
-	pendant/wall	C2+C2 C22+C22	18×18×22	**563.FCDXC_C2C2** **563.FCDXC_C22C22**	**940,00**
-	pendant/wall	C2+C2 C22+C22	18×18×22	**563.FCSXC_C2C2** **563.FCSXC_C22C22**	**940,00**
-	pendant/wall	C2+C41 C22+C41	18×18×22	**563.FCDXC_C2C41** **563.FCDXC_C22C41**	**1.080,00**
-	pendant/wall	C2+C41 C22+C41	18×18×22	**563.FCDXC_C2C41** **563.FCDXC_C22C41**	**1.080,00**



FLAT curve + LIGHT CYLINDER

details	*version*	*Finishes*	*dimensions (cm)*	*code*	*€*
8.5W-2700K 1403 lm-250mA	pendant/wall	C2+C2 C22+C22	18×18×22	**563.FCDXC_C2C2** **563.FCDXC_C22C22**	**1.090,00**
8.5W-2700K 1403 lm-250mA	pendant/wall	C2+C2 C22+C22	18×18×22	**563.FCSXC_C2C2** **563.FCSXC_C22C22**	**1.090,00**
8.5W-2700K 1403 lm-250mA	pendant/wall	C2+C41 C22+C41	18×18×22	**563.FCDXC_C2C41** **563.FCDXC_C22C41**	**1.230,00**
8.5W-2700K 1403 lm-250mA	pendant/wall	C2+C41 C22+C41	18×18×22	**563.FCDXC_C2C41** **563.FCDXC_C22C41**	**1.230,00**

MODULES

CURVES



VERTICAL curve + CYLINDER

details	*version*	*Finishes*	*dimensions (cm)*	*code*	*€*
-	wall	C2+C2 C22+C22	8×12×12	**563.VCDXCW_C2C2** **563.VCDXCW_C22C22**	**880,00**
-	wall	C2+C2 C22+C22	8×12×12	**563.VCSXCW_C2C2** **563.VCSXCW_C22C22**	**880,00**
-	wall	C2+C41 C22+C41	8×12×12	**563.VCSXCW_C2C2** **563.VCSXCW_C22C22**	**1.020,00**
-	wall	C2+C41 C22+C41	8×12×12	**563.VCSXCW_C2C2** **563.VCSXCW_C22C22**	**1.020,00**
-	pendant	C2+C2 C22+C22	8×12×12	**563.VCSXCW_C2C2** **563.VCSXCW_C22C22**	**680,00**
-	pendant	C2+C2 C22+C22	8×12×12	**563.VCSXCS_C2C2** **563.VCSXCS_C22C22**	**680,00**
-	pendant	C2+C41 C22+C41	8×12×12	**563.VCDXCS_C2C41** **563.VCDXCS_C22C41**	**820,00**
-	pendant	C2+C41 C22+C41	8×12×12	**563.VCSXCS_C2C41** **563.VCSXCS_C22C41**	**820,00**

MODULES

JUNCTION



details	*version*	*Finishes*	*dimensions (cm)*	*code*	*€*
for closed compositions	with power cable	C2 C22	6×8×1	**563.JCCLO_C2** **563.JCCLO_C22**	**210,00**
for closed compositions	without power cable	C2 C22	6×8×1	**563.JCLO_C2** **563.JCLO_C22**	**230,00**
for open compositions	with power cable	C2 C22	6×8×1	**563.JCOPE_C2** **563.JCOPE_C22**	**190,00**
final, for open compositions	without power cable	C2 C22	6×8×1	**563.JOPE_C2** **563.JOPE_C22**	**80,00**
final, for open compositions	with power cable	C2 C22	6×8×1	**563.JCOPES_C2** **563.JCOPES_C22**	**250,00**
final, for open compositions	without power cable	C2 C22	6×8×1	**563.JOPES_C2** **563.JOPES_C22**	**150,00**

measurements in mm

CANOPY AND CABLES





version	*Finishes*	*dimensions (cm)*	*code*	*€*
canopy with driver* and dimmer*	C2 C22	46×16×5	**500.CAN46_C2** **500.CAN46_C22**	**960,00**
canopy for remote driver	C2 C22	Ø8×3	**500.CAN8_C2** **500.CAN8_C22**	**80,00**
wall mount kit	C2 C22	16×5×3	**563.KITW_C2** **563.KITW_C22**	**160,00**

version	*dimensions (cm)*	*code*	*€/mt*	*€*
steel cable kit	L 200	**500.STEEL200**	**20,00**	-
steel cable kit	L 300	**500.STEEL300**	**30,00**	-
PVC cable	L 100	**500.CABPVC**	-	**5,00**

***LED driver 1 (90W 24V, 110-240 V, 47-63Hz) + LED driver 2 (60W 24V, 110-240 V, 47-63Hz)**
****2x dimmer (DALI/push/0-10V/1-10V/potentiometer 10KOhm)**

SUGGESTED APPLICATION

SUGGESTED APPLICATION

EXCALIBUR, Corrado Dotti

3 x 559.21 + 500.CAND50



6 x 559.21 + 6 x 500.DECC74 + 500.CAND23



30 x 559.21 + 30 x 500.DECC74 + Custom Canopy



FILIPA, Corrado Dotti

3 x 555.22 + 500.CAND50



GORDON, Corrado Dotti

2 x 561.21 + 2 x 500.DECC2 + Custom Canopy



2 x 561.21 + Custom Canopy



SUGGESTED APPLICATION

LEGIER, Corrado Dotti

2 x 557.22L + 2 x 557.24L + 500.CAND50



6 x 557.22L + 500.CAND50



4 x 557.22L + 4 x 500.DECC74 + Custom canopy



LEI, Studio10

2 x 564.41/564.42 + Custom Canopy



LINFA, Federico Peri

65 x 565.21 + Custom Canopy



14 x 565.21 + Custom Canopy





1 x 565.23s + 1 x 565.23m + 1 x 565.23b



measurements in mm

SUGGESTED APPLICATION

MOLLY, Corrado Dotti

2 x 556.21L + 2 x 556.22L + 500.CAND50



3 x 556.21L + 3 x 556.22L + 6 x 500.DECC74 + Custom Canopy



2 x 556.21L + 2 x 556.22L + 3 x 556.23L + Custom Canopy



MUSE, Corrado Dotti

2 x 554.21 + 2 x 554.22 + 500.CAND50C74



NABILA, Corrado Dotti

28 lights



30 lights



36 lights



36 lights



60 lights



72 lights



measurements in mm

SUGGESTED APPLICATION

NABILA, Corrado Dotti

4 x 552.21 + 3 x 552.22 + Custom canopy



Invisible canopy, free standing



2 x 552.21 + 2 x 552.22 + 2 X 552.23 + 500.DECC74 + Custom Canopy



6 x 552.21 + 4 x 552.22 + 2 X 552.23 + Custom Canopy



SUGGESTED APPLICATION

OSMAN, Corrado Dotti

16 lights



16 lights



12 x 560.21 + Custom Canopy



measurements in mm

NASTRO, Studiopepe

3 x 563.13



3 x 563.21 + Custom Canopy



NASTRO SYSTEM, Studiopepe













measurements in mm

SUGGESTED APPLICATION







ACCESSORIES

LED BULBS



details	article	Collection	dimensions (cm)	code	€
3,6W - 2700K 400 lm	G9 LED dim-mable	Filipa, Muse, Nabila, Quadrante	Ø 1,8 x H 5,7	**LAMPLED-G92700D**	**15,00**
3,6W - 3000K 400 lm				**LAMPLED-G93000D**	**15,00**



details	article	Collection	dimensions (cm)	code	€
4.5W - 2700K 470 lm	E14 T25 LED dimmable	Osman, Nabila 552.23	Ø 3 x H 10	**LAMPLED-E14T252700D**	**15,00**



details	article	Collection	dimensions (cm)	code	€
6,5W - 2700K 806 lm	E14 G45 LED not dimmable	Lilly 558.31	Ø 4,5 x H 8,2	**LAMPLED-E14G452700**	**6,00**
6,5W - 3000K 806 lm	E14 G45 LED not dimmable	Lilly 558.31	Ø 4,5 x H 8,2	**LAMPLED-E14G453000**	**6,00**



details	article	Collection	dimensions (cm)	code	€
8W - 2700K 806 lm	E27 A60 LED not dimmable	Lilly, Macao, Gordon, Excalibur	Ø 6 x H 10,2	**LAMPLED-E27A602700**	**6,00**
8W - 3000K 806 lm	E27 A60 LED not dimmable	Lilly, Macao, Gordon, Excalibur	Ø 6 x H 10,2	**LAMPLED-E27A603000**	**6,00**



details	article	Collection	dimensions (cm)	code	€
11W - 2700K 1521 lm	E27 G95 LED not dimmable	Lilly, Macao	Ø 9,5 x H 14	**LAMPLED-E27G952700**	**10,00**
11W - 3000K 1521 lm	E27 G95 LED not dimmable	Lilly, Macao	Ø 9,5 x H 14	**LAMPLED-E27G953000**	**10,00**



details	article	Collection	dimensions (cm)	code	€
18W - 2700K 2450 lm	E27 G125 LED not dimmable	Lilly, Macao	Ø 12,5 x H 18	**LAMPLED-E27G1252700**	**21,00**
18W - 3000K 2450 lm	E27 G125 LED not dimmable	Lilly, Macao	Ø 12,5 x H 18	**LAMPLED-E27G1253000**	**21,00**

LED BULBS



details	*article*	*Collection*	*dimensions (cm)*	*code*	*€*
9,5W - 3000K 1055 lm	E27 R80 LED not dimmable	563.11	Ø 8 x H 11,4	**LAMPLED-E27R803000**	**15,00**



details	*article*	*Collection*	*dimensions (cm)*	*code*	*€*
3W - 2700K 220 lm	GU10 LED dimmable	Lei	Ø 3,5 x H 4,6	**LAMPLED-GU102700D**	**15,00**

measurements in mm



article	*Collection*	*dimensions (cm)*	*code*	*€*
Clear Glass	Muse, Nabila	Ø 12	**500.VETD12CL**	**43,00**
Clear Glass	Filipa, Muse, Nabila	Ø 16	**500.VETD16CL**	**82,00**
Clear Glass	Nabila 552.23	Ø 20	**500.VETD20CL**	**149,00**
Smoked Glass	Nabila	Ø 12	**500.VETD12SM**	**57,00**
Smoked Glass	Nabila	Ø 16	**500.VETD16SM**	**98,00**
Smoked Glass	Nabila 552.23	Ø 20	**500.VETD20SM**	**173,00**
Champagne Glass	Nabila	Ø 12	**500.VETD12CH**	**62,00**
Champagne Glass	Nabila	Ø 16	**500.VETD16CH**	**103,00**
Champagne Glass	Nabila 552.23	Ø 20	**500.VETD20CH**	**180,00**



article	*Collection*	*dimensions (cm)*	*code*	*€*
Clear Glass	Osman	Ø 8 x H 19	**560.VETCL**	**60,00**
Smoked Glass	Osman	Ø 8 x H 19	**560.VETSM**	**77,00**



article	*Collection*	*dimensions (cm)*	*code*	*€*
Satin White Glass	Quadrante	Ø 3 x H 7	**505.VETOP**	**19,00**



article	*Collection*	*dimensions (cm)*	*code*	*€*
Smoked Glass	Legier	Ø 25	**557.VETD25SM**	**175,00**
Smoked Glass	Legier	Ø 35	**557.VETD35SM**	**247,00**
Opal Glass	Legier	Ø 25	**557.VETD25OP**	**175,00**
Opal Glass	Legier	Ø 35	**557.VETD35OP**	**247,00**



article	Collection	dimensions (cm)	code	€
Clear Glass	Linfa	Ø 12 x H 7	**565.VETCL**	**67,00**
Smoked Glass	Linfa	Ø 12 x H 7	**565.VETSM**	**71,00**
White Glass	Linfa	Ø 12 x H 7	**565.VETWH**	**71,00**



article	Collection	dimensions (cm)	code	€
Clear Glass	Lei	Ø 6 x H 12	**564.VETCL**	**41,00**
Frost Glass	Lei	Ø 6 x H 12	**564.VETFR**	**46,00**



article	Collection	dimensions (cm)	code	€
White Glass	Stilla	Ø 17 x H 14	**510.VETWH**	**113,00**



article	Collection	dimensions (cm)	code	€
Amber Glass	Bolina	Ø 20 x H 5	**509.VETD20 AMBL04**	**135,00**
Amber Glass	Bolina	Ø 35 x H 10	**509.VETD35 AMBL04**	**268,00**
Amber Glass	Bolina	Ø 50 x H 15	**509.VETD50 AMBL04**	**433,00**
Satin White Glass	Bolina	Ø 20 x H 5	**509.VETD20 AMBL04**	**125,00**
Satin White Glass	Bolina	Ø 35 x H 10	**509.VETD35 SATL05**	**237,00**
Satin White Glass	Bolina	Ø 50 x H 15	**509.VETD50 SATL05**	**402,00**

measurements in mm

SHADE



article	*Collection*	*dimensions (cm)*	*code*	*€*
Lampshade small	558.22 558.31 558.42	Ø 22 x H 11	**558.PARD22**	**72,00**
Lampshade medium	558.23	Ø 32 x H 15	**558.PARD32**	**93,00**
Lampshade big	558.25 558.32 558.65	Ø 50 x H 23	**558.PARD50**	**237,00**



article	*Collection*	*dimensions (cm)*	*code*	*€*
Lampshade White fabric	551.32	Ø 22 x H 34	**551.PARD22WH**	**103,00**
Lampshade Beige fabric + black net	551.32	Ø 22 x H 34	**551.PARD22BE**	**103,00**
Lampshade White fabric	551.44	L 34,5 x H 17	**551.PARD35WH**	**124,00**
Lampshade Beige fabric + black net	551.44	L 34,5 x H 17	**551.PARD35BE**	**124,00**
Lampshade White fabric	551.64	L 45 x H 45	**551.PARD45WH**	**299,00**
Lampshade Beige fabric + black net	551.64	L 45 x H 45	**551.PARD45BE**	**299,00**
Lampshade White fabric	551.65	L 49 x H 73	**551.PARD49WH**	**330,00**
Lampshade Beige fabric + black net	551.65	L 49 x H 73	**551.PARD49BE**	**330,00**



article	*Collection*	*dimensions (cm)*	*code*	*€*
Thula LED cover small C74/C22	562.41	L 56 x H 2	**562.COV56**	**39,00**
Thula LED cover medium C74/C22	562.42	L 92,5 x H 2	**562.COV92**	**46,00**
Thula LED cover big C74/C22	562.43	L 125,5 x H 2	**562.COV125**	**52,00**

article	*finishes*	*dimensions (cm)*	*code*	*€*
Invisible canopy	C2/C74	Ø 4,5	**500.CAND4**	**32,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy Ø7,5	C2/C74	Ø 7,5 x H 2,2	**500.CAND7**	**29,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy Ø13	C2/C74	Ø 13 x H 2,5	**500.CAND13**	**34,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy Ø18	C2/C74	Ø 18 x H 4	**500.CAND18**	**60,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy up to 7 pendant	C2/C74	Ø 25 x H 4	**500.CAND25**	**120,00**

Note: Only with 500.DEC



article	*finishes*	*dimensions (cm)*	*code*	*€*
Sloped ceiling canopy Ø13	C2/C74	Ø 13 x H 2,5	**500.CAND13SL**	**134,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Sloped ceiling canopy Ø18	C2/C74	Ø 18 x H 4	**500.CAND18SL**	**180,00**

measurements in mm

CANOPY



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy Ø50	C2/C74	Ø 50 x H 2,5	**500.CAND50**	**155,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy Ø100	C2/C74	Ø 100 x H 2,5	**500.CAND100**	**874,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy 50×15	C2/C74	L 50 x W 15 x H 2,5	**500.CAND50×15**	**155,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy 150×15	C2/C74	L 150 x W 15 x H 2,5	**500.CAND150×15**	**412,00**

CANOPY



article	finishes	dimensions (cm)	code	€
Ceiling canopy 90×15	C2/C74	L 90 x W 15 x H 2,5	**500.CAND90×15**	**227,00**



article	dimensions (cm)	finishes	code	€
Ceiling canopy 90×50	L 90 x W 50 x H 2,5	C2/C74	**500.CAND90×50**	**721,00**



article	dimensions (cm)	finishes	code	€
Ceiling canopy 150×100	L 150 x W 100 x H 2,5	C2/C74	**500.CAND150×100**	**1.236,00**

measurements in mm

article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy 3×3×100	C2/C74	L 100 x W 3 x H 3	**500.CAND3×100**	**221,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling canopy 3×3×200	C2/C74	L 200 x W 3 x H 3	**500.CAND3×200**	**443,00**



LEI TRACK 48V

(front view
not to scale)



article	*note*	*dimensions (cm)*	*code*	*€*
1 m 48V black trimless track	trimless, DALI	L 100 x W 7,3 x H 2,6	**564.TRIM48V100**	**134,00**
2 m 48V black trimless track	trimless, DALI	L 200 x W 7,3 x H 2,6	**564.TRIM48V200**	**247,00**
1 m 48V black surface track	surface, DALI	L 100 x W 2,6 x H 2,1	**564.SUR48V100**	**102,00**
2 m 48V black surface track	surface, DALI	L 200 x W 2,6 x H 2,1	**564.SUR48V200**	**181,00**



article	*note*	*dimensions (cm)*	*code*	*€*
Track feeding	trimless/ surface	L 11,2 x W 1,8 x H 1,8	**564.A**	**43,00**
Track feeding joint	trimless/ surface	L 10,5 x W 1,8 x H 1,8	**564.B**	**28,00**
Surface track end cap	trimless/ surface	L 2,6 x H 2,1	**564.C**	**16,00**
Surface track end cap hole	trimless/ surface	L 2,6 x H 2,1	**564.D**	**21,00**
Driver 60W max 10 spot	remote	/	**564.driver60**	**52,00**

LEI TRACK 230V

(front view
not to scale)



article	*note*	*dimensions (cm)*	*code*	*€*
1 m, 230V, black surface track	surface, not dimmable	L 100 x W 3,5x H 1,9	**564. SUR230V100**	**34,00**
2 m, 230V, black surface track	surface, not dimmable	L 200 x W 7,3 x H 2,6	**564. SUR230V200**	**59,00**

article	*note*	*dimensions (cm)*	*code*	*€*
Track power feed "I"	surface	L 7,9 x W 3,5x H 1,9	**564.E**	**4,00**

measurements in mm

article	*dimensions (cm)*	*for*	*code*	*€/mt*
Fabric cable	100		**500.CABTEX**	**3,00**
PVC cable	100		**500.CABPVC**	**2,00**
Stem	100	Nabila, Osman, Bolina	**500.ROD**	**68,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Ceiling attachment	C2	Ø 2 x H 1,4	**500.DEC2**	**13,00**
Ceiling attachment	C74	Ø 2 x H 1,4	**500.DEC74**	**13,00**



article	*finishes*	*dimensions (cm)*	*code*	*€*
Steel cable kit	chrome	L 125	**500.STEEL125**	**13,00**
Steel cable kit	chrome	L 200	**500.STEEL200**	**15,00**
Steel cable kit	chrome	L 300	**500.STEEL300**	**19,00**



article	*dimensions (cm)*	*for*	*note*	*code*	*€*
Joining kit C2	Ø 1,4 x H 2,2	Nabila, Osman	2 x connectors + 2 mt PVC cable	**500.JUNC2**	**29,00**



article	*dimensions (cm)*	*for*	*finishes*	*code*	*€*
Floor counterweight + Steel cable	Ø 4 x H 15	Linfa	C24/C70/C72	**500.CW**	**134,00**





article	*code*	*€ NET*
TOOY presentation tool	**500.SAMPLES26**	**155,00**
TOOY presentation tool	**500.SAMPLES26_02**	**103,00**

measurements in mm

TERMS AND CONDITIONS

This price list, effective from September 15th, 2026, replaces and cancels all previous editions. Items not included herein are to be considered discontinued.

TOOY reserves the right to withdraw any products from the collection at any time and without prior notice, and - without altering the essential characteristics of the models - to apply price adjustments or make modifications deemed necessary for product improvement, construction requirements, or commercial purposes, especially regarding LED sources.

Information on luminous flux and power consumption is expressed in nominal values. In case of discrepancy between the printed materials and the website, the latter (www.tooy.it) shall prevail.

All dimensions are given in centimetres or millimetres as per technical drawings. Luminaires are normally supplied without light sources, unless otherwise specified. Assembly and maintenance instructions are included in the packaging.

Details regarding materials, finishes and colours refer only to the main visible parts of the products. Anodized finishes may present variations in shade due to the galvanic process, which are to be considered part of the product's aesthetic. Polishing is performed manually, and natural shade variations may occur. Products obtained through deformation of extrusions may vary by ±1cm. Hand-blown glass, crafted using traditional techniques, may present variations in thickness, colour, and finish - features that make each piece unique.

Any terms eventually applied to the order are purely indicative. Non-compliance with them shall not give rise to penalties or claims for damages.

Goods travel at customer's risk, even if sold carriage free. The seller is not responsible for damages incurred during transport, which must be reported directly to the carrier. No claims or returns will be accepted after eight days from receipt of the goods, nor will returns be accepted without prior authorization. Payments delays entitle TOOY to cancel the order and revoke any discounts. Late payments are subject to commercial interest and related expenses. TOOY reserves the right to deliver orders in partial shipments under the same conditions as the original order.

All TOOY products are covered by a 24-month warranty starting from the date of invoice or delivery, whichever occurs first, in compliance with applicable regulations. The warranty covers manufacturing defects only. It does not apply to damages caused by incorrect installation, misuse, modifications not authorized by TOOY, or normal wear and tear of components and finishes.

The Court of Fermo shall have jurisdiction over any disputes.

For technical, functional, or aesthetics reasons, the manufacturer and seller may, at any time and without prior notice, modify the items presented in this catalogue.

TOOY srl accepts no responsibility for typographical errors, changes due to technological progress, or regulatory updates. All prices are VAT excluded.

A norma del D.Lgs. 151/2005 la GIBAS s.r.l. è iscritta al registro produttori AEETEL della provincia di Fermo con numero IT08010000000062 e addebiterà l'eco contributo RAEE nella misura stabilita dal consorzio di smaltimento ECOLIGHT a cui aderisce senza esporlo in fattura.

CE All the products described in this catalog comply with the essential requirements of the EEC directives

TOOY Headquarter
Via A. Volta, 7
63857 - Amandola |FM|
info@tooy.it
+39 0736 840162

TOOY MILANO SHOWROOM
Corso Monforte 28,
20122, Milano
Italy
sales@tooy.it

TOOY

Via Alessandro Volta, 7
63857 Amandola (FM) – ITALY
+39 0736 840162
www.tooy.it
info@tooy.i